ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

13 00 [0554]

Date of Preparation Mar 5, 2025

PRODUCT NUMBER

N22030

PRODUCT NAME

Vintage Alkyd Glaze

MANUFACTURER'S NAME

M. L. CAMPBELL 101 W. Prospect Avenue Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED and rely on information provided to us by our raw material suppliers. Our suppliers often provide an estimated value or range less than a certain upper limit. We calculate MAXIMUM THEORETICAL VALUES using defined values, if provided, or the upper limit reported by our supplier. Additionally, the suppliers' information may include amounts present in the product as unintentional byproducts or impurities. Variations may occur in individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

N22030 = | Acute | Chronic | Fire |

Product Weight 7.04 lb/gal	Specific (0.85	Gravity		FLASH PO 104 °F I		
Volatile Ingredients						
Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Med. Aliphatic Hydrocarbon Solvent 64742-88-7	N	N	N	N	7	8
Light Aliphatic Hydrocarbon 64742-47-8	N	N	N	N	52	57
Ethylbenzene 100-41-4	N	Y	Y	Y	0.4	0.4
Xylene 1330-20-7	N	Y	Υ	Υ	2	2
Ethanol 64-17-5	N	N	N	N	2	2
2-Butoxyethanol 111-76-2	N	N	Y - Glycol Ethers (SARA)	N	5	5
n-Butyl Acetate 123-86-4	N	Y	N	N	2	2

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Glycol Ethers (SARA)	Ν	Ν	Y	Ν	5	

Volatile Organic Compounds - U.S. EPA / Canada

	N22030	
	LB/Gal	g/L
Coating Density	7.04	843
	By wt	By vol
Total Volatiles	71.4%	77.0%
Federally exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	71.4%	77.0%
Percent Non-Volatile	28.6%	23.0%
VOC Content	LB/Gal	g/L
Total	5.02	602
Less exempt solvents	5.02	602
Of solids	21.83	2616
Of solids	2.49 lb/lb	2.49 kg/kg
	By wt	
By wt LVP-VOC	71.4%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.80

Volatile Organic Compounds - California

	N22030		
	LB/Gal	g/L	
Coating Density	7.04	843	
	By wt	By vol	
Total Volatiles	71.4%	77.0%	
Exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	71.4%	77.0%	
Percent Non-Volatile	28.6%	23.0%	
VOC Content	LB/Gal	g/L	
Total	5.02	602	
Less exempt solvents	5.02	602	
Of solids	21.83	2616	
Of solids	2.49 lb/lb	2.49 kg/kg	
	By wt		
By wt LVP-VOC	71.4%		

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.80

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	N22030		
	LB/Gal	g/L	
Coating Density	7.04	843	
	By wt	By vol	
Total Volatiles	71.4%	77.0%	
Exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	71.4%	77.0%	
Percent Non-Volatile	28.6%	23.0%	
VOC Content	LB/Gal	g/L	
Total	5.02	602	
Less exempt solvents	5.02	602	
Of solids	21.83	2616	
Of solids	2.49 lb/lb	2.49 kg/kg	

Volatile Organic Compounds - EU Directive 2004/42/EC

	N22030		
	By wt	By vol	
Total Volatiles	71.4%	77.0%	
VOC Content	LB/Gal	g/L	
Total	5.02	602	

Volatile Organic Compounds - EU Directive 2010/75/EU

	N22030		
	By wt	By vol	
Total Volatiles	71.4%	77.0%	
VOC Content	LB/Gal	g/L	
Total	5.02	602	

Volatile Organic Compounds - Mexico

	N22030		
	LB/Gal	g/L	
Coating Density	7.04	843	
	By wt	By vol	
Total Volatiles	71.4%	77.0%	
Exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	71.4%	77.0%	
Percent Non-Volatile	28.6%	23.0%	
VOC Content	LB/Gal	g/L	
Total	5.02	602	
Less exempt solvents	5.02	602	
Of solids	21.83	2616	
Of solids	2.49 lb/lb	2.49 kg/kg	

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	N22030		
	LB/Gal	kg/L	
Volatile HAPS	0.19	0.022	
Of solids	0.83	0.099	
Of solids	0.09 lb/lb	0.09 kg/kg	

Air Quality Data

Density of Organic Solvent Blend 6.53 lb/gal Photochemically Reactive No

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

The addition of any material to this product can change the composition, hazards and risks of the product and may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.