

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Oct 3, 2025

22 00 [2674]

PRODUCT NUMBER

W131124

PRODUCT NAME

STEALTH 275 White/Opaque, Satin

MANUFACTURER'S NAME

M. L. CAMPBELL

101 W. Prospect Avenue

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED and rely on information provided to us by our raw material suppliers. Our suppliers often provide an estimated value or range less than a certain upper limit. We calculate MAXIMUM THEORETICAL VALUES using defined values, if provided, or the upper limit reported by our supplier. Additionally, the suppliers' information may include amounts present in the product as unintentional byproducts or impurities. Variations may occur in individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

W131124 = | Acute | Chronic | Fire |

Product Weight

9.67 lb/gal

Specific Gravity

1.16

FLASH POINT

4 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Ethylbenzene 100-41-4	N	Y	Y	Y	0.2	0.2
p-Chlorobenzotrifluoride 98-56-6	N	N	N	N	5	4
Ethanol 64-17-5	N	N	N	N	2	3
Acetone 67-64-1	N	Y	N	N	16	24
dimethyl carbonate 616-38-6	N	N	N	N	23	25
n-Butyl Acetate 123-86-4	N	Y	N	N	1	1

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Lead (as Pb)	N	N	Y	N	0.00002	

Volatile Organic Compounds - U.S. EPA / Canada

	W131124	
	LB/Gal	g/L
Coating Density	9.67	1159
	By wt	By vol
Total Volatiles	49.9%	61.4%
Federally exempt solvents		
Water	0.0%	0.0%
Dimethyl carbonate	22.7%	24.7%
Acetone	16.5%	24.2%
P-Chlorobenzotrifluoride	4.5%	3.9%
Organic Volatiles	6.2%	8.6%
Percent Non-Volatile	50.1%	38.6%
VOC Content	LB/Gal	g/L
Total	0.59	71
Less exempt solvents	1.26	152
Of solids	1.55	185
Of solids	0.12 lb/lb	0.12 kg/kg
	By wt	
By wt LVP-VOC	6.2%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.23**

Volatile Organic Compounds - California

	W131124	
	LB/Gal	g/L
Coating Density	9.67	1159
	By wt	By vol
Total Volatiles	49.9%	61.4%
Exempt solvents		
Water	0.0%	0.0%
Acetone	16.5%	24.2%
P-Chlorobenzotrifluoride	4.5%	3.9%
Organic Volatiles	28.9%	33.3%
Percent Non-Volatile	50.1%	38.6%
VOC Content	LB/Gal	g/L
Total	2.79	334
Less exempt solvents	3.88	465
Of solids	7.23	867
Of solids	0.57 lb/lb	0.57 kg/kg
	By wt	
By wt LVP-VOC	28.9%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.22**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	W131124	
	LB/Gal	g/L
Coating Density	9.67	1159
	By wt	By vol
Total Volatiles	49.9%	61.4%
Exempt solvents		
Water	0.0%	0.0%
Acetone	16.5%	24.2%
P-Chlorobenzotrifluoride	4.5%	3.9%
Organic Volatiles	28.9%	33.3%
Percent Non-Volatile	50.1%	38.6%
VOC Content	LB/Gal	g/L
Total	2.79	334
Less exempt solvents	3.88	465
Of solids	7.23	867
Of solids	0.57 lb/lb	0.57 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	W131124	
	By wt	By vol
Total Volatiles	49.9%	61.4%
VOC Content	LB/Gal	g/L
Total	4.82	578

Volatile Organic Compounds - EU Directive 2010/75/EU

	W131124	
	By wt	By vol
Total Volatiles	49.9%	61.4%
VOC Content	LB/Gal	g/L
Total	4.82	578

Volatile Organic Compounds - Mexico

	W131124	
	LB/Gal	g/L
Coating Density	9.67	1159
	By wt	By vol
Total Volatiles	49.9%	61.4%
Exempt solvents		
Water	0.0%	0.0%
Acetone	16.5%	24.2%
Organic Volatiles	33.4%	37.2%
Percent Non-Volatile	50.1%	38.6%
VOC Content	LB/Gal	g/L
Total	3.22	386
Less exempt solvents	4.26	510
Of solids	8.36	1002
Of solids	0.66 lb/lb	0.66 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	W131124	
	LB/Gal	kg/L
Volatile HAPS	0.01	0.001
Of solids	0.04	0.004
Of solids	0.00 lb/lb	0.00 kg/kg

Air Quality Data**Density of Organic Solvent Blend**

7.86 lb/gal

Photochemically Reactive

No

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

The addition of any material to this product can change the composition, hazards and risks of the product and may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.