ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Apr 19, 2024

13 00 [0614]

PRODUCT NUMBER

WS2DPS10

PRODUCT NAME

WOODSONG™ II Deep Penetrating Stain Base

MANUFACTURER'S NAME

M. L. CAMPBELL 101 W. Prospect Avenue Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED and rely on information provided to us by our raw material suppliers. Our suppliers often provide an estimated value or range less than a certain upper limit. We calculate MAXIMUM THEORETICAL VALUES using defined values, if provided, or the upper limit reported by our supplier. Additionally, the suppliers' information may include amounts present in the product as unintentional byproducts or impurities. Variations may occur in individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

WS2DPS10 = | Acute | Chronic | Fire |

Product WeightSpecific GravityFLASH POINT7.21 lb/gal0.8770 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Med. Aliphatic Hydrocarbon Solvent 64742-88-7	N	N	N	N	3	3
Light Aliphatic Hydrocarbon 64742-47-8	N	N	N	N	31	35
Ethylbenzene 100-41-4	N	Υ	Υ	Υ	0.9	0.9
Xylene 1330-20-7	N	Υ	Υ	Υ	5	5
p-Chlorobenzotrifluoride 98-56-6	N	N	N	N	14	9
Ethanol 64-17-5	N	N	N	N	3	3
2-Butoxyethanol 111-76-2	N	N	Y - Glycol Ethers (SARA)	N	5	4
Acetone 67-64-1	N	Υ	N	N	29	31

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Lead (as Pb)	N	N	Υ	N	0.000009	
Glycol Ethers (SARA)	N	N	Υ	N	5	

Volatile Organic Compounds - U.S. EPA / Canada

	WS2DPS10	
	LB/Gal	g/L
Coating Density	7.21	864
	By wt	By vol
Total Volatiles	89.9%	92.0%
Federally exempt solvents		
Water	0.0%	0.0%
Acetone	28.7%	31.4%
P-Chlorobenzotrifluoride	14.0%	9.0%
Organic Volatiles	47.1%	51.5%
Percent Non-Volatile	10.1%	8.0%
VOC Content	LB/Gal	g/L
Total	3.40	407
Less exempt solvents	5.71	684
Of solids	42.34	5073
Of solids	4.65 lb/lb	4.65 kg/kg
	By wt	
By wt LVP-VOC	47.1%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.96

Volatile Organic Compounds - California

	WS	2DPS10
	LB/Gal	g/L
Coating Density	7.21	864
,	By wt	By vol
Total Volatiles	89.9%	92.0%
Exempt solvents		
Water	0.0%	0.0%
Acetone	28.7%	31.4%
P-Chlorobenzotrifluoride	14.0%	9.0%
Organic Volatiles	47.1%	51.5%
Percent Non-Volatile	10.1%	8.0%
VOC Content	LB/Gal	g/L
Total	3.40	407
Less exempt solvents	5.71	684
Of solids	42.34	5073
Of solids	4.65 lb/lb	4.65 kg/kg
	By wt	
By wt LVP-VOC	47.1%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.94

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	WS2DPS10	
	LB/Gal	g/L
Coating Density	7.21	864
	By wt	By vol
Total Volatiles	89.9%	92.0%
Exempt solvents		
Water	0.0%	0.0%
Acetone	28.7%	31.4%
P-Chlorobenzotrifluoride	14.0%	9.0%
Organic Volatiles	47.1%	51.5%
Percent Non-Volatile	10.1%	8.0%
VOC Content	LB/Gal	g/L
Total	3.40	407
Less exempt solvents	5.71	684
Of solids	42.34	5073
Of solids	4.65 lb/lb	4.65 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	WS2DPS10		
	By wt	By vol	
Total Volatiles	89.9%	92.0%	
VOC Content	LB/Gal	g/L	
Total	6.48	776	

Volatile Organic Compounds - EU Directive 2010/75/EU

	WS2DPS10		
	By wt	By vol	
Total Volatiles	89.9%	92.0%	
VOC Content	LB/Gal	g/L	
Total	6.48	776	

Volatile Organic Compounds - Mexico

	WS2	2DPS10
	LB/Gal	g/L
Coating Density	7.21	864
	By wt	By vol
Total Volatiles	89.9%	92.0%
Exempt solvents		
Water	0.0%	0.0%
Acetone	28.7%	31.4%
Organic Volatiles	61.1%	60.5%
Percent Non-Volatile	10.1%	8.0%
VOC Content	LB/Gal	g/L
Total	4.41	528
Less exempt solvents	6.43	770
Of solids	54.91	6580
Of solids	6.03 lb/lb	6.03 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	WS2DPS10		
	LB/Gal	kg/L	
Volatile HAPS	0.42	0.051	
Of solids	5.31	0.637	
Of solids	0.58 lb/lb	0.58 kg/kg	

Air Quality Data

Density of Organic Solvent Blend

7.05 lb/gal

Photochemically Reactive

No

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

The addition of any material to this product can change the composition, hazards and risks of the product and may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.