

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Feb 24, 2024

15 00 [0554]

PRODUCT NUMBER

C127954

PRODUCT NAME

High Performance WB Production Lacquer Clear, Satin

MANUFACTURER'S NAME

M. L. CAMPBELL

101 W. Prospect Avenue

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

C127954 = | Acute | Chronic |

Product Weight

8.42 lb/gal

Specific Gravity

1.01

FLASH POINT

N.A.

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
2-Methoxymethylethoxypropanol 34590-94-8	N	N	N	N	4	4
Butoxypropanol 5131-66-8	N	N	N	N	7	8
Water 7732-18-5	N	N	N	N	54	55

Volatile Organic Compounds - U.S. EPA / Canada

	C127954	
	LB/Gal	g/L
Coating Density	8.42	1009
	By wt	By vol
Total Volatiles	65.1%	67.0%
Federally exempt solvents		
Water	54.4%	55.0%
Organic Volatiles	10.6%	11.9%
Percent Non-Volatile	34.9%	33.0%
VOC Content	LB/Gal	g/L
Total	0.89	106
Less exempt solvents	1.98	238
Of solids	2.70	324
Of solids	0.30 lb/lb	0.30 kg/kg
	By wt	
By wt LVP-VOC	10.5%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.99**

Volatile Organic Compounds - California

	C127954	
	LB/Gal	g/L
Coating Density	8.42	1009
	By wt	By vol
Total Volatiles	65.1%	67.0%
Exempt solvents		
Water	54.4%	55.0%
Organic Volatiles	10.7%	12.0%
Percent Non-Volatile	34.9%	33.0%
VOC Content	LB/Gal	g/L
Total	0.90	107
Less exempt solvents	2.00	239
Of solids	2.73	327
Of solids	0.30 lb/lb	0.30 kg/kg
	By wt	
By wt LVP-VOC	10.6%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.60**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	C127954	
	LB/Gal	g/L
Coating Density	8.42	1009
	By wt	By vol
Total Volatiles	65.1%	67.0%
Exempt solvents		
Water	54.4%	55.0%
Organic Volatiles	10.7%	12.0%
Percent Non-Volatile	34.9%	33.0%
VOC Content	LB/Gal	g/L
Total	0.90	107
Less exempt solvents	2.00	239
Of solids	2.73	327
Of solids	0.30 lb/lb	0.30 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	C127954	
	By wt	By vol
Total Volatiles	65.1%	67.0%
VOC Content	LB/Gal	g/L
Total	0.90	107

Volatile Organic Compounds - EU Directive 2010/75/EU

	C127954	
	By wt	By vol
Total Volatiles	65.0%	67.0%
VOC Content	LB/Gal	g/L
Total	0.89	107

Volatile Organic Compounds - Mexico

	C127954	
	LB/Gal	g/L
Coating Density	8.42	1009
	By wt	By vol
Total Volatiles	65.1%	67.0%
Exempt solvents		
Water	54.4%	55.0%
Organic Volatiles	10.7%	12.0%
Percent Non-Volatile	34.9%	33.0%
VOC Content	LB/Gal	g/L
Total	0.90	107
Less exempt solvents	2.00	239
Of solids	2.73	327
Of solids	0.30 lb/lb	0.30 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	C127954	
	LB/Gal	kg/L
Volatile HAPS	0.00	0.000
Of solids	0.00	0.000
Of solids	0.00 lb/lb	0.00 kg/kg

Air Quality Data

Density of Organic Solvent Blend

7.53 lb/gal

Photochemically Reactive

No

Waste Disposal

Waste from this product is not hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.