ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Feb 24, 2024

11 00 [0554]

PRODUCT NUMBER

WS2NB4

PRODUCT NAME

WOODSONG™ II NGR Spray Stain Base

MANUFACTURER'S NAME

M. L. CAMPBELL 101 W. Prospect Avenue Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

WS2NB4 = | Acute | Chronic | Fire |

Product WeightSpecific GravityFLASH POINT6.69 lb/gal0.8153 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Methanol 67-56-1	N	Υ	Υ	Υ	35	36
2-Propanol 67-63-0	N	N	N	N	13	13
2-Butoxyethanol 111-76-2	N	N	Y - Glycol Ethers (SARA)	N	7	6
Acetone 67-64-1	N	Υ	N	N	35	36
n-Butyl Acetate 123-86-4	N	Υ	N	N	10	9

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Glycol Ethers (SARA)	N	N	Υ	N	7	

Volatile Organic Compounds - U.S. EPA / Canada

	WS2NB4	
	LB/Gal	g/L
Coating Density	6.69	802
	By wt	By vol
Total Volatiles	100.0%	100.0%
Federally exempt solvents		
Water	0.0%	0.0%
Acetone	35.0%	35.6%
Organic Volatiles	65.0%	64.4%
Percent Non-Volatile	0.0%	0.0%
VOC Content	LB/Gal	g/L
Total	4.35	521
Less exempt solvents	6.75	809
Of solids	0.00	0
Of solids	0.00 lb/lb	0.00 kg/kg
	By wt	
By wt LVP-VOC	65.0%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.78

Volatile Organic Compounds - California

	WS2NB4		
	LB/Gal	g/L	
Coating Density	6.69	802	
	By wt	By vol	
Total Volatiles	100.0%	100.0%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	35.0%	35.6%	
Organic Volatiles	65.0%	64.4%	
Percent Non-Volatile	0.0%	0.0%	
VOC Content	LB/Gal	g/L	
Total	4.35	521	
Less exempt solvents	6.75	809	
Of solids	0.00	0	
Of solids	0.00 lb/lb	0.00 kg/kg	
	By wt		
By wt LVP-VOC	65.0%	_	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.72

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	WS2NB4		
	LB/Gal	g/L	
Coating Density	6.69	802	
	By wt	By vol	
Total Volatiles	100.0%	100.0%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	35.0%	35.6%	
Organic Volatiles	65.0%	64.4%	
Percent Non-Volatile	0.0%	0.0%	
VOC Content	LB/Gal	g/L	
Total	4.35	521	
Less exempt solvents	6.75	809	
Of solids	0.00	0	
Of solids	0.00 lb/lb	0.00 kg/kg	

Volatile Organic Compounds - EU Directive 2004/42/EC

	WS2NB4		
	By wt	By vol	
Total Volatiles	100.0%	100.0%	
VOC Content	LB/Gal	g/L	
Total	6.69	802	

Volatile Organic Compounds - EU Directive 2010/75/EU

	WS2NB4	
	By wt	By vol
Total Volatiles	100.0%	100.0%
VOC Content	LB/Gal	g/L
Total	6.69	802

Volatile Organic Compounds - Mexico

	WS2NB4		
	LB/Gal	g/L	
Coating Density	6.69	802	
	By wt	By vol	
Total Volatiles	100.0%	100.0%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	35.0%	35.6%	
Organic Volatiles	65.0%	64.4%	
Percent Non-Volatile	0.0%	0.0%	
VOC Content	LB/Gal	g/L	
Total	4.35	521	
Less exempt solvents	6.75	809	
Of solids	0.00	0	
Of solids	0.00 lb/lb	0.00 kg/kg	

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	WS2NB4			
	LB/Gal	kg/L		
Volatile HAPS	2.34	0.280	35.00 % by wt	
Of solids	lb/gal	kg/l of solids	Not applicable	
Of solids	lb/lb	kg/kg of solids	Not applicable	

Air Quality Data

Density of Organic Solvent Blend

6.69 lb/gal

Photochemically Reactive

No

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.