ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

15 00 [0554]

Date of Preparation Apr 20, 2024

PRODUCT NUMBER

W129649 PRODUCT NAME

MAGNAMAX™ 275 Primer, White

MANUFACTURER'S NAME

M. L. CAMPBELL

101 W. Prospect Avenue Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED and rely on information provided to us by our raw material suppliers. Our suppliers often provide an estimated value or range less than a certain upper limit. We calculate MAXIMUM THEORETICAL VALUES using defined values, if provided, or the upper limit reported by our supplier. Additionally, the suppliers' information may include amounts present in the product as unintentional byproducts or impurities. Variations may occur in individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

W129649 = | Acute | Chronic | Fire |

Product Weight 9.00 lb/gal	Specific 1.08	Gravity			H POINT F PMCC	
Volatile Ingredients						
Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Ethylbenzene 100-41-4	Ν	Y	Υ	Y	0.2	0.2
p-Chlorobenzotrifluoride 98-56-6	N	N	N	N	4	3
2-Propanol 67-63-0	N	N	N	N	1	1
1-Butanol 71-36-3	N	Y	Y	N	2	3
Acetone 67-64-1	N	Y	N	N	41	56
dimethyl carbonate 616-38-6	N	N	N	N	5	5
1-Methoxy-2-Propanol Acetate 108-65-6	N	N	N	N	2	2

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Mercury (as Hg)	N	Ν	Y	Ν	0.0000004	
Lead (as Pb)	Ν	Ν	Y	N	0.00002	

Volatile Organic Compounds - U.S. EPA / Canada

	W129649	
	LB/Gal	g/L
Coating Density	9.00	1078
	By wt	By vol
Total Volatiles	58.0%	74.5%
Federally exempt solvents		
Water	0.0%	0.0%
Acetone	40.7%	55.6%
Dimethyl carbonate	5.0%	5.0%
P-Chlorobenzotrifluoride	3.8%	3.1%
Organic Volatiles	8.4%	10.8%
Percent Non-Volatile	42.0%	25.5%
VOC Content	LB/Gal	g/L
Total	0.75	90
Less exempt solvents	2.09	250
Of solids	2.97	356
Of solids	0.20 lb/lb	0.20 kg/kg
	By wt	
By wt LVP-VOC	8.4%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.43

Volatile Organic Compounds - California

	W129649		
	LB/Gal	g/L	
Coating Density	9.00	1078	
	By wt	By vol	
Total Volatiles	58.0%	74.5%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	40.7%	55.6%	
P-Chlorobenzotrifluoride	3.8%	3.1%	
Organic Volatiles	13.4%	15.8%	
Percent Non-Volatile	42.0%	25.5%	
VOC Content	LB/Gal	g/L	
Total	1.20	144	
Less exempt solvents	2.92	350	
Of solids	4.73	567	
Of solids	0.31 lb/lb	0.31 kg/kg	
	By wt		
By wt LVP-VOC	13.4%		

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.38

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	W129649		
	LB/Gal	g/L	
Coating Density	9.00	1078	
	By wt	By vol	
Total Volatiles	58.0%	74.5%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	40.7%	55.6%	
P-Chlorobenzotrifluoride	3.8%	3.1%	
Organic Volatiles	13.4%	15.8%	
Percent Non-Volatile	42.0%	25.5%	
VOC Content	LB/Gal	g/L	
Total	1.20	144	
Less exempt solvents	2.92	350	
Of solids	4.73	567	
Of solids	0.31 lb/lb	0.31 kg/kg	

Volatile Organic Compounds - EU Directive 2004/42/EC

	W129649		
	By wt	By vol	
Total Volatiles	58.2%	74.8%	
VOC Content	LB/Gal	g/L	
Total	5.23	627	

Volatile Organic Compounds - EU Directive 2010/75/EU

	W129649		
	By wt	By vol	
Total Volatiles	58.0%	74.5%	
VOC Content	LB/Gal	g/L	
Total	5.21	624	

Volatile Organic Compounds - Mexico

	W129649		
	LB/Gal	g/L	
Coating Density	9.00	1078	
	By wt	By vol	
Total Volatiles	58.0%	74.5%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	40.7%	55.6%	
Organic Volatiles	17.2%	18.9%	
Percent Non-Volatile	42.0%	25.5%	
VOC Content	LB/Gal	g/L	
Total	1.54	185	
Less exempt solvents	3.49	418	
Of solids	6.07	728	
Of solids	0.40 lb/lb	0.40 kg/kg	

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	W129649		
	LB/Gal	kg/L	
Volatile HAPS	0.01	0.001	
Of solids	0.06	0.007	
Of solids	0.00 lb/lb	0.00 kg/kg	

Air Quality Data

Density of Organic Solvent Blend 7.00 lb/gal Photochemically Reactive No

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

The addition of any material to this product can change the composition, hazards and risks of the product and may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.