

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation
May 11, 2024

08 00 [0614]

PRODUCT NUMBER

WS2LS10SL

PRODUCT NAME

WOODSONG® II Low Solids Stain Base SL

MANUFACTURER'S NAME

M. L. CAMPBELL
101 W. Prospect Avenue
Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED and rely on information provided to us by our raw material suppliers. Our suppliers often provide an estimated value or range less than a certain upper limit. We calculate MAXIMUM THEORETICAL VALUES using defined values, if provided, or the upper limit reported by our supplier. Additionally, the suppliers' information may include amounts present in the product as unintentional byproducts or impurities. Variations may occur in individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

WS2LS10SL = | Acute | Chronic | Fire |

Product Weight

7.47 lb/gal

Specific Gravity

0.90

FLASH POINT

70 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Light Aliphatic Hydrocarbon 64742-47-8	N	N	N	N	9	10
Ethylbenzene 100-41-4	N	Y	Y	Y	0.1	0.1
p-Chlorobenzotrifluoride 98-56-6	N	N	N	N	22	15
Ethanol 64-17-5	N	N	N	N	1	2
Acetone 67-64-1	N	Y	N	N	56	64

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Mercury (as Hg)	N	N	Y	N	0.000003	
Lead (as Pb)	N	N	Y	N	0.000002	

Volatile Organic Compounds - U.S. EPA / Canada

	WS2LS10SL	
	LB/Gal	g/L
Coating Density	7.47	895
	By wt	By vol
Total Volatiles	90.1%	92.2%
Federally exempt solvents		
Water	0.0%	0.0%
Acetone	56.1%	63.6%
P-Chlorobenzotrifluoride	21.8%	14.6%
Organic Volatiles	12.1%	14.0%
Percent Non-Volatile	9.9%	7.8%
VOC Content	LB/Gal	g/L
Total	0.90	108
Less exempt solvents	4.16	498
Of solids	11.65	1396
Of solids	1.21 lb/lb	1.21 kg/kg
	By wt	
By wt LVP-VOC	12.1%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.41**

Volatile Organic Compounds - California

	WS2LS10SL	
	LB/Gal	g/L
Coating Density	7.47	895
	By wt	By vol
Total Volatiles	90.1%	92.2%
Exempt solvents		
Water	0.0%	0.0%
Acetone	56.1%	63.6%
P-Chlorobenzotrifluoride	21.8%	14.6%
Organic Volatiles	12.1%	14.0%
Percent Non-Volatile	9.9%	7.8%
VOC Content	LB/Gal	g/L
Total	0.90	108
Less exempt solvents	4.16	498
Of solids	11.65	1396
Of solids	1.21 lb/lb	1.21 kg/kg
	By wt	
By wt LVP-VOC	12.1%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.37**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	WS2LS10SL	
	LB/Gal	g/L
Coating Density	7.47	895
	By wt	By vol
Total Volatiles	90.1%	92.2%
Exempt solvents		
Water	0.0%	0.0%
Acetone	56.1%	63.6%
P-Chlorobenzotrifluoride	21.8%	14.6%
Organic Volatiles	12.1%	14.0%
Percent Non-Volatile	9.9%	7.8%
VOC Content	LB/Gal	g/L
Total	0.90	108
Less exempt solvents	4.16	498
Of solids	11.65	1396
Of solids	1.21 lb/lb	1.21 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	WS2LS10SL	
	By wt	By vol
Total Volatiles	90.1%	92.2%
VOC Content	LB/Gal	g/L
Total	6.73	806

Volatile Organic Compounds - EU Directive 2010/75/EU

	WS2LS10SL	
	By wt	By vol
Total Volatiles	90.1%	92.2%
VOC Content	LB/Gal	g/L
Total	6.73	806

Volatile Organic Compounds - Mexico

	WS2LS10SL	
	LB/Gal	g/L
Coating Density	7.47	895
	By wt	By vol
Total Volatiles	90.1%	92.2%
Exempt solvents		
Water	0.0%	0.0%
Acetone	56.1%	63.6%
Organic Volatiles	34.0%	28.6%
Percent Non-Volatile	9.9%	7.8%
VOC Content	LB/Gal	g/L
Total	2.53	304
Less exempt solvents	6.97	836
Of solids	32.66	3913
Of solids	3.41 lb/lb	3.41 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	WS2LS10SL	
	LB/Gal	kg/L
Volatile HAPS	0.01	0.001
Of solids	0.13	0.016
Of solids	0.01 lb/lb	0.01 kg/kg

Air Quality Data

Density of Organic Solvent Blend

7.30 lb/gal

Photochemically Reactive

No

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

The addition of any material to this product can change the composition, hazards and risks of the product and may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.