ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

12 00 [0554]

Date of Preparation Apr 20, 2024

PRODUCT NUMBER

C10190

PRODUCT NAME

VINYL-SNAP™ High Build Vinyl Sealer, Clear

MANUFACTURER'S NAME

M. L. CAMPBELL

101 W. Prospect Avenue Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED and rely on information provided to us by our raw material suppliers. Our suppliers often provide an estimated value or range less than a certain upper limit. We calculate MAXIMUM THEORETICAL VALUES using defined values, if provided, or the upper limit reported by our supplier. Additionally, the suppliers' information may include amounts present in the product as unintentional byproducts or impurities. Variations may occur in individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

C10190 = | Acute | Chronic | Fire |

Product Weight 7.66 lb/gal	SI	oecific Gravity 0.92		FL	ASH POINT 21 °F PMCC	
Volatile Ingredients						
Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Toluene 108-88-3	Ν	Y	Y	Υ	4	4
Ethylbenzene 100-41-4	Ν	Y	Υ	Υ	0.1	0.1
Ethanol 64-17-5	N	Ν	N	N	4	5
2-Propanol 67-63-0	Ν	N	Ν	Ν	4	4
2-Methyl-1-propanol 78-83-1	Ν	Y	N	N	3	3
Acetone 67-64-1	N	Y	N	N	16	19
Methyl Ethyl Ketone 78-93-3	N	Y	N	N	10	11
Methyl n-Amyl Ketone 110-43-0	N	N	N	N	4	4
Ethyl Acetate 141-78-6	N	Y	N	N	12	12
n-Butyl Acetate 123-86-4	N	Y	Ν	Ν	20	21

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Mercury (as Hg)	Ν	Ν	Y	Ν	0.000001	
Lead (as Pb)	Ν	Ν	Y	Ν	0.000001	

Volatile Organic Compounds - U.S. EPA / Canada

	C10190		
	LB/Gal	g/L	
Coating Density	7.66	917	
	By wt	By vol	
Total Volatiles	77.7%	85.5%	
Federally exempt solvents			
Water	0.0%	0.0%	
Acetone	16.2%	18.8%	
Organic Volatiles	61.5%	66.7%	
Percent Non-Volatile	22.3%	14.5%	
VOC Content	LB/Gal	g/L	
Total	4.71	564	
Less exempt solvents	5.80	695	
Of solids	32.52	3897	
Of solids	2.76 lb/lb	2.76 kg/kg	
	By wt		
By wt LVP-VOC	61.4%		

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.94

Volatile Organic Compounds - California

	C10190		
	LB/Gal	g/L	
Coating Density	7.66	917	
	By wt	By vol	
Total Volatiles	77.7%	85.5%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	16.2%	18.8%	
Organic Volatiles	61.5%	66.7%	
Percent Non-Volatile	22.3%	14.5%	
VOC Content	LB/Gal	g/L	
Total	4.71	564	
Less exempt solvents	5.80	695	
Of solids	32.52	3897	
Of solids	2.76 lb/lb	2.76 kg/kg	
	By wt		
By wt LVP-VOC	61.4%		

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.89

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	C10190		
	LB/Gal	g/L	
Coating Density	7.66	917	
	By wt	By vol	
Total Volatiles	77.7%	85.5%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	16.2%	18.8%	
Organic Volatiles	61.5%	66.7%	
Percent Non-Volatile	22.3%	14.5%	
VOC Content	LB/Gal	g/L	
Total	4.71	564	
Less exempt solvents	5.80	695	
Of solids	32.52	3897	
Of solids	2.76 lb/lb	2.76 kg/kg	

Volatile Organic Compounds - EU Directive 2004/42/EC

	C10190		
	By wt	By vol	
Total Volatiles	77.7%	85.5%	
VOC Content	LB/Gal	g/L	
Total	5.95	713	

Volatile Organic Compounds - EU Directive 2010/75/EU

	C10190		
	By wt	By vol	
Total Volatiles	77.7%	85.5%	
VOC Content	LB/Gal	g/L	
Total	5.95	713	

Volatile Organic Compounds - Mexico

	C10190		
	LB/Gal	g/L	
Coating Density	7.66	917	
	By wt	By vol	
Total Volatiles	77.7%	85.5%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	16.2%	18.8%	
Organic Volatiles	61.5%	66.7%	
Percent Non-Volatile	22.3%	14.5%	
VOC Content	LB/Gal	g/L	
Total	4.71	564	
Less exempt solvents	5.80	695	
Of solids	32.52	3897	
Of solids	2.76 lb/lb	2.76 kg/kg	

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	C10190		
	LB/Gal	kg/L	
Volatile HAPS	0.29	0.035	
Of solids	2.03	0.243	
Of solids	0.17 lb/lb	0.17 kg/kg	

Air Quality Data

Density of Organic Solvent Blend 6.96 lb/gal Photochemically Reactive No

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

The addition of any material to this product can change the composition, hazards and risks of the product and may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.