

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation
Apr 30, 2025

15 00 [0205]

PRODUCT NUMBER

WS2DPS10

PRODUCT NAME

WOODSONG™ II Deep Penetrating Stain Base

MANUFACTURER'S NAME

M. L. CAMPBELL
101 W. Prospect Avenue
Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED and rely on information provided to us by our raw material suppliers. Our suppliers often provide an estimated value or range less than a certain upper limit. We calculate MAXIMUM THEORETICAL VALUES using defined values, if provided, or the upper limit reported by our supplier. Additionally, the suppliers' information may include amounts present in the product as unintentional byproducts or impurities. Variations may occur in individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

WS2DPS10 = | Acute | Chronic | Fire |

Product Weight

7.12 lb/gal

Specific Gravity

0.86

FLASH POINT

70 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Med. Aliphatic Hydrocarbon Solvent 64742-88-7	N	N	N	N	3	3
Light Aliphatic Hydrocarbon 64742-47-8	N	N	N	N	33	36
Ethylbenzene 100-41-4	N	Y	Y	Y	0.9	0.9
Xylene 1330-20-7	N	Y	Y	Y	5	5
Ethanol 64-17-5	N	N	N	N	3	3
2-Butoxyethanol 111-76-2	N	N	Y - Glycol Ethers (SARA)	N	6	6
4-Methyl-1,3-dioxolan-2-one 108-32-7	N	N	N	N	12	9
Acetone 67-64-1	N	Y	N	N	25	27

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Lead (as Pb)	N	N	Y	N	0.000009	
Glycol Ethers (SARA)	N	N	Y	N	6	

Volatile Organic Compounds - U.S. EPA / Canada

	WS2DPS10	
	LB/Gal	g/L
Coating Density	7.12	853
	By wt	By vol
Total Volatiles	89.2%	91.5%
Federally exempt solvents		
Water	0.0%	0.0%
Acetone	25.4%	27.5%
4-Methyl-1,3-dioxolan-2-one	12.4%	8.8%
Organic Volatiles	51.4%	55.3%
Percent Non-Volatile	10.8%	8.5%
VOC Content	LB/Gal	g/L
Total	3.65	438
Less exempt solvents	5.73	687
Of solids	43.08	5162
Of solids	4.73 lb/lb	4.73 kg/kg
	By wt	
By wt LVP-VOC	51.4%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **1.05**

Volatile Organic Compounds - California

	WS2DPS10	
	LB/Gal	g/L
Coating Density	7.12	853
	By wt	By vol
Total Volatiles	89.2%	91.5%
Exempt solvents		
Water	0.0%	0.0%
Acetone	25.4%	27.5%
Organic Volatiles	63.7%	64.1%
Percent Non-Volatile	10.8%	8.5%
VOC Content	LB/Gal	g/L
Total	4.53	543
Less exempt solvents	6.25	749
Of solids	53.45	6404
Of solids	5.87 lb/lb	5.87 kg/kg
	By wt	
By wt LVP-VOC	51.4%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **1.03**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	WS2DPS10	
	LB/Gal	g/L
Coating Density	7.12	853
	By wt	By vol
Total Volatiles	89.2%	91.5%
Exempt solvents		
Water	0.0%	0.0%
Acetone	25.4%	27.5%
4-Methyl-1,3-dioxolan-2-one	12.4%	8.8%
Organic Volatiles	51.4%	55.3%
Percent Non-Volatile	10.8%	8.5%
VOC Content	LB/Gal	g/L
Total	3.65	438
Less exempt solvents	5.73	687
Of solids	43.08	5162
Of solids	4.73 lb/lb	4.73 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	WS2DPS10	
	By wt	By vol
Total Volatiles	89.2%	91.5%
VOC Content	LB/Gal	g/L
Total	6.34	760

Volatile Organic Compounds - EU Directive 2010/75/EU

	WS2DPS10	
	By wt	By vol
Total Volatiles	76.8%	82.7%
VOC Content	LB/Gal	g/L
Total	5.46	655

Volatile Organic Compounds - Mexico

	WS2DPS10	
	LB/Gal	g/L
Coating Density	7.12	853
	By wt	By vol
Total Volatiles	89.2%	91.5%
Exempt solvents		
Water	0.0%	0.0%
Acetone	25.4%	27.5%
Organic Volatiles	63.7%	64.1%
Percent Non-Volatile	10.8%	8.5%
VOC Content	LB/Gal	g/L
Total	4.53	543
Less exempt solvents	6.25	749
Of solids	53.45	6404
Of solids	5.87 lb/lb	5.87 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	WS2DPS10	
	LB/Gal	kg/L
Volatile HAPS	0.44	0.053
Of solids	5.25	0.629
Of solids	0.57 lb/lb	0.57 kg/kg

Air Quality Data

Density of Organic Solvent Blend

6.94 lb/gal

Photochemically Reactive

Yes

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

The addition of any material to this product can change the composition, hazards and risks of the product and may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.