

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation
Mar 1, 2024

47 00 [0614]

PRODUCT NUMBER

C10025

PRODUCT NAME

Water White Vinyl Sealer

MANUFACTURER'S NAME

M. L. CAMPBELL
101 W. Prospect Avenue
Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

C10025 = | Acute | Chronic | Fire |

Product Weight

7.12 lb/gal

Specific Gravity

0.86

FLASH POINT

-4 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Light Aliphatic Hydrocarbon Solvent 68410-97-9	N	N	N	N	7	8
Toluene 108-88-3	N	Y	Y	Y	2	2
Ethylbenzene 100-41-4	N	Y	Y	Y	0.2	< 1
Xylene 1330-20-7	N	Y	Y	Y	2	2
2-Propanol 67-63-0	N	N	N	N	12	13
2-Methyl-1-propanol 78-83-1	N	Y	N	N	4	4
Acetone 67-64-1	N	Y	N	N	36	39
Methyl Isobutyl Ketone 108-10-1	N	Y	Y	Y	0.2	< 1
n-Butyl Acetate 123-86-4	N	Y	N	N	21	20

Volatile Organic Compounds - U.S. EPA / Canada

	C10025	
	LB/Gal	g/L
Coating Density	7.12	853
	By wt	By vol
Total Volatiles	84.0%	88.8%
Federally exempt solvents		
Water	0.0%	0.0%
Acetone	36.4%	39.3%
Organic Volatiles	47.6%	49.5%
Percent Non-Volatile	16.0%	11.2%
VOC Content	LB/Gal	g/L
Total	3.39	406
Less exempt solvents	5.59	670
Of solids	30.31	3632
Of solids	2.97 lb/lb	2.97 kg/kg
	By wt	
By wt LVP-VOC	47.6%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.81**

Volatile Organic Compounds - California

	C10025	
	LB/Gal	g/L
Coating Density	7.12	853
	By wt	By vol
Total Volatiles	84.0%	88.8%
Exempt solvents		
Water	0.0%	0.0%
Acetone	36.4%	39.3%
Organic Volatiles	47.6%	49.5%
Percent Non-Volatile	16.0%	11.2%
VOC Content	LB/Gal	g/L
Total	3.39	406
Less exempt solvents	5.59	670
Of solids	30.31	3632
Of solids	2.97 lb/lb	2.97 kg/kg
	By wt	
By wt LVP-VOC	47.6%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.78**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	C10025	
	LB/Gal	g/L
Coating Density	7.12	853
	By wt	By vol
Total Volatiles	84.0%	88.8%
Exempt solvents		
Water	0.0%	0.0%
Acetone	36.4%	39.3%
Organic Volatiles	47.6%	49.5%
Percent Non-Volatile	16.0%	11.2%
VOC Content	LB/Gal	g/L
Total	3.39	406
Less exempt solvents	5.59	670
Of solids	30.31	3632
Of solids	2.97 lb/lb	2.97 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	C10025	
	By wt	By vol
Total Volatiles	84.0%	88.8%
VOC Content	LB/Gal	g/L
Total	5.98	717

Volatile Organic Compounds - EU Directive 2010/75/EU

	C10025	
	By wt	By vol
Total Volatiles	84.0%	88.8%
VOC Content	LB/Gal	g/L
Total	5.98	717

Volatile Organic Compounds - Mexico

	C10025	
	LB/Gal	g/L
Coating Density	7.12	853
	By wt	By vol
Total Volatiles	84.0%	88.8%
Exempt solvents		
Water	0.0%	0.0%
Acetone	36.4%	39.3%
Organic Volatiles	47.6%	49.5%
Percent Non-Volatile	16.0%	11.2%
VOC Content	LB/Gal	g/L
Total	3.39	406
Less exempt solvents	5.59	670
Of solids	30.31	3632
Of solids	2.97 lb/lb	2.97 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	C10025	
	LB/Gal	kg/L
Volatile HAPS	0.32	0.038
Of solids	2.88	0.345
Of solids	0.28 lb/lb	0.28 kg/kg

Air Quality Data

Density of Organic Solvent Blend

6.74 lb/gal

Photochemically Reactive

No

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.