ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Mar 4, 2025

14 00 [3394]

PRODUCT NUMBER

C130519

PRODUCT NAME

Quick Dry 275 Vinyl Sealer

MANUFACTURER'S NAME

M. L. CAMPBELL 101 W. Prospect Avenue Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED and rely on information provided to us by our raw material suppliers. Our suppliers often provide an estimated value or range less than a certain upper limit. We calculate MAXIMUM THEORETICAL VALUES using defined values, if provided, or the upper limit reported by our supplier. Additionally, the suppliers' information may include amounts present in the product as unintentional byproducts or impurities. Variations may occur in individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

C130519 = | Acute | Chronic | Fire | Pressure |

Product WeightSpecific GravityFLASH POINT7.57 lb/gal0.9121 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Polycyclic Aromatic Compounds Proprietary	N	N	Υ	N	0.00009	0.00009
1-Butanol 71-36-3	N	Υ	Υ	N	3	3
2-Methyl-1-propanol 78-83-1	N	Υ	N	N	1	1
Acetone 67-64-1	N	Υ	N	N	57	66
Methyl n-Amyl Ketone 110-43-0	N	N	N	N	1	1
dimethyl carbonate 616-38-6	N	N	N	N	12	10
n-Butyl Acetate 123-86-4	N	Υ	N	N	1	1

Volatile Organic Compounds - U.S. EPA / Canada

	C130519	
	LB/Gal	g/L
Coating Density	7.57	907
	By wt	By vol
Total Volatiles	76.2%	83.5%
Federally exempt solvents		
Water	0.0%	0.0%
Acetone	57.2%	65.7%
Dimethyl carbonate	11.9%	10.2%
Organic Volatiles	7.1%	7.7%
Percent Non-Volatile	23.8%	16.5%
VOC Content	LB/Gal	g/L
Total	0.53	64
Less exempt solvents	2.21	265
Of solids	3.24	388
Of solids	0.29 lb/lb	0.29 kg/kg
	By wt	
By wt LVP-VOC	7.0%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.43

Volatile Organic Compounds - California

	C130519		
	LB/Gal	g/L	
Coating Density	7.57	907	
	By wt	By vol	
Total Volatiles	76.2%	83.5%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	57.2%	65.7%	
Organic Volatiles	19.0%	17.8%	
Percent Non-Volatile	23.8%	16.5%	
VOC Content	LB/Gal	g/L	
Total	1.43	172	
Less exempt solvents	4.18	501	
Of solids	8.71	1044	
Of solids	0.79 lb/lb	0.79 kg/kg	
	By wt		
By wt LVP-VOC	18.9%		

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.38

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	C130519		
	LB/Gal	g/L	
Coating Density	7.57	907	
	By wt	By vol	
Total Volatiles	76.2%	83.5%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	57.2%	65.7%	
Organic Volatiles	19.0%	17.8%	
Percent Non-Volatile	23.8%	16.5%	
VOC Content	LB/Gal	g/L	
Total	1.43	172	
Less exempt solvents	4.18	501	
Of solids	8.71	1044	
Of solids	0.79 lb/lb	0.79 kg/kg	

Volatile Organic Compounds - EU Directive 2004/42/EC

	C130519	
	By wt	By vol
Total Volatiles	76.2%	83.5%
VOC Content	LB/Gal	g/L
Total	5.76	690

Volatile Organic Compounds - EU Directive 2010/75/EU

	C130519	
	By wt	By vol
Total Volatiles	76.2%	83.5%
VOC Content	LB/Gal	g/L
Total	5.76	690

Volatile Organic Compounds - Mexico

	C130519		
	LB/Gal	g/L	
Coating Density	7.57	907	
	By wt	By vol	
Total Volatiles	76.2%	83.5%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	57.2%	65.7%	
Organic Volatiles	19.0%	17.8%	
Percent Non-Volatile	23.8%	16.5%	
VOC Content	LB/Gal	g/L	
Total	1.43	172	
Less exempt solvents	4.18	501	
Of solids	8.71	1044	
Of solids	0.79 lb/lb	0.79 kg/kg	

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	C130519		
	LB/Gal	kg/L	
Volatile HAPS	0.00	0.000	
Of solids	0.00	0.000	
Of solids	0.00 lb/lb	0.00 kg/kg	

Air Quality Data

Density of Organic Solvent Blend

6.90 lb/gal

Photochemically Reactive

No

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

The addition of any material to this product can change the composition, hazards and risks of the product and may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.