ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Mar 3, 2025

15 00 [2594]

PRODUCT NUMBER

C131619

PRODUCT NAME

DesignRclassic Furniture Lacquer Sealer

MANUFACTURER'S NAME

M. L. CAMPBELL 101 W. Prospect Avenue Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED and rely on information provided to us by our raw material suppliers. Our suppliers often provide an estimated value or range less than a certain upper limit. We calculate MAXIMUM THEORETICAL VALUES using defined values, if provided, or the upper limit reported by our supplier. Additionally, the suppliers' information may include amounts present in the product as unintentional byproducts or impurities. Variations may occur in individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

C131619 = | Acute | Chronic | Fire | Pressure |

Product WeightSpecific GravityFLASH POINT7.46 lb/gal0.906 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Methanol	N	V	v	V	a	11
67-56-1	IV.	1	1	1	3	11
2-Propanol	N	N	N	N	2	4
67-63-0	IN	IN	IN	IN	5	4
Acetone	N	V	N	N	34	39
67-64-1	IV.	1	IV.	14	5	3
n-Butyl Acetate	N	V	N	N	30	31
123-86-4	13	1	I'V	IN	30	31

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Mercury (as Hg)	N	N	Υ	Ν	0.000003	
Lead (as Pb)	N	N	Υ	N	0.00001	
Zinc Compound	N	N	Υ	N	2	

Volatile Organic Compounds - U.S. EPA / Canada

	C131619	
	LB/Gal	g/L
Coating Density	7.46	893
	By wt	By vol
Total Volatiles	77.3%	84.0%
Federally exempt solvents		
Water	0.0%	0.0%
Acetone	34.1%	38.6%
Organic Volatiles	43.2%	45.4%
Percent Non-Volatile	22.7%	16.0%
VOC Content	LB/Gal	g/L
Total	3.21	385
Less exempt solvents	5.24	628
Of solids	20.08	2406
Of solids	1.89 lb/lb	1.89 kg/kg
	By wt	
By wt LVP-VOC	43.2%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.52

Volatile Organic Compounds - California

	C131619		
	LB/Gal	g/L	
Coating Density	7.46	893	
	By wt	By vol	
Total Volatiles	77.3%	84.0%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	34.1%	38.6%	
Organic Volatiles	43.2%	45.4%	
Percent Non-Volatile	22.7%	16.0%	
VOC Content	LB/Gal	g/L	
Total	3.21	385	
Less exempt solvents	5.24	628	
Of solids	20.08	2406	
Of solids	1.89 lb/lb	1.89 kg/kg	
	By wt		
By wt LVP-VOC	43.2%		

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.47

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	C131619	
	LB/Gal	g/L
Coating Density	7.46	893
	By wt	By vol
Total Volatiles	77.3%	84.0%
Exempt solvents		
Water	0.0%	0.0%
Acetone	34.1%	38.6%
Organic Volatiles	43.2%	45.4%
Percent Non-Volatile	22.7%	16.0%
VOC Content	LB/Gal	g/L
Total	3.21	385
Less exempt solvents	5.24	628
Of solids	20.08	2406
Of solids	1.89 lb/lb	1.89 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	C131619		
	By wt	By vol	
Total Volatiles	77.3%	84.0%	
VOC Content	LB/Gal	g/L	
Total	5.76	690	

Volatile Organic Compounds - EU Directive 2010/75/EU

	C131619	
	By wt	By vol
Total Volatiles	77.3%	84.0%
VOC Content	LB/Gal	g/L
Total	5.76	690

Volatile Organic Compounds - Mexico

	C1	31619
	LB/Gal	g/L
Coating Density	7.46	893
	By wt	By vol
Total Volatiles	77.3%	84.0%
Exempt solvents		
Water	0.0%	0.0%
Acetone	34.1%	38.6%
Organic Volatiles	43.2%	45.4%
Percent Non-Volatile	22.7%	16.0%
VOC Content	LB/Gal	g/L
Total	3.21	385
Less exempt solvents	5.24	628
Of solids	20.08	2406
Of solids	1.89 lb/lb	1.89 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	C131619		
	LB/Gal	kg/L	
Volatile HAPS	0.69	0.082	
Of solids	4.31	0.516	
Of solids	0.40 lb/lb	0.40 kg/kg	

Air Quality Data

Density of Organic Solvent Blend

6.86 lb/gal

Photochemically Reactive

No

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

The addition of any material to this product can change the composition, hazards and risks of the product and may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.