ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Mar 4, 2025

09 00 [2594]

PRODUCT NUMBER

C134819

PRODUCT NAME

DesignRclassic® SL Furniture Lacquer Sealer

MANUFACTURER'S NAME

M. L. CAMPBELL 101 W. Prospect Avenue Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED and rely on information provided to us by our raw material suppliers. Our suppliers often provide an estimated value or range less than a certain upper limit. We calculate MAXIMUM THEORETICAL VALUES using defined values, if provided, or the upper limit reported by our supplier. Additionally, the suppliers' information may include amounts present in the product as unintentional byproducts or impurities. Variations may occur in individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

C134819 = | Acute | Chronic | Fire | Pressure |

Product WeightSpecific GravityFLASH POINT7.27 lb/gal0.8844 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Acetone	N	V	N	N	71	78
67-64-1	14	'	14	i v	7 1	70
dimethyl carbonate	N	N	N	N	1	2
616-38-6	IV.	114	IV.	14	7	0
n-Butyl Acetate	N		N	N	1	1
123-86-4	IN .	ī	IN	IN	'	'

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Mercury (as Hg)	N	N	Υ	N	0.0000005	
Lead (as Pb)	N	N	Υ	N	0.000003	

Volatile Organic Compounds - U.S. EPA / Canada

	C134819		
	LB/Gal	g/L	
Coating Density	7.27	871	
	By wt	By vol	
Total Volatiles	79.1%	85.8%	
Federally exempt solvents			
Water	0.0%	0.0%	
Acetone	70.6%	77.9%	
Dimethyl carbonate	3.9%	3.2%	
Organic Volatiles	4.5%	4.6%	
Percent Non-Volatile	20.9%	14.2%	
VOC Content	LB/Gal	g/L	
Total	0.33	39	
Less exempt solvents	1.75	209	
Of solids	2.32	278	
Of solids	0.21 lb/lb	0.21 kg/kg	
	By wt		
By wt LVP-VOC	4.5%		

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.39

Volatile Organic Compounds - California

	C134819		
	LB/Gal	g/L	
Coating Density	7.27	871	
	By wt	By vol	
Total Volatiles	79.1%	85.8%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	70.6%	77.9%	
Organic Volatiles	8.5%	7.8%	
Percent Non-Volatile	20.9%	14.2%	
VOC Content	LB/Gal	g/L	
Total	0.61	73	
Less exempt solvents	2.78	333	
Of solids	4.32	517	
Of solids	0.40 lb/lb	0.40 kg/kg	
	By wt		
By wt LVP-VOC	8.5%		

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.34

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	C134819		
	LB/Gal	g/L	
Coating Density	7.27	871	
	By wt	By vol	
Total Volatiles	79.1%	85.8%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	70.6%	77.9%	
Organic Volatiles	8.5%	7.8%	
Percent Non-Volatile	20.9%	14.2%	
VOC Content	LB/Gal	g/L	
Total	0.61	73	
Less exempt solvents	2.78	333	
Of solids	4.32	517	
Of solids	0.40 lb/lb	0.40 kg/kg	

Volatile Organic Compounds - EU Directive 2004/42/EC

	C13	4819
	By wt	By vol
Total Volatiles	79.1%	85.8%
VOC Content	LB/Gal	g/L
Total	5.74	688

Volatile Organic Compounds - EU Directive 2010/75/EU

	C134819	
	By wt	By vol
Total Volatiles	79.1%	85.8%
VOC Content	LB/Gal	g/L
Total	5.74	688

Volatile Organic Compounds - Mexico

	C134819		
	LB/Gal	g/L	
Coating Density	7.27	871	
	By wt	By vol	
Total Volatiles	79.1%	85.8%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	70.6%	77.9%	
Organic Volatiles	8.5%	7.8%	
Percent Non-Volatile	20.9%	14.2%	
VOC Content	LB/Gal	g/L	
Total	0.61	73	
Less exempt solvents	2.78	333	
Of solids	4.32	517	
Of solids	0.40 lb/lb	0.40 kg/kg	

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	C134819		
	LB/Gal	kg/L	
Volatile HAPS	0.00	0.000	
Of solids	0.00	0.000	
Of solids	0.00 lb/lb	0.00 kg/kg	

Air Quality Data

Density of Organic Solvent Blend

6.70 lb/gal

Photochemically Reactive

No

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

The addition of any material to this product can change the composition, hazards and risks of the product and may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.