#### **ENVIRONMENTAL DATA SHEET**

(Certified Product Data Sheet)

**Date of Preparation** 

Nov 17, 2025

15 00 [3215]

#### **PRODUCT NUMBER**

W10190

#### **PRODUCT NAME**

VINYL-SNAP™ High Build Vinyl Primer, White

### **MANUFACTURER'S NAME**

M. L. CAMPBELL 101 W. Prospect Avenue Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED and rely on information provided to us by our raw material suppliers. Our suppliers often provide an estimated value or range less than a certain upper limit. We calculate MAXIMUM THEORETICAL VALUES using defined values, if provided, or the upper limit reported by our supplier. Additionally, the suppliers' information may include amounts present in the product as unintentional byproducts or impurities. Variations may occur in individual batches due to adjustments made during production.

#### Hazard Category (for SARA 311.312)

W10190 = | Acute | Chronic | Fire | Pressure |

Product WeightSpecific GravityFLASH POINT10.40 lb/gal1.2521 °F PMCC

#### **Volatile Ingredients**

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	<b>HAPS 112</b>	% by Weight	% by Volume
Toluene 108-88-3	N	Υ	Υ	Υ	1	2
Ethylbenzene 100-41-4	N	Υ	Υ	Υ	0.2	0.4
Xylene 1330-20-7	N	Υ	Υ	Υ	1	2
2-Propanol 67-63-0	N	N	N	N	1	2
1-Butanol 71-36-3	N	Υ	Υ	N	6	9
2-Methyl-1-propanol 78-83-1	N	Υ	N	N	1	2
Acetone 67-64-1	N	Υ	N	N	13	21
Methyl Ethyl Ketone 78-93-3	N	Υ	N	N	2	3
Methyl n-Amyl Ketone 110-43-0	N	N	N	N	3	5
Ethyl Acetate 141-78-6	N	Υ	N	N	6	9
Ethyl 3-Ethoxypropionate 763-69-9	N	N	N	N	4	5
n-Butyl Acetate 123-86-4	N	Υ	N	N	6	9
1-Methoxy-2-Propanol Acetate 108-65-6	N	N	N	N	2	2

#### **Regulated Compounds**

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Mercury (as Hg)	N	N	Υ	N	0.0000005	
Lead (as Pb)	N	N	Υ	N	0.00008	

# Volatile Organic Compounds - U.S. EPA / Canada

	W10190	
	LB/Gal	g/L
Coating Density	10.40	1246
	By wt	By vol
Total Volatiles	49.4%	73.4%
Federally exempt solvents		
Water	0.0%	0.0%
Acetone	13.2%	20.9%
Organic Volatiles	36.2%	52.5%
Percent Non-Volatile	50.6%	26.6%
VOC Content	LB/Gal	g/L
Total	3.75	450
Less exempt solvents	4.75	569
Of solids	14.11	1691
Of solids	0.71 lb/lb	0.71 kg/kg
	By wt	
By wt LVP-VOC	36.1%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.86

# **Volatile Organic Compounds - California**

	W10190	
	LB/Gal	g/L
Coating Density	10.40	1246
	By wt	By vol
Total Volatiles	49.4%	73.4%
Exempt solvents		
Water	0.0%	0.0%
Acetone	13.2%	20.9%
Organic Volatiles	36.2%	52.5%
Percent Non-Volatile	50.6%	26.6%
VOC Content	LB/Gal	g/L
Total	3.75	450
Less exempt solvents	4.75	569
Of solids	14.11	1691
Of solids	0.71 lb/lb	0.71 kg/kg
	By wt	
By wt LVP-VOC	36.1%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.81

# Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	W10190		
	LB/Gal	g/L	
Coating Density	10.40	1246	
	By wt	By vol	
Total Volatiles	49.4%	73.4%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	13.2%	20.9%	
Organic Volatiles	36.2%	52.5%	
Percent Non-Volatile	50.6%	26.6%	
VOC Content	LB/Gal	g/L	
Total	3.75	450	
Less exempt solvents	4.75	569	
Of solids	14.11	1691	
Of solids	0.71 lb/lb	0.71 kg/kg	

# Volatile Organic Compounds - EU Directive 2004/42/EC

	W10190	
	By wt	By vol
Total Volatiles	49.4%	73.4%
VOC Content	LB/Gal	g/L
Total	5.13	615

### Volatile Organic Compounds - EU Directive 2010/75/EU

	W10190	
	By wt	By vol
Total Volatiles	49.4%	73.4%
VOC Content	LB/Gal	g/L
Total	5.13	615

# **Volatile Organic Compounds - Mexico**

	W10190		
	LB/Gal	g/L	
Coating Density	10.40	1246	
	By wt	By vol	
Total Volatiles	49.4%	73.4%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	13.2%	20.9%	
Organic Volatiles	36.2%	52.5%	
Percent Non-Volatile	50.6%	26.6%	
VOC Content	LB/Gal	g/L	
Total	3.75	450	
Less exempt solvents	4.75	569	
Of solids	14.11	1691	
Of solids	0.71 lb/lb	0.71 kg/kg	

### Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	W10190		
	LB/Gal	kg/L	
Volatile HAPS	0.30	0.037	
Of solids	1.15	0.138	
Of solids	0.05 lb/lb	0.05 kg/kg	

### **Air Quality Data**

**Density of Organic Solvent Blend** 

7.00 lb/gal

**Photochemically Reactive** 

No

### **Waste Disposal**

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

The addition of any material to this product can change the composition, hazards and risks of the product and may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.