ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Jul 26, 2025

13 00 [2594]

PRODUCT NUMBER

W130699

PRODUCT NAME

KWIK-CLAW Fast Dry Conversion Varnish RTS White Primer

MANUFACTURER'S NAME

M. L. CAMPBELL 101 W. Prospect Avenue Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED and rely on information provided to us by our raw material suppliers. Our suppliers often provide an estimated value or range less than a certain upper limit. We calculate MAXIMUM THEORETICAL VALUES using defined values, if provided, or the upper limit reported by our supplier. Additionally, the suppliers' information may include amounts present in the product as unintentional byproducts or impurities. Variations may occur in individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

W130699 = | Acute | Chronic | Fire | Pressure |

 Product Weight
 Specific Gravity
 FLASH POINT

 10.18 lb/gal
 1.23
 48 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Ethylbenzene 100-41-4	N	Υ	Υ	Y	0.1	0.2
2-Propanol 67-63-0	N	N	N	N	1	2
1-Butanol 71-36-3	N	Υ	Υ	N	8	12
2-Methyl-1-propanol 78-83-1	N	Υ	N	N	1	2
Acetone 67-64-1	N	Υ	N	N	6	10
dimethyl carbonate 616-38-6	N	N	N	N	7	8
Ethyl 3-Ethoxypropionate 763-69-9	N	N	N	N	4	5
n-Butyl Acetate 123-86-4	N	Υ	N	N	15	20

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Mercury (as Hg)	N	N	Υ	N	0.0000004	
Lead (as Pb)	N	N	Υ	N	0.00003	

Volatile Organic Compounds - U.S. EPA / Canada

	W130699	
	LB/Gal	g/L
Coating Density	10.18	1220
	By wt	By vol
Total Volatiles	46.4%	64.7%
Federally exempt solvents		
Water	0.0%	0.0%
Dimethyl carbonate	7.0%	8.1%
Acetone	6.4%	10.0%
Organic Volatiles	32.9%	46.7%
Percent Non-Volatile	53.6%	35.3%
VOC Content	LB/Gal	g/L
Total	3.34	401
Less exempt solvents	4.08	489
Of solids	9.49	1137
Of solids	0.61 lb/lb	0.61 kg/kg
	By wt	
By wt LVP-VOC	32.9%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.78

Volatile Organic Compounds - California

	W/1	30699
	LB/Gal	
	, e.e	g/L
Coating Density	10.18	1220
	By wt	By vol
Total Volatiles	46.4%	64.7%
Exempt solvents		
Water	0.0%	0.0%
Acetone	6.4%	10.0%
Organic Volatiles	39.9%	54.8%
Percent Non-Volatile	53.6%	35.3%
VOC Content	LB/Gal	g/L
Total	4.06	487
Less exempt solvents	4.51	541
Of solids	11.52	1381
Of solids	0.74 lb/lb	0.74 kg/kg
	By wt	
By wt LVP-VOC	39.9%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.73

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	W130699		
	LB/Gal	g/L	
Coating Density	10.18	1220	
	By wt	By vol	
Total Volatiles	46.4%	64.7%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	6.4%	10.0%	
Organic Volatiles	39.9%	54.8%	
Percent Non-Volatile	53.6%	35.3%	
VOC Content	LB/Gal	g/L	
Total	4.06	487	
Less exempt solvents	4.51	541	
Of solids	11.52	1381	
Of solids	0.74 lb/lb	0.74 kg/kg	

Volatile Organic Compounds - EU Directive 2004/42/EC

	W13	0699
	By wt	By vol
Total Volatiles	46.4%	64.7%
VOC Content	LB/Gal	g/L
Total	4.72	565

Volatile Organic Compounds - EU Directive 2010/75/EU

	W13	80699
	By wt	By vol
Total Volatiles	46.4%	64.7%
VOC Content	LB/Gal	g/L
Total	4.72	565

Volatile Organic Compounds - Mexico

	W130699		
	LB/Gal	g/L	
Coating Density	10.18	1220	
	By wt	By vol	
Total Volatiles	46.4%	64.7%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	6.4%	10.0%	
Organic Volatiles	39.9%	54.8%	
Percent Non-Volatile	53.6%	35.3%	
VOC Content	LB/Gal	g/L	
Total	4.06	487	
Less exempt solvents	4.51	541	
Of solids	11.52	1381	
Of solids	0.74 lb/lb	0.74 kg/kg	

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	W130699		
	LB/Gal	kg/L	
Volatile HAPS	0.01	0.001	
Of solids	0.04	0.004	
Of solids	0.00 lb/lb	0.00 kg/kg	

Air Quality Data

Density of Organic Solvent Blend

7.30 lb/gal

Photochemically Reactive

No

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

The addition of any material to this product can change the composition, hazards and risks of the product and may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.