# **SAFETY DATA SHEET**

C199154

# Section 1. Identification

Product name	: MAGNAMAX® H20 Precatalyzed Waterbone Polyurethane Satin
Product code	: C199154
Other means of identification	: Not available.
Product type	: Liquid.
Relevant identified uses o	f the substance or mixture and uses advised against
Paint or paint related materia	al.
Manufacturer	: M. L. CAMPBELL 101 W. Prospect Avenue Cleveland, OH 44115
Emergency telephone	: (800) 424-9300

number of the company	. ,
Product Information Telephone Number	: (800) 364-1359
Transportation Emergency Telephone Number	: (800) 424-9300

# Section 2. Hazards identification

OSHA/HCS status	: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the
	safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	: Not classified.
	Percentage of the mixture consisting of ingredient(s) of unknown acute toxicity: 2.2% (oral), 2.2% (dermal), 2.2% (inhalation)
GHS label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Supplemental label elements	WARNING: This product contains chemicals known to the State of California to cause $\bigtriangledown$ cancer and birth defects or other reproductive harm. FOR INDUSTRIAL USE ONLY.
	Please refer to the SDS for additional information. Keep out of reach of children. Do not transfer contents to other containers for storage.
Hazards not otherwise classified	: None known.

Date of issue/Date	e of revision	: 6/25/2025	Date of previous issue	: 12/12/2024	Version : 22	1/12
C199154	MAGNAMAX® H2 Satin	0 Precatalyzed Wat	terbone Polyurethane		SHW-85-NA-GHS-U	S

# Section 3. Composition/information on ingredients

#### Substance/mixture

- : Mixture
- Other means of identification
- : Not available.

#### CAS number/other identifiers

Ingredient name	% by weight	Identifiers
2-Methoxymethylethoxypropanol	≤3	34590-94-8 🥄
Fumed Amorphous Silica	≤3	112945-52-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### Description of necessary first aid measures

Eye contact	<ul> <li>Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.</li> </ul>
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	<ul> <li>Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.</li> </ul>
Ingestion	: Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

Potential acute health	effects
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/s	symptoms
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

#### See toxicological information (Section 11)

Date of issue/Date	e of revision	: 6/25/2025	Date of previous issue	: 12/12/2024	Version : 22	2/12
C199154	MAGNAMAX® H20 I Satin	Precatalyzed Wa	terbone Polyurethane		SHW-85-NA-GHS-US	;

# Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
Special protective actions for fire-fighters	<ul> <li>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</li> </ul>
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

Personal precautions, protec	ve equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ntainment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

# Section 7. Handling and storage

#### Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Date of issue/Date	of revision	: 6/25/2025	Date of previous issue	: 12/12/2024	Version	: 22	3/12
C199154	MAGNAMAX® H20 Pre Satin	ecatalyzed Wate	rbone Polyurethane		SHW-85-	NA-GHS-US	

# Section 7. Handling and storage

### including any incompatibilities

Conditions for safe storage, : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### Section 8. Exposure controls/personal protection

#### **Control parameters**

Occupational exposure limits (OSHA United States)

Ingredient name	CAS #	Exposure limits	
2-Methoxymethylethoxypropanol	34590-94-8	ACGIH TLV (United States, 1/2024) [ (2-Methoxymethylethoxy)propanol] Absorbed through skin. TWA 8 hours: 100 ppm. TWA 8 hours: 606 mg/m <sup>3</sup> . STEL 15 minutes: 150 ppm. STEL 15 minutes: 909 mg/m <sup>3</sup> . ACGIH TLV (United States, 1/2024) [dipropylene glycol methyl ether] TWA 8 hours: 50 ppm. NIOSH REL (United States, 10/2020) Absorbed through skin. TWA 10 hours: 100 ppm. TWA 10 hours: 600 mg/m <sup>3</sup> . STEL 15 minutes: 150 ppm. STEL 15 minutes: 900 mg/m <sup>3</sup> . OSHA PEL (United States, 5/2018) Absorbed through skin. TWA 8 hours: 100 ppm. TWA 8 hours: 600 mg/m <sup>3</sup> .	
Fumed Amorphous Silica	112945-52-5	NIOSH REL (United States, 10/2020) [SILICA, AMORPHOUS] NIA. TWA 10 hours: 6 mg/m <sup>3</sup> .	

#### **Occupational exposure limits (Canada)**

Ingredient name	CAS #	Exposure limits
Dipropylene glycol monomethyl ether	34590-94-8	<ul> <li>CA Saskatchewan Provincial (Canada, 4/2021) Absorbed through skin. STEL 15 minutes: 150 ppm. TWA 8 hours: 100 ppm.</li> <li>CA British Columbia Provincial (Canada, 9/2024) [dipropylene glycol methyl ether] TWA 8 hours: 100 ppm. STEL 15 minutes: 150 ppm.</li> <li>CA Ontario Provincial (Canada, 6/2019) Absorbed through skin. STEL 15 minutes: 150 ppm.</li> <li>CA Quebec Provincial (Canada, 2/2024) [Dipropylene glyco monomethyl ether] Absorbed through skin. TWA 8 hours: 100 ppm.</li> <li>CA Quebec Provincial (Canada, 2/2024) [Dipropylene glyco monomethyl ether] Absorbed through skin. TWAEV 8 hours: 100 ppm.</li> </ul>
Date of issue/Date of revision : 6/25/202	5 Date of previous issue	: 12/12/2024 Version : 22 4/12
C199154 MAGNAMAX® H20 Precatalyzed Satin		SHW-85-NA-GHS-US

# Section 8. Exposure controls/personal protection

TWAEV 8 hours: 606 mg/m <sup>3</sup> .
STEV 15 minutes: 150 ppm.
STEV 15 minutes: 909 mg/m <sup>3</sup> .
CA Alberta Provincial (Canada, 3/2023)
Absorbed through skin.
OEL 8 hours: 100 ppm.
OEL 15 minutes: 909 mg/m <sup>3</sup> .
OEL 8 hours: 606 mg/m <sup>3</sup> .
OEL 15 minutes: 150 ppm.

Occupational exposure limits (Mexico)

None.

#### **Biological exposure indices (United States)**

No exposure indices known.

**Biological exposure indices (Canada)** 

No exposure indices known.

#### **Biological exposure indices (Mexico)**

No exposure indices known.

Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.					
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.					
Individual protection meas	<u>ures</u>					
<ul> <li>Hygiene measures</li> <li>Wash hands, forearms and face thoroughly after handling chemical eating, smoking and using the lavatory and at the end of the working Appropriate techniques should be used to remove potentially contam Wash contaminated clothing before reusing. Ensure that eyewash s showers are close to the workstation location.</li> </ul>						
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.					
Skin protection						
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.					
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.					
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by specialist before handling this product.					
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.					
Date of issue/Date of revision	: 6/25/2025 Date of previous issue : 12/12/2024 Version : 22 5/12					

Date of issue/Date	of revision	: 6/25/2025	Date of previous issue	: 12/12/2024	Version	: 22
C199154	MAGNAMAX® H20 Pro	ecatalyzed Wate	erbone Polyurethane		SHW-85-	NA-GHS-US

# Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance	
Physical state	: Liquid.
Color	: Clear.
Odor	: Not available.
Odor threshold	: Not available.
рН	: 7.8
Melting point/freezing point	: Not available.
Boiling point or initial boiling point and boiling	: 100°C (212°F)
range	
Flash point	: Closed cup: Not applicable.
Flash point Evaporation rate	<ul><li>Closed cup: Not applicable.</li><li>0.8 (butyl acetate = 1)</li></ul>
Evaporation rate	: 0.8 (butyl acetate = 1)
Evaporation rate Flammability Lower and upper explosion	<ul> <li>0.8 (butyl acetate = 1)</li> <li>Not available.</li> <li>Lower: 1.1%</li> </ul>
Evaporation rate Flammability Lower and upper explosion limit/flammability limit	<ul> <li>0.8 (butyl acetate = 1)</li> <li>Not available.</li> <li>Lower: 1.1% Upper: 14%</li> </ul>
Evaporation rate Flammability Lower and upper explosion limit/flammability limit Vapor pressure	<ul> <li>0.8 (butyl acetate = 1)</li> <li>Not available.</li> <li>Lower: 1.1% Upper: 14%</li> <li>2.3 kPa (17.5 mm Hg)</li> </ul>
Evaporation rate Flammability Lower and upper explosion limit/flammability limit Vapor pressure Relative vapor density	<ul> <li>0.8 (butyl acetate = 1)</li> <li>Not available.</li> <li>Lower: 1.1% Upper: 14%</li> <li>2.3 kPa (17.5 mm Hg)</li> <li>1 [Air = 1]</li> </ul>

Media		Result	]
cold water		Not soluble	]
Partition coefficient: n- octanol/water	: Not	applicable.	J
Auto-ignition temperature	: Not	available.	
Decomposition temperature	: Not	available.	
Viscosity	Kin	namic (room temperature): Not available. ematic (room temperature): Not available. ematic (40°C (104°F)): >20.5 mm²/s (>20.5 cSt)	
Molecular weight	: Not	t applicable.	
Particle characteristics			
Median particle size	: Not	applicable.	
Heat of combustion	: 0.87	79 kJ/g	

# Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.

Date of issue/Date	e of revision	: 6/25/2025	Date of previous issue	: 12/12/2024	Version	: 22	6/12
C199154	MAGNAMAX® H20 Pr Satin	ecatalyzed Wat	erbone Polyurethane		SHW-85-N	NA-GHS-US	

# Section 10. Stability and reactivity

Incompatible materials

C199154

Satin

: No specific data.

MAGNAMAX® H20 Precatalyzed Waterbone Polyurethane

# Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SHW-85-NA-GHS-US

nformation on toxicological effects		
Acute toxicity		
Product/ingredient name	Result	
Fumed Amorphous Silica	<b>Rat - Oral - LD50</b> 3160 mg/kg	
Conclusion/Summary [Product]	: Not available.	
Skin corrosion/irritation		
Product/ingredient name	Result	
2-Methoxymethylethoxypropanol	Rabbit - Skin - Mild irritant Amount/concentration applied: 500 mg	
Conclusion/Summary [Product]	: Not available.	
Serious eye damage/eye irritation		
Product/ingredient name	Result	
2-Methoxymethylethoxypropanol	Human - Eyes - Mild irritant <u>Amount/concentration applied</u> : 8 mg <b>Rabbit - Eyes - Mild irritant</b> <u>Duration of treatment/exposure</u> : 24 hours <u>Amount/concentration applied</u> : 500 mg	
Conclusion/Summary [Product]	: Not available.	
Respiratory corrosion/irritation Not available.		
Conclusion/Summary [Product]	: Not available.	
Respiratory or skin sensitization Not available.		
Skin		
Conclusion/Summary [Product]	: Not available.	
Respiratory Conclusion/Summary [Product]	: Not available.	
Germ cell mutagenicity Not available.		

# Section 11. Toxicological information

#### **Conclusion/Summary [Product]** : Not available.

#### **Carcinogenicity**

Not available.

Conclusion/Summary [Product] : Not available.

#### **Classification**

Product/ingredient name	OSHA	IARC	NTP
Fumed Amorphous Silica	-	3	-

#### **Reproductive toxicity**

Not available.

#### **Conclusion/Summary [Product]** : Not available.

#### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

Not available.

#### Aspiration hazard

Not available.

#### Information on the likely routes of exposure

Not available.

#### Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Delayed and immediate eff	ects and also chronic effects from short and long term exposure
Short term exposure	
Potential immediate effects	: Not available.

Date of issue/Date	of revision	: 6/25/2025	Date of previous issue	: 12/12/2024	Version	:22	8/12
C199154	MAGNAMAX® H20 Pres Satin	catalyzed Wate	rbone Polyurethane		SHW-85-	NA-GHS-US	

# Section 11. Toxicological information

Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effe	ects

Not available.

Conclusion/Summary [Product]	: Not available.
------------------------------	------------------

General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.

#### Numerical measures of toxicity

#### Acute toxicity estimates

Product/ingredient name		Dermal (mg/kg)	(gases)	(vapors)	Inhalation (dusts and mists) (mg/l)
Fumed Amorphous Silica	3160	N/A	N/A	N/A	N/A 🥄

# Section 12. Ecological information

#### **Toxicity**

Not available.

 Conclusion/Summary [Product]
 : Not available.

 Persistence and degradability
 Not available.

 Not available.
 : Not available.

 Bioaccumulative potential
 Not available.

 Not available.
 : Not available.

 Mobility in soil
 : Not available.

 Soil/Water partition
 : Not available.

 Other adverse effects
 No known significant effects or critical hazards.

Date of issue/Date	of revision	: 6/25/2025	Date of previous issue	: 12/12/2024	Version	: 22	9/12
C199154	MAGNAMAX® H20 Pro	ecatalyzed Wat	erbone Polyurethane		SHW-85-	NA-GHS-US	

# Section 13. Disposal considerations

#### **Disposal methods**

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ΙΑΤΑ	IMDG
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.
Additional information	-	-	-	-	-
pecial precautions ansport in bulk ac	conside mode o suitably to shipr of the p dangero and on	odal shipping descri er container sizes. Th f transport (sea, air, f for that mode of trainent, and complianc erson offering the pr bus goods must be to all actions in case of able.	he presence of a shi etc.), does not indic nsport. All packaging e with the applicable oduct for transport. rained on all of the r	pping description for ate that the produc g must be reviewed regulations is the People loading and isks deriving from t	or a particular t is packaged d for suitability prio sole responsibility d unloading

### Section 15. Regulatory information

÷

#### **U.S. Federal regulations**

#### California Prop. 65

WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

#### International regulations

#### **Montreal Protocol**

Not listed.

#### **Stockholm Convention on Persistent Organic Pollutants**

Not listed.

International lists

: Australia inventory (AIIC): Not determined. China inventory (IECSC): Not determined. Japan inventory (CSCL): Not determined. Japan inventory (ISHL): Not determined. Korea inventory (KECI): Not determined. New Zealand Inventory of Chemicals (NZIoC): Not determined. Philippines inventory (PICCS): Not determined. Taiwan Chemical Substances Inventory (TCSI): Not determined. Thailand inventory: Not determined. Turkey inventory: Not determined. Vietnam inventory: Not determined.

### Section 16. Other information

Hazardous Material Information System (U.S.A.)



The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

Procedure used to derive the classification

Classification	Justification			
: 6/25/2025				
: 6/25/2025				
: 12/12/2024				
: 22				
	: 6/25/2025 : 6/25/2025 : 12/12/2024			

Date of issue/Date	of revision	: 6/25/2025	Date of previous issue	: 12/12/2024	Version	: 22	11/12
C199154	MAGNAMAX® H20 Pro Satin	ecatalyzed Wate	erbone Polyurethane		SHW-85-	NA-GHS-US	6

### Section 16. Other information

Key to abbreviations	: ATE = Acute Toxicity Estimate
-	BCF = Bioconcentration Factor
	GHS = Globally Harmonized System of Classification and Labelling of Chemicals
	IATA = International Air Transport Association
	IBC = Intermediate Bulk Container
	IMDG = International Maritime Dangerous Goods
	LogPow = logarithm of the octanol/water partition coefficient
	MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
	N/A = Not available
	SGG = Segregation Group
	UN = United Nations
<b>—</b> • • • • •	

Indicates information that has changed from previously issued version.

#### Notice to reader

It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult resources, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. This information is provided in good faith and believed to be accurate as of the effective date herein. However, no warranty, express or implied, is given. The information presented here applies only to the product as shipped. The addition of any material can change the composition, hazards and risks of the product. Products shall not be repackaged, modified, or tinted except as specifically instructed by the manufacturer, including but not limited to the incorporation of products not specified by the manufacturer, or the use or addition of products in proportions not specified by the manufacturer. Regulatory requirements are subject to change and may differ between various locations and jurisdictions. The customer/buyer/user is responsible to ensure that his activities comply with all country, federal, state, provincial or local laws. The conditions for use of the product are not under the control of the manufacturer; the customer/buyer/user is responsible to determine the conditions necessary for the safe use of this product. The customer/buyer/user should not use the product for any purpose other than the purpose shown in the applicable section of this SDS without first referring to the supplier and obtaining written handling instructions. Due to the proliferation of sources for information such as manufacturer-specific SDS, the manufacturer cannot be responsible for SDSs obtained from any other source.