# **SAFETY DATA SHEET**

C199156

# Section 1. Identification

Product name	: MAGNAMAX™ H2O Semi-Gloss
Product code	: C199156
Other means of identification	: Not available.
Product type	: Liquid.
Relevant identified use	es of the substance or mixture and uses advised against
Paint or paint related ma	aterial.

Manufacturer	: M. L. CAMPBELL 101 W. Prospect Avenue Cleveland, OH 44115
Emergency telephone number of the company	: (800) 424-9300
Product Information Telephone Number	: (800) 364-1359
Transportation Emergency Telephone Number	: (800) 424-9300

## Section 2. Hazards identification

OSHA/HCS status	: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	: Not classified.
	Percentage of the mixture consisting of ingredient(s) of unknown acute toxicity: 2.2% (oral), 2.2% (dermal), 2.2% (inhalation)
GHS label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Supplemental label elements	WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. FOR INDUSTRIAL USE ONLY.
	Please refer to the SDS for additional information. Keep out of reach of children. Do not transfer contents to other containers for storage.
Hazards not otherwise classified	: None known.

Date of issue/	Date of revision	: 7/31/2025	Date of previous issue	: 6/25/2025	Version : 20.01	1/12
C199156	MAGNAMAX™ H2O Semi-Gloss				SHW-85-NA-GHS-US	

### Section 3. Composition/information on ingredients

#### Substance/mixture Other means of

: Mixture

: Not available.

Other means of identification

CAS number/other identifiers

Ingredient name	% by weight	Identifiers
2-Methoxymethylethoxypropanol	≤3	34590-94-8

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

### Description of necessary first aid measures

Eye contact	<ul> <li>Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.</li> </ul>
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	<ul> <li>Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.</li> </ul>
Ingestion	<ul> <li>Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.</li> </ul>

### Most important symptoms/effects, acute and delayed

Potential acute health	effects
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/s	symptoms
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Indication of immediate med	al attention and special treatment needed, if necessary	
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if larg quantities have been ingested or inhaled.</li> </ul>	ge
Specific treatments	No specific treatment.	
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training	g.

#### See toxicological information (Section 11)

Date of issue/Date of revision		
C199156	MAGNAMAX™ H2O	
	Semi-Gloss	

: 6/25/2025

### Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

Personal precautions, protect	ctive equipment and emergency procedures
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information ir Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ontainment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

### Section 7. Handling and storage

#### Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Date of issue/Date of revision		: 7/31/2025	Date of previous issue	: 6/25/2025	Version	:20.01	3/12
C199156 MAGNAMAX™ H2O Semi-Gloss					SHW-85-	NA-GHS-US	

### Section 7. Handling and storage

Conditions for safe storage,	: Store in accordance with local regulations. Store in original container protected from
including any	direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials
incompatibilities	(see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### Section 8. Exposure controls/personal protection

### **Control parameters**

Occupational exposure limits (OSHA United States)

Ingredient name	CAS #	Exposure limits
2-Methoxymethylethoxypropanol	34590-94-8	ACGIH TLV (United States, 1/2024) [ (2-Methoxymethylethoxy)propanol] Absorbed through skin. TWA 8 hours: 100 ppm. TWA 8 hours: 606 mg/m <sup>3</sup> . STEL 15 minutes: 150 ppm. STEL 15 minutes: 909 mg/m <sup>3</sup> . ACGIH TLV (United States, 1/2024) [dipropylene glycol methyl ether] TWA 8 hours: 50 ppm. NIOSH REL (United States, 10/2020) Absorbed through skin. TWA 10 hours: 100 ppm. TWA 10 hours: 600 mg/m <sup>3</sup> . STEL 15 minutes: 900 mg/m <sup>3</sup> . OSHA PEL (United States, 5/2018) Absorbed through skin. TWA 8 hours: 100 ppm. TWA 8 hours: 100 ppm. TWA 8 hours: 100 ppm.

### **Occupational exposure limits (Canada)**

Ingredient name	CAS #	Exposure limits	
Dipropylene glycol monomethyl ether	34590-94-8	<ul> <li>CA Saskatchewan Provincial (Canada, 4/2021) Absorbed through skin.</li> <li>STEL 15 minutes: 150 ppm.</li> <li>TWA 8 hours: 100 ppm.</li> <li>CA British Columbia Provincial (Canada, 9/2024) [dipropylene glycol methyl ether]</li> <li>TWA 8 hours: 100 ppm.</li> <li>STEL 15 minutes: 150 ppm.</li> <li>CA Ontario Provincial (Canada, 6/2019)</li> <li>Absorbed through skin.</li> <li>STEL 15 minutes: 150 ppm.</li> <li>CA Quebec Provincial (Canada, 2/2024)</li> <li>[Dipropylene glyco monomethyl ether]</li> <li>Absorbed through skin.</li> <li>TWA 8 hours: 100 ppm.</li> <li>CA Quebec Provincial (Canada, 2/2024)</li> <li>[Dipropylene glyco monomethyl ether]</li> <li>Absorbed through skin.</li> <li>TWAEV 8 hours: 100 ppm.</li> <li>TWAEV 8 hours: 100 ppm.</li> <li>STEV 15 minutes: 150 ppm.</li> <li>STEV 15 minutes: 150 ppm.</li> <li>STEV 15 minutes: 909 mg/m<sup>3</sup>.</li> <li>CA Alberta Provincial (Canada, 3/2023)</li> </ul>	
ate of issue/Date of revision : 7/31/20	25 Date of previous issue	: 6/25/2025 Version : 20.01 4/1	
199156 MAGNAMAX™ H2O Semi-Gloss	-	SHW-85-NA-GHS-US	

### Section 8. Exposure controls/personal protection

Absorbed through skin.
OEL 8 hours: 100 ppm.
OEL 15 minutes: 909 mg/m <sup>3</sup> .
OEL 8 hours: 606 mg/m <sup>3</sup> .
OEL 15 minutes: 150 ppm.

### Occupational exposure limits (Mexico)

None.

#### **Biological exposure indices (United States)**

No exposure indices known.

#### **Biological exposure indices (Canada)**

No exposure indices known.

#### **Biological exposure indices (Mexico)**

No exposure indices known.

Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measu	<u>95</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

### Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

: Liquid.
: Clear.
: Not available.
: Not available.
: 8
: Not available.
: 100°C (212°F)
: Closed cup: Not applicable.
: 0.8 (butyl acetate = 1)
: Not available.
: Lower: 1.1% Upper: 14%
: 2.3 kPa (17.5 mm Hg)
: 1 [Air = 1]
: 1.05
: 1.05 g/cm³
4

Media			Result
cold w	ater		Not soluble
Partition octanol/	coefficient: n- water	:	Not applicable.
Auto-ign	ition temperature	1	Not available.
Decomp	osition temperature	:	Not available.
Viscosity	у	:	Dynamic (room temperature): Not available. Kinematic (room temperature): Not available. Kinematic (40°C (104°F)): >20.5 mm²/s (>20.5 cSt)
Molecula	ar weight	:	Not applicable.
Particle	characteristics		
Median	particle size	1	Not applicable.
Heat of	combustion	:	0.896 kJ/g

# Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.

Date of issue/Date of revision		: 7/31/2025	Date of previous issue	: 6/25/2025	Version : 20.01	6/12
C199156	MAGNAMAX™ H2O Semi-Gloss				SHW-85-NA-GHS-US	

### Section 10. Stability and reactivity

Incompatible materials

rials : No specific data.

Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

7/12

### Section 11. Toxicological information

Information on toxicological effects			
Acute toxicity			
Not available.			
Conclusion/Summary [Product]	: Not availa	able.	
Skin corrosion/irritation			
Product/ingredient name		Result	
2-Methoxymethylethoxypropanol		Rabbit - Skin - Mild irritant	
		Amount/concentration applied: 500 mg	3
Conclusion/Summary [Product]	: Not avail	able.	
Serious eye damage/eye irritation			
Product/ingredient name		Result	
2-Methoxymethylethoxypropanol		Human - Eyes - Mild irritant	
		Amount/concentration applied: 8 mg Rabbit - Eyes - Mild irritant	
		Duration of treatment/exposure: 24 ho	urs
		Amount/concentration applied: 500 mg	
Conclusion/Summary [Product]	: Not availa	able.	
Respiratory corrosion/irritation			
Not available.			
Conclusion/Summary [Product]	: Not availa	able.	
Respiratory or skin sensitization			
Not available.			
Skin			
Conclusion/Summary [Product]	: Not availa	able.	
Respiratory			
Conclusion/Summary [Product]	: Not availa	able.	
Germ cell mutagenicity			
Not available.			
Conclusion/Summary [Product]	: Not availa	able.	
Date of issue/Date of revision : 7/31/	/2025 Date of	previous issue : 6/25/2025	Version : 20.01
C199156 MAGNAMAX™ H2O Semi-Gloss			SHW-85-NA-GHS-US

### Section 11. Toxicological information

#### **Carcinogenicity**

Not available.

Conclusion/Summary [Product] : Not available.

**Reproductive toxicity** 

Not available.

Conclusion/Summary [Product] : Not available.

Specific target organ toxicity (single exposure) Not available.

Specific target organ toxicity (repeated exposure)

Not available.

#### Aspiration hazard

Not available.

#### Information on the likely routes of exposure

Not available.

#### Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No specific data.	
Inhalation	: No specific data.	
Skin contact	: No specific data.	
Ingestion	: No specific data.	

# Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure					
Potential immediate effects	:	Not available.			
Potential delayed effects	1	Not available.			
Long term exposure					
Potential immediate effects	:	Not available.			
Potential delayed effects	:	Not available.			
Potential chronic health effects					

 Date of issue/Date of revision
 : 7/31/2025
 Date of previous issue
 : 6/25/2025
 Version
 : 20.01

 C199156
 MAGNAMAX™ H2O Semi-Gloss
 SHW-85-NA-GHS-US
 SHW-85-NA-GHS-US

8/12

### Section 11. Toxicological information

Not available.

#### Conclusion/Summary [Product] : Not available.

General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.

### Numerical measures of toxicity

Acute toxicity estimates N/A

Section 12. Ecological information

#### **Toxicity**

Not available.

Conclusion/Summary [Product]	: Not available.
Persistence and degradability Not available.	
Conclusion/Summary [Product]	: Not available.
Bioaccumulative potential Not available.	
Mobility in soilSoil/Water partition: Notcoefficient	t available.

### Other adverse effects

No known significant effects or critical hazards.

### Section 13. Disposal considerations

the sewer unless fully compliant with the requirements of all authorities with jurisdictio Waste packaging should be recycled. Incineration or landfill should only be considered	Disposal methods	dispersal of spilled material and runoff and contact with soil, waterways, drains and
--	------------------	---

Date of issue/Date	of revision	: 7/31/2025	Date of previous issue	: 6/25/2025	Version	: 20.01	9/12
C199156	MAGNAMAX™ H2O Semi-Gloss				SHW-85-	NA-GHS-US	

### Section 14. Transport information

UN number UN proper shipping name Transport hazard class(es)	Not regulated. -	Not regulated.	Not regulated.	Not regulated.	Not regulated.
shipping name Transport	-	-	-	_	
	-				-
		-	-	-	-
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.
Additional information	-	-	-	-	-
pecial precautions ansport in bulk ac IMO instruments	conside mode o suitably to shipn of the p dangero and on	odal shipping descrip r container sizes. Th f transport (sea, air, for that mode of tran nent, and compliance erson offering the pro- ous goods must be tr all actions in case of able.	e presence of a ship etc.), does not indic nsport. All packaging e with the applicable oduct for transport. rained on all of the ri	pping description for ate that the product g must be reviewed regulations is the s People loading and sks deriving from the	r a particular is packaged for suitability prior cole responsibility unloading

### Section 15. Regulatory information

÷

### U.S. Federal regulations

### California Prop. 65

WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

#### International regulations

#### **Montreal Protocol**

Not listed.


Stockholm Convention on Persistent Organic Pollutants Not listed.

### Section 15. Regulatory information

International lists	: Australia inventory (AIIC): Not determined.
	China inventory (IECSC): Not determined.
	Japan inventory (CSCL): Not determined.
	Japan inventory (ISHL): Not determined.
	Korea inventory (KECI): Not determined.
	New Zealand Inventory of Chemicals (NZIoC): Not determined.
	Philippines inventory (PICCS): Not determined.
	Taiwan Chemical Substances Inventory (TCSI): Not determined.
	Thailand inventory: Not determined.
	Turkey inventory: Not determined.
	Vietnam inventory: Not determined.

### Section 16. Other information

Hazardous Material Information System (U.S.A.)



The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

#### Procedure used to derive the classification

	Classification	Justification
Not classified.		
<u>History</u>		
Date of printing	: 7/31/2025	
Date of issue/Date of revision	: 7/31/2025	
Date of previous issue	: 6/25/2025	
Version	: 20.01	
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification a IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coeff MARPOL = International Convention for the Preventior as modified by the Protocol of 1978. ("Marpol" = marin N/A = Not available SGG = Segregation Group UN = United Nations	ficient n of Pollution From Ships, 1973

Indicates information that has changed from previously issued version.

Notice to reader

Date of issue/Date	: 7/31/2025		
C199156	MAGNAMAX™ H2O		
	Semi-Gloss		

Date of previous issue

: 6/25/2025

### Section 16. Other information

It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult resources, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. This information is provided in good faith and believed to be accurate as of the effective date herein. However, no warranty, express or implied, is given. The information presented here applies only to the product as shipped. The addition of any material can change the composition, hazards and risks of the product. Products shall not be repackaged, modified, or tinted except as specifically instructed by the manufacturer, including but not limited to the incorporation of products not specified by the manufacturer, or the use or addition of products in proportions not specified by the manufacturer. Regulatory requirements are subject to change and may differ between various locations and jurisdictions. The customer/buyer/user is responsible to ensure that his activities comply with all country, federal, state, provincial or local laws. The conditions for use of the product are not under the control of the manufacturer; the customer/buyer/user is responsible to determine the conditions necessary for the safe use of this product. The customer/buyer/user should not use the product for any purpose other than the purpose shown in the applicable section of this SDS without first referring to the supplier and obtaining written handling instructions. Due to the proliferation of sources for information such as manufacturer-specific SDS, the manufacturer cannot be responsible for SDSs obtained from any other source.