# **SAFETY DATA SHEET**

WS2WB29

# Section 1. Identification

Product name	: WOODSONG® II Water Borne Stain Base	
Product code	: WS2WB29	
Other means of identification	: Not available.	
Product type	: Liquid.	
Relevant identified uses o	f the substance or mixture and uses advised against	
Paint or paint related material.		

Manufacturer	: M. L. CAMPBELL 101 W. Prospect Avenue Cleveland, OH 44115
Emergency telephone number of the company	: (800) 424-9300
Product Information Telephone Number	: (800) 364-1359
Transportation Emergency Telephone Number	: (800) 424-9300

# Section 2. Hazards identification

OSHA/HCS status	: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.		
Classification of the substance or mixture	: Not classified.		
GHS label elements			
Signal word	: No signal word.		
Hazard statements	: No known significant effects or critical hazards.		
Precautionary statements			
Prevention	: Not applicable.		
Response	Not applicable.		
Storage	Not applicable.		
Disposal	: Not applicable.		
Supplemental label elements	WARNING: This product contains chemicals known to the State of California to cause cancer. FOR INDUSTRIAL USE ONLY.		
	Please refer to the SDS for additional information. Keep out of reach of children. Do not transfer contents to other containers for storage.		
Hazards not otherwise classified	: None known.		

## Section 3. Composition/information on ingredients

### Substance/mixture

- : Mixture
- Other means of identification
- : Not available.

### **CAS** number/other identifiers

Ingredient name	% by weight	Identifiers
Polyethylene Glycol	≤10	25322-68-3
Calcium Carbonate	≤3	1317-65-3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

### Description of necessary first aid measures

Eye contact	<ul> <li>Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.</li> </ul>
Inhalation	<ul> <li>Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.</li> </ul>
Skin contact	<ul> <li>Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.</li> </ul>
Ingestion	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

### Most important symptoms/effects, acute and delayed

Potential acute health	<u>effects</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/	<u>symptoms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

### See toxicological information (Section 11)

# Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
Special protective actions for fire-fighters	<ul> <li>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</li> </ul>
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures				
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.			
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".			
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).			
Methods and materials for co	ntainment and cleaning up			
Small spill	: Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.			
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Dispose of via a licensed waste disposal contractor. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.			

# Section 7. Handling and storage

### Precautions for safe handling

Protective measures	Put on appropriate personal protective equipment (see Section 8).			
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.			

Date of issue/Da	te of revision	: 6/27/2025	Date of previous issue	: 1/15/2025	Version : 20	3/12
WS2WB29	WOODSONG® II \	Water Borne Stain	Base		SHW-85-NA-GHS-US	

## Section 7. Handling and storage

## including any incompatibilities

**Conditions for safe storage**, : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

## Section 8. Exposure controls/personal protection

### **Control parameters**

**Occupational exposure limits (OSHA United States)** 

Ingredient name	CAS #	Exposure limits
Polyethylene Glycol	25322-68-3	OARS WEEL (United States, 9/2024) TWA 8 hours: 10 mg/m <sup>3</sup> .
Calcium Carbonate	1317-65-3	<ul> <li>NIOSH REL (United States, 10/2020)</li> <li>[calcium carbonate]</li> <li>TWA 10 hours: 10 mg/m<sup>3</sup>. Form: Total.</li> <li>TWA 10 hours: 5 mg/m<sup>3</sup>. Form: Respirable fraction.</li> <li>OSHA PEL (United States, 5/2018)</li> <li>TWA 8 hours: 15 mg/m<sup>3</sup>. Form: Total dust.</li> <li>TWA 8 hours: 5 mg/m<sup>3</sup>. Form: Respirable fraction.</li> </ul>

### **Occupational exposure limits (Canada)**

None.

### **Occupational exposure limits (Mexico)**

None.

### **Biological exposure indices (United States)**

No exposure indices known.

### **Biological exposure indices (Canada)**

No exposure indices known.

### **Biological exposure indices (Mexico)**

No exposure indices known.

Appropriate engineering controls	:	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measure	es	
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Date of issue/Dat	e of revision	: 6/27/2025	Date of previous issue	: 1/15/2025	Version : 20	4/12
WS2WB29	WOODSONG® II Wat	ter Borne Stain	Base		SHW-85-NA-GHS-US	

# Section 8. Exposure controls/personal protection

Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

<u>Appearance</u>		
Physical state	Liquid.	
Color	White.	
Odor	Not available.	
Odor threshold	Not available.	
рН	8.1	
Melting point/freezing point	Not available.	
Boiling point or initial boiling point and boiling range	100°C (212°F)	
Flash point	Closed cup: Not applicable.	
Evaporation rate	0.09 (butyl acetate = 1)	
Flammability	Not available.	
Lower and upper explosion limit/flammability limit	Not available.	
Vapor pressure	2.3 kPa (17.5 mm Hg)	
Relative vapor density	1 [Air = 1]	
Relative density	1.02	
Density	1.02 g/cm <sup>3</sup>	
Solubility(ies)		
Media	Result	]
cold water	Partially soluble	]
Partition coefficient: n- octanol/water	Not applicable.	-
Auto-ignition temperature	Not available.	
Decomposition temperature	Not available.	
Date of issue/Date of revision	: 6/27/2025 Date of previous issue : 1/15/2025 Version : 20	5/12
WS2WB29 WOODSONG® II	ter Borne Stain Base SHW-85-NA-GHS-US	

# Section 9. Physical and chemical properties

Viscosity	: Dynamic (room temperature): Not available. Kinematic (room temperature): Not available. Kinematic (40°C (104°F)): >20.5 mm²/s (>20.5 cSt)	
Molecular weight	: Not applicable.	
Particle characteristics		
Median particle size	: Not applicable.	
Heat of combustion	: 5.514 kJ/g	

# Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

lot available.		
Result		
Amount/concentration applied: 500 mg Rabbit - Skin - Mild irritant Amount/concentration applied: 500 mg Rabbit - Skin - Mild irritant		
lot available.		
Result		
	Manajan (20	<u> </u>
	Version : 20 SHW-85-NA-GHS-US	6/1
	Rabbit - Skin - Mild irritantDuration of treatment/exposure: 24 hoursAmount/concentration applied: 500 mgRabbit - Skin - Mild irritantAmount/concentration applied: 500 mgRabbit - Skin - Mild irritantDuration of treatment/exposure: 24 hoursAmount/concentration applied: 500 mgRabbit - Skin - Mild irritantDuration of treatment/exposure: 24 hoursAmount/concentration applied: 500 mgRabbit - Skin - Mild irritantAmount/concentration applied: 500 mgRabbit - Skin - Mild irritantAmount/concentration applied: 500 mgRabbit - Skin - Mild irritantAmount/concentration applied: 500 mgRabbit - Skin - Mild irritant	ResultMabit - Skin - Mild irritantDration of treatment/exposure: 24 hours.Amout/concentration applied: 500 mg.Rabit - Skin - Mild irritantMenot/concentration applied: 500 mg.Rabit - Skin - Mild irritantDration of treatment/exposure: 24 hours.Amout/concentration applied: 500 mg.Rabit - Skin - Mild irritantMenot/concentration applied: 500 mg.Rabit - Skin - Mild irritantMount/concentration applied: 500 mg.Rabit - Skin - Mild irritantMount/concentration applied: 500 mg.Natit - Skin - Mild irritantMount/concentration applied: 500 mg.Natit - Skin - Mild irritantMount/concentration applied: 500 mg.Mount/concentration applied: 500 mg.Mount/conc

# Section 11. Toxicological information

Polyethylene Glycol	Rabbit - Eyes - Mild irritant Duration of treatment/exposure: 24 hours
	Amount/concentration applied: 500 mg
	Rabbit - Eyes - Mild irritant
	Duration of treatment/exposure: 24 hours
	Amount/concentration applied: 500 mg
	Rabbit - Eyes - Mild irritant
	Amount/concentration applied: 500 mg
	Rabbit - Eyes - Mild irritant
	Amount/concentration applied: 100 uL
Conclusion/Summary [Product]	: Not available.
Respiratory corrosion/irritation	
Not available.	
Conclusion/Summary [Product]	: Not available.
conclusion/summary [Froduct]	
Descriptory or chines and iting tion	
Respiratory or skin sensitization	
Not available.	
Skin	
Conclusion/Summary [Product]	: Not available.
Respiratory	
Conclusion/Summary [Product]	: Not available.
Germ cell mutagenicity	
Not available.	
Conclusion/Summary [Product]	: Not available.
O successive successive to a	
<u>Carcinogenicity</u>	
Not available.	
Conclusion/Summary [Product]	: Not available.
Reproductive toxicity	
Not available.	
Conclusion/Summary [Product]	: Not available.
conclusion/Summary [Froduct]	
Specific target organ toxicity (single	exposure)
Product/ingredient name	Result
Calcium Carbonate	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)
	(Respiratory tract irritation) - Category 3

Date of issue/Date	of revision	: 6/27/2025	Date of previous issue	: 1/15/2025	Version	: 20	7/12
WS2WB29 WOODSONG® II Water Borne Stain Base		Base		SHW-85-	NA-GHS-US		

## Section 11. Toxicological information

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Not available.

### Information on the likely routes of exposure

Not available.

#### Potential acute health effects Eye contact : No known significant effects or critical hazards. Inhalation : No known significant effects or critical hazards. Skin contact : No known significant effects or critical hazards. Ingestion : No known significant effects or critical hazards. Symptoms related to the physical, chemical and toxicological characteristics : No specific data. Eye contact Inhalation : No specific data. Skin contact : No specific data. : No specific data. Ingestion Delayed and immediate effects and also chronic effects from short and long term exposure Short term exposure **Potential immediate** : Not available. effects Potential delayed effects : Not available. Long term exposure Potential immediate : Not available. effects **Potential delayed effects** : Not available. Potential chronic health effects Not available. **Conclusion/Summary [Product]** : Not available. General : No known significant effects or critical hazards. Carcinogenicity : No known significant effects or critical hazards. **Mutagenicity** : No known significant effects or critical hazards.

**Reproductive toxicity** : No known significant effects or critical hazards.

### Numerical measures of toxicity

### Acute toxicity estimates N/A

: 1/15/2025

## Section 12. Ecological information

TOXICILY	
Product/ingredient name	Result
Polyethylene Glycol	<b>Acute - LC50 - Fresh water</b> Fish - Atlantic salmon - <i>Salmo salar</i> - Parr <u>Size</u> : 8.2 to 11.7 cm; <u>Weight</u> : 5.1 to 14.1 g >1000 mg/l [96 hours] <u>Effect</u> : Mortality
Conclusion/Summary [Product]	: Not available.
Persistence and degradability Not available.	
Conclusion/Summary [Product]	: Not available.

### Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Polyethylene Glycol	-	3.2	Low

### Mobility in soil

Toxicity

Soil/Water partition : Not available. coefficient

### **Other adverse effects**

No known significant effects or critical hazards.

## Section 13. Disposal considerations

### **Disposal methods**

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ΙΑΤΑ	IMDG
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-
Date of issue/Date of re	vision : 6/27/20 ODSONG® II Water Borne S		issue : 1/15/202		on : 20 9/1. -85-NA-GHS-US

Section 14.	Transp	ort info	ormation			
Transport hazard class(es)	-		-	-	-	-
Packing group	-		-	-	-	-
Environmental hazards	No.		No.	No.	No.	No.
Additional information	-		-	-	-	-
Special precautions		conside mode o suitably to shipn of the p dangero and on	r container sizes. T f transport (sea, air for that mode of tra nent, and complian erson offering the p ous goods must be all actions in case of	he presence of a , etc.), does not ir ansport. All packa ce with the applica product for transpo trained on all of th	shipping descrip idicate that the p ging must be re able regulations ort. People loadi ne risks deriving	onal purposes and do not ption for a particular product is packaged viewed for suitability prior is the sole responsibility ng and unloading from the substances
		Proper s	hipping name	: Not available	9.	

# Section 15. Regulatory information

### U.S. Federal regulations

### **SARA 313**

All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED and rely on information provided to us by our raw material suppliers. Our suppliers often provide an estimated value or range less than a certain upper limit. We calculate MAXIMUM THEORETICAL VALUES using defined values, if provided, or the upper limit reported by our supplier. Additionally, the suppliers' information may include amounts present in the product as unintentional byproducts or impurities. Variations may occur in individual batches due to adjustments made during production. Reporting of chemicals in this section does not necessarily indicate their presence in the final formulated product.

Ingredient name	% by weight	CAS number
Lead (as Pb)	0.000008	

### California Prop. 65

WARNING: This product contains chemicals known to the State of California to cause cancer.

### International regulations

### Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

: 1/15/2025

## Section 15. Regulatory information

International lists	: Australia inventory (AIIC): Not determined.
	China inventory (IECSC): Not determined.
	Japan inventory (CSCL): Not determined.
	Japan inventory (ISHL): Not determined.
	Korea inventory (KECI): Not determined.
	New Zealand Inventory of Chemicals (NZIoC): Not determined.
	Philippines inventory (PICCS): Not determined.
	Taiwan Chemical Substances Inventory (TCSI): Not determined.
	Thailand inventory: Not determined.
	Turkey inventory: Not determined.
	Vietnam inventory: Not determined.

## Section 16. Other information

Hazardous Material Information System (U.S.A.)



The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

### Procedure used to derive the classification

	Justification			
Not classified.				
History				
Date of printing	: 6/27/2025			
Date of issue/Date of revision	: 6/27/2025			
Date of previous issue	: 1/15/2025			
Version	: 20			
Key to abbreviations	<ul> <li>ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group UN = United Nations</li> </ul>			

Indicates information that has changed from previously issued version.

Notice to reader

## Section 16. Other information

It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult resources, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. This information is provided in good faith and believed to be accurate as of the effective date herein. However, no warranty, express or implied, is given. The information presented here applies only to the product as shipped. The addition of any material can change the composition, hazards and risks of the product. Products shall not be repackaged, modified, or tinted except as specifically instructed by the manufacturer, including but not limited to the incorporation of products not specified by the manufacturer, or the use or addition of products in proportions not specified by the manufacturer. Regulatory requirements are subject to change and may differ between various locations and jurisdictions. The customer/buver/user is responsible to ensure that his activities comply with all country, federal, state, provincial or local laws. The conditions for use of the product are not under the control of the manufacturer; the customer/buyer/user is responsible to determine the conditions necessary for the safe use of this product. The customer/buyer/user should not use the product for any purpose other than the purpose shown in the applicable section of this SDS without first referring to the supplier and obtaining written handling instructions. Due to the proliferation of sources for information such as manufacturer-specific SDS, the manufacturer cannot be responsible for SDSs obtained from any other source.