

# ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation  
May 9, 2025

29 00 [1295]

## PRODUCT NUMBER

TU020513D

## PRODUCT NAME

Polyurethane Basecoat, White

## MANUFACTURER'S NAME

SAYERLACK, A BRAND OF SHERWIN-WILLIAMS

101 W. Prospect Avenue

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED and rely on information provided to us by our raw material suppliers. Our suppliers often provide an estimated value or range less than a certain upper limit. We calculate MAXIMUM THEORETICAL VALUES using defined values, if provided, or the upper limit reported by our supplier. Additionally, the suppliers' information may include amounts present in the product as unintentional byproducts or impurities. Variations may occur in individual batches due to adjustments made during production.

## Hazard Category (for SARA 311.312)

TU020513D = | Acute | Chronic | Fire |

## Product Weight

11.43 lb/gal

## Specific Gravity

1.38

## FLASH POINT

77 °F PMCC

AS MIXED (as per product data sheet): SAYUS-TU0205/13

## AS MIXED

## Product Weight

9.58 lb/gal

## Specific Gravity

1.15

## FLASH POINT

30 °F TCC

## Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Ethylbenzene 100-41-4	N	Y	Y	Y	4	6
Xylene 1330-20-7	N	Y	Y	Y	21	33
n-Butyl Acetate 123-86-4	N	Y	N	N	4	6
1-Methoxy-2-Propanol Acetate 108-65-6	N	N	N	N	2	3

## Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Lead (as Pb)	N	N	Y	N	0.0001	
Zinc Compound	N	N	Y	N	5	

## Volatile Ingredients AS MIXED

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
<b>Toluene</b> 108-88-3	N	Y	Y	Y	4	6
<b>Ethylbenzene</b> 100-41-4	N	Y	Y	Y	2	3
<b>Xylene</b> 1330-20-7	N	Y	Y	Y	13	18
<b>Methyl Ethyl Ketone</b> 78-93-3	N	Y	N	N	4	6
<b>Ethyl Acetate</b> 141-78-6	N	Y	N	N	12	16
<b>n-Butyl Acetate</b> 123-86-4	N	Y	N	N	8	10
<b>Isobutyl Acetate</b> 110-19-0	N	Y	N	N	5	7
<b>1-Methoxy-2-Propanol Acetate</b> 108-65-6	N	N	N	N	1	1

## Regulated Compounds AS MIXED

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
<b>Lead (as Pb)</b>	N	N	Y	N	0.00007	
<b>Zinc Compound</b>	N	N	Y	N	3	

## Volatile Organic Compounds - U.S. EPA / Canada

	TU020513D		AS MIXED SAYUS-TU0205/13	
	LB/Gal	g/L	LB/Gal	g/L
Coating Density	11.43	1370	9.58	1148
	<b>By wt</b>	<b>By vol</b>	<b>By wt</b>	<b>By vol</b>
Total Volatiles	30.6%	48.2%	51.3%	67.1%
Federally exempt solvents				
Water	0.0%	0.0%	0.0%	0.0%
Organic Volatiles	30.6%	48.2%	51.3%	67.1%
Percent Non-Volatile	69.4%	51.8%	48.7%	32.9%
VOC Content	<b>LB/Gal</b>	<b>g/L</b>	<b>LB/Gal</b>	<b>g/L</b>
Total	3.49	418	4.91	588
Less exempt solvents	3.49	418	4.91	589
Of solids	6.74	808	14.93	1789
Of solids	0.44 lb/lb	0.44 kg/kg	1.05 lb/lb	1.05 kg/kg
	<b>By wt</b>		<b>By wt</b>	
By wt LVP-VOC	30.6%		51.3%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **1.74**AS MIXED Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **1.51**

### Volatile Organic Compounds - California

	TU020513D		AS MIXED SAYUS-TU0205/13	
	LB/Gal	g/L	LB/Gal	g/L
Coating Density	11.43	1370	9.58	1148
	By wt	By vol	By wt	By vol
Total Volatiles	30.6%	48.2%	51.3%	67.1%
Exempt solvents				
Water	0.0%	0.0%	0.0%	0.0%
Organic Volatiles	30.6%	48.2%	51.3%	67.1%
Percent Non-Volatile	69.4%	51.8%	48.7%	32.9%
VOC Content	LB/Gal	g/L	LB/Gal	g/L
Total	3.49	418	4.91	588
Less exempt solvents	3.49	418	4.91	589
Of solids	6.74	808	14.93	1789
Of solids	0.44 lb/lb	0.44 kg/kg	1.05 lb/lb	1.05 kg/kg
	By wt		By wt	
By wt LVP-VOC	30.6%		51.3%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **1.75**

AS MIXED Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **1.51**

### Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	TU020513D		AS MIXED SAYUS-TU0205/13	
	LB/Gal	g/L	LB/Gal	g/L
Coating Density	11.43	1370	9.58	1148
	By wt	By vol	By wt	By vol
Total Volatiles	30.6%	48.2%	51.3%	67.1%
Exempt solvents				
Water	0.0%	0.0%	0.0%	0.0%
Organic Volatiles	30.6%	48.2%	51.3%	67.1%
Percent Non-Volatile	69.4%	51.8%	48.7%	32.9%
VOC Content	LB/Gal	g/L	LB/Gal	g/L
Total	3.49	418	4.91	588
Less exempt solvents	3.49	418	4.91	589
Of solids	6.74	808	14.93	1789
Of solids	0.44 lb/lb	0.44 kg/kg	1.05 lb/lb	1.05 kg/kg

### Volatile Organic Compounds - EU Directive 2004/42/EC

	TU020513D		AS MIXED SAYUS-TU0205/13	
	By wt	By vol	By wt	By vol
Total Volatiles	30.6%	48.2%	51.3%	67.1%
VOC Content	LB/Gal	g/L	LB/Gal	g/L
Total	3.49	418	4.91	588

### **Volatile Organic Compounds - EU Directive 2010/75/EU**

	TU020513D		AS MIXED SAYUS-TU0205/13	
	By wt	By vol	By wt	By vol
Total Volatiles	30.6%	48.2%	51.3%	67.1%
VOC Content	LB/Gal	g/L	LB/Gal	g/L
Total	3.49	418	4.91	588

### **Volatile Organic Compounds - Mexico**

	TU020513D		AS MIXED SAYUS-TU0205/13	
	LB/Gal	g/L	LB/Gal	g/L
Coating Density	11.43	1370	9.58	1148
	By wt	By vol	By wt	By vol
Total Volatiles	30.6%	48.2%	51.3%	67.1%
Exempt solvents				
Water	0.0%	0.0%	0.0%	0.0%
Organic Volatiles	30.6%	48.2%	51.3%	67.1%
Percent Non-Volatile	69.4%	51.8%	48.7%	32.9%
VOC Content	LB/Gal	g/L	LB/Gal	g/L
Total	3.49	418	4.91	588
Less exempt solvents	3.49	418	4.91	589
Of solids	6.74	808	14.93	1789
Of solids	0.44 lb/lb	0.44 kg/kg	1.05 lb/lb	1.05 kg/kg

### **Hazardous Air Pollutants (Clean Air Act, Section 112(b))**

	TU020513D		AS MIXED SAYUS-TU0205/13	
	LB/Gal	kg/L	LB/Gal	kg/L
Volatile HAPS	2.77	0.332	1.89	0.227
Of solids	5.35	0.641	5.76	0.690
Of solids	0.34 lb/lb	0.34 kg/kg	0.40 lb/lb	0.40 kg/kg

### **Air Quality Data**

#### **Density of Organic Solvent Blend**

7.25 lb/gal

#### **Photochemically Reactive**

Yes

#### **Density of Organic Solvent Blend AS MIXED**

7.33 lb/gal

#### **Photochemically Reactive AS MIXED**

Yes

### **Waste Disposal**

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

The addition of any material to this product can change the composition, hazards and risks of the product and may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.