ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation
Jun 28, 2025

26 00 [1795]

PRODUCT NUMBER

TZ9910BBD

PRODUCT NAME

Solvent-Based Polyurethane White Tint-Base (BB), 10 Sheen

MANUFACTURER'S NAME

SAYERLACK, A BRAND OF SHERWIN-WILLIAMS
101 W. Prospect Avenue
Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED and rely on information provided to us by our raw material suppliers. Our suppliers often provide an estimated value or range less than a certain upper limit. We calculate MAXIMUM THEORETICAL VALUES using defined values, if provided, or the upper limit reported by our supplier. Additionally, the suppliers' information may include amounts present in the product as unintentional byproducts or impurities. Variations may occur in individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

TZ9910BBD = | Acute | Chronic | Fire |

Product Weight	Specific Gravity	FLASH POINT
11.18 lb/gal	1.35	68 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Ethylbenzene **100-41-4**	N	Y	Y	Y	3	4
Xylene **1330-20-7**	N	Y	Y	Y	15	24
Diacetone Alcohol **123-42-2**	N	N	N	N	1	1
n-Butyl Acetate **123-86-4**	N	Y	N	N	1	2
Isobutyl Acetate **110-19-0**	N	Y	N	N	12	18
1-Methoxy-2-Propanol Acetate **108-65-6**	N	N	N	N	2	2

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Lead (as Pb)	N	N	Y	N	0.00002	

Volatile Organic Compounds - U.S. EPA / Canada

	TZ9910BBD	
	LB/Gal	**g/L**
Coating Density	11.18	1339
	By wt	**By vol**
Total Volatiles	34.3%	52.7%
Federally exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	34.3%	52.7%
Percent Non-Volatile	65.7%	47.3%
VOC Content	**LB/Gal**	**g/L**
Total	3.83	459
Less exempt solvents	3.83	459
Of solids	8.10	971
Of solids	0.52 lb/lb	0.52 kg/kg
	By wt	
By wt LVP-VOC	34.3%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **1.38**

Volatile Organic Compounds - California

	TZ9910BBD	
	LB/Gal	**g/L**
Coating Density	11.18	1339
	By wt	**By vol**
Total Volatiles	34.3%	52.7%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	34.3%	52.7%
Percent Non-Volatile	65.7%	47.3%
VOC Content	**LB/Gal**	**g/L**
Total	3.83	459
Less exempt solvents	3.83	459
Of solids	8.10	971
Of solids	0.52 lb/lb	0.52 kg/kg
	By wt	
By wt LVP-VOC	34.3%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **1.37**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	TZ9910BBD	
	LB/Gal	g/L
Coating Density	11.18	1339
	By wt	By vol
Total Volatiles	34.3%	52.7%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	34.3%	52.7%
Percent Non-Volatile	65.7%	47.3%
VOC Content	LB/Gal	g/L
Total	3.83	459
Less exempt solvents	3.83	459
Of solids	8.10	971
Of solids	0.52 lb/lb	0.52 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	TZ9910BBD	
	By wt	By vol
Total Volatiles	34.4%	52.9%
VOC Content	LB/Gal	g/L
Total	3.84	461

Volatile Organic Compounds - EU Directive 2010/75/EU

	TZ9910BBD	
	By wt	By vol
Total Volatiles	34.3%	52.7%
VOC Content	LB/Gal	g/L
Total	3.83	459

Volatile Organic Compounds - Mexico

	TZ9910BBD	
	LB/Gal	g/L
Coating Density	11.18	1339
	By wt	By vol
Total Volatiles	34.3%	52.7%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	34.3%	52.7%
Percent Non-Volatile	65.7%	47.3%
VOC Content	LB/Gal	g/L
Total	3.83	459
Less exempt solvents	3.83	459
Of solids	8.10	971
Of solids	0.52 lb/lb	0.52 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	TZ9910BBD	
	LB/Gal	kg/L
Volatile HAPS	1.99	0.238
Of solids	4.21	0.505
Of solids	0.27 lb/lb	0.27 kg/kg

Air Quality Data

Density of Organic Solvent Blend

7.27 lb/gal

Photochemically Reactive

Yes

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.