

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation
Feb 24, 2024

07 00 [0554]

PRODUCT NUMBER

S00353000

PRODUCT NAME

MR™353 Foaming Citrus Mold Cleaner Aerosol

MANUFACTURER'S NAME

SPRAYON PRODUCTS
SPRAYON PRODUCTS GROUP
101 W. Prospect Avenue,
Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

S00353000 = | Acute | Chronic | Fire |

Product Weight

7.66 lb/gal

Specific Gravity

0.92

FLASH POINT

-20 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Propane 74-98-6	N	N	N	N	2	3
Butane 106-97-8	N	N	N	N	4	6
d-Limonene 5989-27-5	N	N	N	N	15	16
2-Propanol 67-63-0	N	N	N	N	3	4
2-Butoxyethanol 111-76-2	N	N	Y - Glycol Ethers (SARA)	N	3	3
Water 7732-18-5	N	N	N	N	72	66

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Glycol Ethers (SARA)	N	N	Y	N	3	

Volatile Organic Compounds - U.S. EPA / Canada

	S00353000	
	LB/Gal	g/L
Coating Density	7.66	918
	By wt	By vol
Total Volatiles	99.1%	99.4%
Federally exempt solvents		
Water	72.0%	66.4%
Organic Volatiles	27.0%	32.9%
Percent Non-Volatile	0.9%	0.6%
VOC Content	LB/Gal	g/L
Total	2.06	247
Less exempt solvents	6.15	737
Of solids	> 99.99	> 11,983
Of solids	28.43 lb/lb	28.43 kg/kg
	By wt	
By wt LVP-VOC	27.0%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.77**

Volatile Organic Compounds - California

	S00353000	
	LB/Gal	g/L
Coating Density	7.66	918
	By wt	By vol
Total Volatiles	99.1%	99.4%
Exempt solvents		
Water	72.0%	66.4%
Organic Volatiles	27.0%	32.9%
Percent Non-Volatile	0.9%	0.6%
VOC Content	LB/Gal	g/L
Total	2.06	247
Less exempt solvents	6.15	737
Of solids	> 99.99	> 11,983
Of solids	28.43 lb/lb	28.43 kg/kg
	By wt	
By wt LVP-VOC	27.0%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.84**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	S00353000	
	LB/Gal	g/L
Coating Density	7.66	918
	By wt	By vol
Total Volatiles	99.1%	99.4%
Exempt solvents		
Water	72.0%	66.4%
Organic Volatiles	27.0%	32.9%
Percent Non-Volatile	0.9%	0.6%
VOC Content	LB/Gal	g/L
Total	2.06	247
Less exempt solvents	6.15	737
Of solids	> 99.99	> 11,983
Of solids	28.43 lb/lb	28.43 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	S00353000	
	By wt	By vol
Total Volatiles	99.0%	99.3%
VOC Content	LB/Gal	g/L
Total	2.06	247

Volatile Organic Compounds - EU Directive 2010/75/EU

	S00353000	
	By wt	By vol
Total Volatiles	99.1%	99.4%
VOC Content	LB/Gal	g/L
Total	2.06	247

Volatile Organic Compounds - Mexico

	S00353000	
	LB/Gal	g/L
Coating Density	7.66	918
	By wt	By vol
Total Volatiles	99.1%	99.4%
Exempt solvents		
Water	72.0%	66.4%
Organic Volatiles	27.0%	32.9%
Percent Non-Volatile	0.9%	0.6%
VOC Content	LB/Gal	g/L
Total	2.06	247
Less exempt solvents	6.15	737
Of solids	> 99.99	> 11,983
Of solids	28.43 lb/lb	28.43 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	S00353000	
	LB/Gal	kg/L
Volatile HAPS	0.00	0.000
Of solids	0.00	0.000
Of solids	0.00 lb/lb	0.00 kg/kg

Air Quality Data**Density of Organic Solvent Blend**

6.29 lb/gal

Photochemically Reactive

Yes

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.