ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

05 00 [0554]

Date of Preparation Feb 24, 2024

PRODUCT NUMBER

S10305000

PRODUCT NAME

LU103L RUST BREAKER Heavy-Duty Penetrant

MANUFACTURER'S NAME

SPRAYON PRODUCTS SPRAYON PRODUCTS GROUP 101 W. Prospect Avenue, Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

S10305000 = | Acute | Chronic |

Product Weight	Specific Gravity	FLASH POINT	
6.64 lb/gal	0.80	200 °F PMCC	
Volatile Ingredients			

y

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Aliphatic Solvent	N	N	N	N	85	86
64742-47-8			1		00	00

Volatile Organic Compounds - U.S. EPA / Canada

	S10305000		
	LB/Gal	g/L	
Coating Density	6.64	796	
	By wt	By vol	
Total Volatiles	85.4%	86.9%	
Federally exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	85.4%	86.9%	
Percent Non-Volatile	14.6%	13.1%	
VOC Content	LB/Gal	g/L	
Total	5.67	679	
Less exempt solvents	5.67	679	
Of solids	43.34	5193	
Of solids	5.84 lb/lb	5.84 kg/kg	
	By wt		
By wt LVP-VOC	0.8%		

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.63

Volatile Organic Compounds - California

	S10305000		
	LB/Gal	g/L	
Coating Density	6.64	796	
	By wt	By vol	
Total Volatiles	85.4%	86.9%	
Exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	85.4%	86.9%	
Percent Non-Volatile	14.6%	13.1%	
VOC Content	LB/Gal	g/L	
Total	5.67	679	
Less exempt solvents	5.67	679	
Of solids	43.34	5193	
Of solids	5.84 lb/lb	5.84 kg/kg	
	By wt		
By wt LVP-VOC	0.8%		

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.62

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	S10305000		
	LB/Gal	g/L	
Coating Density	6.64	796	
	By wt	By vol	
Total Volatiles	85.4%	86.9%	
Exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	85.4%	86.9%	
Percent Non-Volatile	14.6%	13.1%	
VOC Content	LB/Gal	g/L	
Total	5.67	679	
Less exempt solvents	5.67	679	
Of solids	43.34	5193	
Of solids	5.84 lb/lb	5.84 kg/kg	

Volatile Organic Compounds - EU Directive 2004/42/EC

	S10305000		
	By wt	By vol	
Total Volatiles	85.4%	86.9%	
VOC Content	LB/Gal	g/L	
Total	5.67	679	

Volatile Organic Compounds - EU Directive 2010/75/EU

	S10305000		
	By wt	By vol	
Total Volatiles	0.9%	0.8%	
VOC Content	LB/Gal	g/L	
Total	0.05	6	

Volatile Organic Compounds - Mexico

	S10305000		
	LB/Gal	g/L	
Coating Density	6.64	796	
	By wt	By vol	
Total Volatiles	85.4%	86.9%	
Exempt solvents			
Water	0.0%	0.0%	
Organic Volatiles	85.4%	86.9%	
Percent Non-Volatile	14.6%	13.1%	
VOC Content	LB/Gal	g/L	
Total	5.67	679	
Less exempt solvents	5.67	679	
Of solids	43.34	5193	
Of solids	5.84 lb/lb	5.84 kg/kg	

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	S10305000		
	LB/Gal	kg/L	
Volatile HAPS	0.00	0.000	
Of solids	0.00	0.000	
Of solids	0.00 lb/lb	0.00 kg/kg	

Air Quality Data

Density of Organic Solvent Blend 6.53 lb/gal Photochemically Reactive Yes

Waste Disposal

Waste from this product is not hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.