

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Feb 24, 2024

09 00 [0554]

PRODUCT NUMBER

S20706000

PRODUCT NAME

SP™706 Low VOC Brake & Parts Cleaner Aerosol

MANUFACTURER'S NAME

SPRAYON PRODUCTS

SPRAYON PRODUCTS GROUP

101 W. Prospect Avenue,

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

S20706000 = | Acute | Chronic | Fire |

Product Weight

6.64 lb/gal

Specific Gravity

0.80

FLASH POINT

-3 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Light Aliphatic Hydrocarbon Solvent 64742-49-0	N	N	N	N	3	3
Acetone 67-64-1	N	Y	N	N	92	93
Carbon Dioxide 124-38-9	N	N	N	N	5	4

Volatile Organic Compounds - U.S. EPA / Canada

	S20706000	
	LB/Gal	g/L
Coating Density	6.64	795
	By wt	By vol
Total Volatiles	100.0%	100.0%
Federally exempt solvents		
Water	0.0%	0.0%
Acetone	92.0%	92.7%
Non-Organic Volatiles		
Carbon Dioxide	5.0%	3.9%
Organic Volatiles	3.0%	3.4%
Percent Non-Volatile	0.0%	0.0%
VOC Content	LB/Gal	g/L
Total	0.19	23
Less exempt solvents	2.71	325
Of solids	0.00	0
Of solids	0.00 lb/lb	0.00 kg/kg
	By wt	
By wt LVP-VOC	3.0%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.43**

Volatile Organic Compounds - California

	S20706000	
	LB/Gal	g/L
Coating Density	6.64	795
	By wt	By vol
Total Volatiles	100.0%	100.0%
Exempt solvents		
Water	0.0%	0.0%
Acetone	92.0%	92.7%
Non-Organic Volatiles		
Carbon Dioxide	5.0%	3.9%
Organic Volatiles	3.0%	3.4%
Percent Non-Volatile	0.0%	0.0%
VOC Content	LB/Gal	g/L
Total	0.19	23
Less exempt solvents	2.71	325
Of solids	0.00	0
Of solids	0.00 lb/lb	0.00 kg/kg
	By wt	
By wt LVP-VOC	3.0%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.36**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	S20706000	
	LB/Gal	g/L
Coating Density	6.64	795
	By wt	By vol
Total Volatiles	100.0%	100.0%
Exempt solvents		
Water	0.0%	0.0%
Acetone	92.0%	92.7%
Non-Organic Volatiles		
Carbon Dioxide	5.0%	3.9%
Organic Volatiles	3.0%	3.4%
Percent Non-Volatile	0.0%	0.0%
VOC Content	LB/Gal	g/L
Total	0.19	23
Less exempt solvents	2.71	325
Of solids	0.00	0
Of solids	0.00 lb/lb	0.00 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	S20706000	
	By wt	By vol
Total Volatiles	100.0%	100.0%
VOC Content	LB/Gal	g/L
Total	6.30	755

Volatile Organic Compounds - EU Directive 2010/75/EU

	S20706000	
	By wt	By vol
Total Volatiles	100.0%	100.0%
VOC Content	LB/Gal	g/L
Total	6.30	755

Volatile Organic Compounds - Mexico

	S20706000	
	LB/Gal	g/L
Coating Density	6.64	795
	By wt	By vol
Total Volatiles	100.0%	100.0%
Exempt solvents		
Water	0.0%	0.0%
Acetone	92.0%	92.7%
Non-Organic Volatiles		
Carbon Dioxide	5.0%	3.9%
Organic Volatiles	3.0%	3.4%
Percent Non-Volatile	0.0%	0.0%
VOC Content	LB/Gal	g/L
Total	0.19	23
Less exempt solvents	2.71	325
Of solids	0.00	0
Of solids	0.00 lb/lb	0.00 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	S20706000		
	LB/Gal	kg/L	
Volatile HAPS	0.00	0.000	0.00 % by wt
Of solids	0.00	0.000	
Of solids	0.00 lb/lb	0.00 kg/kg	

Air Quality Data
Density of Organic Solvent Blend

6.64 lb/gal

Photochemically Reactive

No

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.