ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

04 00 [0554]

Date of Preparation Feb 24, 2024

PRODUCT NUMBER

SC1201000

PRODUCT NAME

CD™1201 Heavy-Duty Foaming Degreaser Aerosol

MANUFACTURER'S NAME

SPRAYON PRODUCTS SPRAYON PRODUCTS GROUP 101 W. Prospect Avenue, Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

SC1201000 = | Acute | Chronic | Fire |

Product Weight 8.01 lb/gal	Specific Gra 0.96	Specific Gravity 0.96		FLASH POINT -20 °F PMCC		
Volatile Ingredients						
Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Propane 74-98-6	Ν	N	N	N	2	3
Butane 106-97-8	Ν	N	N	N	3	5
2-Methoxymethylethoxypropanol 34590-94-8	Ν	N	N	N	3	3
Water 7732-18-5	N	N	N	N	88	85

Volatile Organic Compounds - U.S. EPA / Canada

	SC1201000		
	LB/Gal	g/L	
Coating Density	8.01	960	
	By wt	By vol	
Total Volatiles	96.9%	97.0%	
Federally exempt solvents			
Water	87.9%	84.5%	
Organic Volatiles	8.8%	12.3%	
Percent Non-Volatile	3.1%	3.0%	
VOC Content	LB/Gal	g/L	
Total	0.70	84	
Less exempt solvents	4.57	547	
Of solids	23.31	2793	
Of solids	2.80 lb/lb	2.80 kg/kg	
	By wt		
By wt LVP-VOC	8.0%		

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.75

Volatile Organic Compounds - California

	SC1201000		
	LB/Gal	g/L	
Coating Density	8.01	960	
	By wt	By vol	
Total Volatiles	96.9%	97.0%	
Exempt solvents			
Water	87.9%	84.5%	
Organic Volatiles	8.8%	12.3%	
Percent Non-Volatile	3.1%	3.0%	
VOC Content	LB/Gal	g/L	
Total	0.70	84	
Less exempt solvents	4.57	547	
Of solids	23.31	2793	
Of solids	2.80 lb/lb	2.80 kg/kg	
	By wt		
By wt LVP-VOC	8.0%		

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.40

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	SC1201000		
	LB/Gal	g/L	
Coating Density	8.01	960	
	By wt	By vol	
Total Volatiles	96.9%	97.0%	
Exempt solvents			
Water	87.9%	84.5%	
Organic Volatiles	8.8%	12.3%	
Percent Non-Volatile	3.1%	3.0%	
VOC Content	LB/Gal	g/L	
Total	0.70	84	
Less exempt solvents	4.57	547	
Of solids	23.31	2793	
Of solids	2.80 lb/lb	2.80 kg/kg	

Volatile Organic Compounds - EU Directive 2004/42/EC

	SC1201000		
	By wt	By vol	
Total Volatiles	96.0%	96.2%	
VOC Content	LB/Gal	g/L	
Total	0.64	76	

Volatile Organic Compounds - EU Directive 2010/75/EU

	SC1201000		
	By wt	By vol	
Total Volatiles	96.0%	96.2%	
VOC Content	LB/Gal	g/L	
Total	0.64	76	

Volatile Organic Compounds - Mexico

	SC1201000		
	LB/Gal	g/L	
Coating Density	8.01	960	
	By wt	By vol	
Total Volatiles	96.9%	97.0%	
Exempt solvents			
Water	87.9%	84.5%	
Organic Volatiles	8.8%	12.3%	
Percent Non-Volatile	3.1%	3.0%	
VOC Content	LB/Gal	g/L	
Total	0.70	84	
Less exempt solvents	4.57	547	
Of solids	23.31	2793	
Of solids	2.80 lb/lb	2.80 kg/kg	

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	SC1201000		
	LB/Gal	kg/L	
Volatile HAPS	0.00	0.000	
Of solids	0.00	0.000	
Of solids	0.00 lb/lb	0.00 kg/kg	

Air Quality Data

Density of Organic Solvent Blend 5.74 lb/gal Photochemically Reactive No

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.