

ENVIRONMENTAL DATA SHEET
(Certified Product Data Sheet)

Date of Preparation
Nov 5, 2019

10 00 [2199]

PRODUCT NUMBER

SC0600000

PRODUCT NAME

EL™600 Clear Insulating Varnish Aerosol

MANUFACTURER'S NAME

SPRAYON PRODUCTS
SPRAYON PRODUCTS GROUP
101 W. Prospect Avenue,
Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

SC0600000 = | Acute | Chronic | Fire |

Product Weight

6.34 lb/gal

Specific Gravity

0.76

FLASH POINT

-20 °F PMCC

Volatile Ingredients

| Chemical / Compound | SARA 302 EHS | CERCLA | SARA 313 TC | HAPS 112 | % by Weight | % by Volume |
|------------------------------------|--------------|--------|-------------|----------|-------------|-------------|
| Propane 74-98-6 | N | N | N | N | 13 | 19 |
| Butane 106-97-8 | N | N | N | N | 12 | 17 |
| Methyl Ethyl Ketone 78-93-3 | N | Y | N | N | 25 | 24 |
| Methyl Isobutyl Ketone 108-10-1 | N | Y | Y | Y | 2 | 2 |
| Methyl Acetate 79-20-9 | N | N | N | N | 34 | 28 |
| n-Butyl Acetate 123-86-4 | N | Y | N | N | 2 | 2 |

Volatile Organic Compounds - U.S. EPA / Canada

| | SC0600000 | |
|---------------------------|------------|------------|
| | LB/Gal | g/L |
| Coating Density | 6.34 | 759 |
| | By wt | By vol |
| Total Volatiles | 89.4% | 92.5% |
| Federally exempt solvents | | |
| Water | 0.0% | 0.0% |
| Methyl Acetate | 34.0% | 28.0% |
| Organic Volatiles | 55.4% | 64.5% |
| Percent Non-Volatile | 10.6% | 7.5% |
| VOC Content | LB/Gal | g/L |
| Total | 3.51 | 421 |
| Less exempt solvents | 4.87 | 584 |
| Of solids | 46.66 | 5591 |
| Of solids | 5.24 lb/lb | 5.24 kg/kg |
| | By wt | |
| By wt LVP-VOC | 55.4% | |

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.77**

Volatile Organic Compounds - California

| | SC0600000 | |
|----------------------|------------|------------|
| | LB/Gal | g/L |
| Coating Density | 6.34 | 759 |
| | By wt | By vol |
| Total Volatiles | 89.4% | 92.5% |
| Exempt solvents | | |
| Water | 0.0% | 0.0% |
| Methyl Acetate | 34.0% | 28.0% |
| Organic Volatiles | 55.4% | 64.5% |
| Percent Non-Volatile | 10.6% | 7.5% |
| VOC Content | LB/Gal | g/L |
| Total | 3.51 | 421 |
| Less exempt solvents | 4.87 | 584 |
| Of solids | 46.66 | 5591 |
| Of solids | 5.24 lb/lb | 5.24 kg/kg |
| | By wt | |
| By wt LVP-VOC | 55.4% | |

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.72**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

| | SC0600000 | |
|----------------------|------------|------------|
| | LB/Gal | g/L |
| Coating Density | 6.34 | 759 |
| | By wt | By vol |
| Total Volatiles | 89.4% | 92.5% |
| Exempt solvents | | |
| Water | 0.0% | 0.0% |
| Methyl Acetate | 34.0% | 28.0% |
| Organic Volatiles | 55.4% | 64.5% |
| Percent Non-Volatile | 10.6% | 7.5% |
| VOC Content | LB/Gal | g/L |
| Total | 3.51 | 421 |
| Less exempt solvents | 4.87 | 584 |
| Of solids | 46.66 | 5591 |
| Of solids | 5.24 lb/lb | 5.24 kg/kg |

Volatile Organic Compounds - EU Directive 2004/42/EC

| | SC0600000 | |
|-----------------|-----------|--------|
| | By wt | By vol |
| Total Volatiles | 89.6% | 92.6% |
| VOC Content | LB/Gal | g/L |
| Total | 5.67 | 680 |

Volatile Organic Compounds - EU Directive 2010/75/EU

| | SC0600000 | |
|-----------------|-----------|--------|
| | By wt | By vol |
| Total Volatiles | 89.4% | 92.5% |
| VOC Content | LB/Gal | g/L |
| Total | 5.66 | 679 |

Volatile Organic Compounds - Mexico

| | SC0600000 | |
|----------------------|------------|------------|
| | LB/Gal | g/L |
| Coating Density | 6.34 | 759 |
| | By wt | By vol |
| Total Volatiles | 89.4% | 92.5% |
| Exempt solvents | | |
| Water | 0.0% | 0.0% |
| Organic Volatiles | 89.4% | 92.5% |
| Percent Non-Volatile | 10.6% | 7.5% |
| VOC Content | LB/Gal | g/L |
| Total | 5.66 | 679 |
| Less exempt solvents | 5.66 | 679 |
| Of solids | 75.28 | 9021 |
| Of solids | 8.46 lb/lb | 8.46 kg/kg |

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

| | SC0600000 | |
|---------------|------------|------------|
| | LB/Gal | kg/L |
| Volatile HAPS | 0.14 | 0.017 |
| Of solids | 1.90 | 0.228 |
| Of solids | 0.21 lb/lb | 0.21 kg/kg |

Air Quality Data**Density of Organic Solvent Blend**

6.13 lb/gal

Photochemically Reactive

No

Additional Regulatory Information**US EPA TSCA:**

This product contains 2-methoxyethanol (CAS No. 109-86-4) which is subject to a SNUR (Significant New Use Rule) codified as 40 CFR 721.10001. It is not for use in consumer products. Refer to 40 CFR 721.10001 to ensure compliance with the SNUR requirements.

Relevant identified uses of the substance or mixture and uses advised against:

Not Applicable

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.