ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation

Feb 28, 2022

09 00 [0582]

PRODUCT NUMBER

SC0738000

PRODUCT NAME

WL™738 Stainless Steel Coating Aerosol

MANUFACTURER'S NAME

SPRAYON PRODUCTS SPRAYON PRODUCTS GROUP 101 W. Prospect Avenue, Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

SC0738000 = | Acute | Chronic | Fire |

Product WeightSpecific GravityFLASH POINT6.17 lb/gal0.74-20 °F PMCC

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Propane 74-98-6	N	N	N	N	20	30
Butane 106-97-8	N	N	N	N	10	12
Lt. Aliphatic Hydrocarbon Solvent 64742-89-8	N	N	N	N	11	10
Ethylbenzene 100-41-4	N	Υ	Υ	Υ	5	4
Xylene 1330-20-7	N	Υ	Υ	Υ	1	1
Acetone 67-64-1	N	Υ	N	N	35	33

Non-Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Nickel	N	>	N	N	0.5	<i>-</i> 1
7440-02-0	IV.	•	IV	IN	0.5	\ 1

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Chromium (as Cr)	N	Υ	Υ	N	0.7	
Zinc Compound	N	N	Υ	N	1	

Volatile Organic Compounds - U.S. EPA / Canada

	SC0738000		
	LB/Gal	g/L	
Coating Density	6.17	739	
	By wt	By vol	
Total Volatiles	82.3%	90.7%	
Federally exempt solvents			
Water	0.0%	0.0%	
Acetone	35.0%	32.8%	
Organic Volatiles	47.3%	58.0%	
Percent Non-Volatile	17.7%	9.3%	
VOC Content	LB/Gal	g/L	
Total	2.91	349	
Less exempt solvents	4.34	520	
Of solids	31.53	3778	
Of solids	2.67 lb/lb	2.67 kg/kg	
	By wt		
By wt LVP-VOC	47.3%		

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.75

Volatile Organic Compounds - California

	SC0738000		
	LB/Gal	g/L	
Coating Density	6.17	739	
	By wt	By vol	
Total Volatiles	82.3%	90.7%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	35.0%	32.8%	
Organic Volatiles	47.3%	58.0%	
Percent Non-Volatile	17.7%	9.3%	
VOC Content	LB/Gal	g/L	
Total	2.91	349	
Less exempt solvents	4.34	520	
Of solids	31.53	3778	
Of solids	2.67 lb/lb	2.67 kg/kg	
	By wt		
By wt LVP-VOC	47.3%		

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.71

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	SC0738000		
	LB/Gal	g/L	
Coating Density	6.17	739	
	By wt	By vol	
Total Volatiles	82.3%	90.7%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	35.0%	32.8%	
Organic Volatiles	47.3%	58.0%	
Percent Non-Volatile	17.7%	9.3%	
VOC Content	LB/Gal	g/L	
Total	2.91	349	
Less exempt solvents	4.34	520	
Of solids	31.53	3778	
Of solids	2.67 lb/lb	2.67 kg/kg	

Volatile Organic Compounds - EU Directive 2004/42/EC

	SC07	38000
	By wt	By vol
Total Volatiles	82.3%	90.8%
VOC Content	LB/Gal	g/L
Total	5.07	608

Volatile Organic Compounds - EU Directive 2010/75/EU

	SC07	38000
	By wt	By vol
Total Volatiles	82.3%	90.7%
VOC Content	LB/Gal	g/L
Total	5.07	608

Volatile Organic Compounds - Mexico

	SC0738000		
	LB/Gal	g/L	
Coating Density	6.17	739	
	By wt	By vol	
Total Volatiles	82.3%	90.7%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	35.0%	32.8%	
Organic Volatiles	47.3%	58.0%	
Percent Non-Volatile	17.7%	9.3%	
VOC Content	LB/Gal	g/L	
Total	2.91	349	
Less exempt solvents	4.34	520	
Of solids	31.53	3778	
Of solids	2.67 lb/lb	2.67 kg/kg	

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	SC0738000		
	LB/Gal	kg/L	
Volatile HAPS	0.38	0.046	
Of solids	4.20	0.503	
Of solids	0.35 lb/lb	0.35 kg/kg	

Air Quality Data

Density of Organic Solvent Blend

5.60 lb/gal

Photochemically Reactive

Yes

Additional Regulatory Information

US EPA TSCA:

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against:

Not Applicable

Waste Disposal

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.