

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation
Mar 1, 2022

04 00 [1047]

PRODUCT NUMBER

S02003000

PRODUCT NAME

EL™2003 Circuit Cooler Aerosol

MANUFACTURER'S NAME

SPRAYON PRODUCTS
SPRAYON PRODUCTS GROUP
101 W. Prospect Avenue,
Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Hazard Category (for SARA 311.312)

S02003000 = | Acute | Chronic |

Product Weight

10.05 lb/gal

Specific Gravity

1.21

FLASH POINT

N.A.

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
1,1,1,2-Tetrafluoroethane 811-97-2	N	N	N	N	100	100

Volatile Organic Compounds - U.S. EPA / Canada

	S02003000	
	LB/Gal	g/L
Coating Density	10.05	1204
	By wt	By vol
Total Volatiles	100.0%	100.0%
Federally exempt solvents		
Water	0.0%	0.0%
1,1,1,2-Tetrafluoroethane	100.0%	100.0%
Organic Volatiles	0.0%	0.0%
Percent Non-Volatile	0.0%	0.0%
VOC Content	LB/Gal	g/L
Total	0.00	0
Less exempt solvents	0.00	0
Of solids	0.00	0
Of solids	0.00 lb/lb	0.00 kg/kg
	By wt	
By wt LVP-VOC	0.0%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.00**

Volatile Organic Compounds - California

	S02003000	
	LB/Gal	g/L
Coating Density	10.05	1204
	By wt	By vol
Total Volatiles	100.0%	100.0%
Exempt solvents		
Water	0.0%	0.0%
1,1,1,2-Tetrafluoroethane	100.0%	100.0%
Organic Volatiles	0.0%	0.0%
Percent Non-Volatile	0.0%	0.0%
VOC Content	LB/Gal	g/L
Total	0.00	0
Less exempt solvents	0.00	0
Of solids	0.00	0
Of solids	0.00 lb/lb	0.00 kg/kg
	By wt	
By wt LVP-VOC	0.0%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.00**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	S02003000	
	LB/Gal	g/L
Coating Density	10.05	1204
	By wt	By vol
Total Volatiles	100.0%	100.0%
Exempt solvents		
Water	0.0%	0.0%
1,1,1,2-Tetrafluoroethane	100.0%	100.0%
Organic Volatiles	0.0%	0.0%
Percent Non-Volatile	0.0%	0.0%
VOC Content	LB/Gal	g/L
Total	0.00	0
Less exempt solvents	0.00	0
Of solids	0.00	0
Of solids	0.00 lb/lb	0.00 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	S02003000	
	By wt	By vol
Total Volatiles	100.0%	100.0%
VOC Content	LB/Gal	g/L
Total	10.05	1204

Volatile Organic Compounds - EU Directive 2010/75/EU

	S02003000	
	By wt	By vol
Total Volatiles	100.0%	100.0%
VOC Content	LB/Gal	g/L
Total	10.05	1204

Volatile Organic Compounds - Mexico

	S02003000	
	LB/Gal	g/L
Coating Density	10.05	1204
	By wt	By vol
Total Volatiles	100.0%	100.0%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	100.0%	100.0%
Percent Non-Volatile	0.0%	0.0%
VOC Content	LB/Gal	g/L
Total	10.05	1204
Less exempt solvents	10.05	1204
Of solids	0.00	0
Of solids	0.00 lb/lb	0.00 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	S02003000		
	LB/Gal	kg/L	
Volatile HAPS	0.00	0.000	0.00 % by wt
Of solids	0.00	0.000	
Of solids	0.00 lb/lb	0.00 kg/kg	

Air Quality Data

Density of Organic Solvent Blend

10.05 lb/gal

Photochemically Reactive

No

Additional Regulatory Information

US EPA TSCA:

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against:

Not Applicable

Waste Disposal

Waste from this product is not hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.