

# ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation  
Sep 29, 2021

08 00 [2721]

**PRODUCT NUMBER**

SC2302000

**PRODUCT NAME**

EL™2302 Electronic Contact Cleaner Aerosol

**MANUFACTURER'S NAME**

SPRAYON PRODUCTS  
SPRAYON PRODUCTS GROUP  
101 W. Prospect Avenue,  
Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

**Hazard Category (for SARA 311.312)**

SC2302000 = | Acute | Chronic | Fire |

**Product Weight**

6.67 lb/gal

**Specific Gravity**

0.80

**FLASH POINT**

9 °F PMCC

**Volatile Ingredients**

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Lt. Aliphatic Hydrocarbon Solvent 64742-89-8	N	N	N	N	1	1
Light Aliphatic Hydrocarbon Solvent 64742-49-0	N	N	N	N	18	21
Methyl Cyclohexane 108-87-2	N	N	N	N	1	1
Ethanol 64-17-5	N	N	N	N	50	51
2-Propanol 67-63-0	N	N	N	N	5	5
Methyl Acetate 79-20-9	N	N	N	N	19	16
Carbon Dioxide 124-38-9	N	N	N	N	6	5

**Volatile Organic Compounds - U.S. EPA / Canada**

	SC2302000	
	LB/Gal	g/L
Coating Density	6.67	799
	By wt	By vol
Total Volatiles	100.0%	100.0%
Federally exempt solvents		
Water	0.0%	0.0%
Methyl Acetate	19.0%	16.4%
Non-Organic Volatiles		
Carbon Dioxide	6.0%	4.7%
Organic Volatiles	75.0%	78.8%
Percent Non-Volatile	0.0%	0.0%
VOC Content	LB/Gal	g/L
Total	5.00	599
Less exempt solvents	5.98	717
Of solids	0.00	0
Of solids	0.00 lb/lb	0.00 kg/kg
	By wt	
By wt LVP-VOC	75.0%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **1.13**

**Volatile Organic Compounds - California**

	SC2302000	
	LB/Gal	g/L
Coating Density	6.67	799
	By wt	By vol
Total Volatiles	100.0%	100.0%
Exempt solvents		
Water	0.0%	0.0%
Methyl Acetate	19.0%	16.4%
Non-Organic Volatiles		
Carbon Dioxide	6.0%	4.7%
Organic Volatiles	75.0%	78.8%
Percent Non-Volatile	0.0%	0.0%
VOC Content	LB/Gal	g/L
Total	5.00	599
Less exempt solvents	5.98	717
Of solids	0.00	0
Of solids	0.00 lb/lb	0.00 kg/kg
	By wt	
By wt LVP-VOC	75.0%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **1.04**

**Volatile Organic Compounds - South Coast Air Quality Management District, California, US**

	SC2302000	
	LB/Gal	g/L
Coating Density	6.67	799
	By wt	By vol
Total Volatiles	100.0%	100.0%
Exempt solvents		
Water	0.0%	0.0%
Methyl Acetate	19.0%	16.4%
Non-Organic Volatiles		
Carbon Dioxide	6.0%	4.7%
Organic Volatiles	75.0%	78.8%
Percent Non-Volatile	0.0%	0.0%
VOC Content	LB/Gal	g/L
Total	5.00	599
Less exempt solvents	5.98	717
Of solids	0.00	0
Of solids	0.00 lb/lb	0.00 kg/kg

**Volatile Organic Compounds - EU Directive 2004/42/EC**

	SC2302000	
	By wt	By vol
Total Volatiles	100.0%	100.0%
VOC Content	LB/Gal	g/L
Total	6.27	751

**Volatile Organic Compounds - EU Directive 2010/75/EU**

	SC2302000	
	By wt	By vol
Total Volatiles	100.0%	100.0%
VOC Content	LB/Gal	g/L
Total	6.27	751

**Volatile Organic Compounds - Mexico**

	SC2302000	
	LB/Gal	g/L
Coating Density	6.67	799
	By wt	By vol
Total Volatiles	100.0%	100.0%
Exempt solvents		
Water	0.0%	0.0%
Non-Organic Volatiles		
Carbon Dioxide	6.0%	4.7%
Organic Volatiles	94.0%	95.3%
Percent Non-Volatile	0.0%	0.0%
VOC Content	LB/Gal	g/L
Total	6.27	751
Less exempt solvents	6.27	751
Of solids	0.00	0
Of solids	0.00 lb/lb	0.00 kg/kg

**Hazardous Air Pollutants (Clean Air Act, Section 112(b))**

	SC2302000		
	LB/Gal	kg/L	
Volatile HAPS	0.00	0.000	0.00 % by wt
Of solids	0.00	0.000	
Of solids	0.00 lb/lb	0.00 kg/kg	

**Air Quality Data****Density of Organic Solvent Blend**

6.67 lb/gal

**Photochemically Reactive**

Yes

**Additional Regulatory Information****US EPA TSCA:**

Not Applicable

**Relevant identified uses of the substance or mixture and uses advised against:**

Not Applicable

**Waste Disposal**

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.