### **ENVIRONMENTAL DATA SHEET**

(Certified Product Data Sheet)

**Date of Preparation** 

Jan 20, 2024

### **PRODUCT NUMBER**

SC3119000

#### **PRODUCT NAME**

SP™3119 Carton Stencil Ink Aerosol, Tan Kraft

#### **MANUFACTURER'S NAME**

13 00 [2199]

SPRAYON PRODUCTS SPRAYON PRODUCTS GROUP 101 W. Prospect Avenue, Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

#### Hazard Category (for SARA 311.312)

SC3119000 = | Acute | Chronic | Fire |

**FLASH POINT Product Weight Specific Gravity** 6.61 lb/gal 0.80 -20 °F PMCC

#### **Volatile Ingredients**

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	<b>HAPS 112</b>	% by Weight	% by Volume
Propane 74-98-6	N	N	N	N	13	20
Butane 106-97-8	N	N	N	N	12	17
Lt. Aliphatic Hydrocarbon Solvent 64742-89-8	N	N	N	N	5	6
p-Chlorobenzotrifluoride 98-56-6	N	N	N	N	12	7
Acetone 67-64-1	N	Υ	N	N	41	41

# Volatile Organic Compounds - U.S. EPA / Canada

SC3119000		
LB/Gal	g/L	
6.61	792	
By wt	By vol	
83.9%	91.8%	
0.0%	0.0%	
41.0%	41.1%	
12.1%	7.2%	
30.8%	43.6%	
16.1%	8.2%	
LB/Gal	g/L	
2.04	244	
3.94	472	
25.00	2995	
1.91 lb/lb	1.91 kg/kg	
By wt		
30.8%		
	LB/Gal 6.61  By wt 83.9%  0.0% 41.0% 12.1% 30.8% 16.1%  LB/Gal 2.04 3.94 25.00 1.91 lb/lb  By wt	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.50

# **Volatile Organic Compounds - California**

	SC3119000		
	LB/Gal	g/L	
Coating Density	6.61	792	
	By wt	By vol	
Total Volatiles	83.9%	91.8%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	41.0%	41.1%	
P-Chlorobenzotrifluoride	12.1%	7.2%	
Organic Volatiles	30.8%	43.6%	
Percent Non-Volatile	16.1%	8.2%	
VOC Content	LB/Gal	g/L	
Total	2.04	244	
Less exempt solvents	3.94	472	
Of solids	25.00	2995	
Of solids	1.91 lb/lb	1.91 kg/kg	
	By wt		
By wt LVP-VOC	30.8%		

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.44

# Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	SC3119000		
	LB/Gal	g/L	
Coating Density	6.61	792	
	By wt	By vol	
Total Volatiles	83.9%	91.8%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	41.0%	41.1%	
P-Chlorobenzotrifluoride	12.1%	7.2%	
Organic Volatiles	30.8%	43.6%	
Percent Non-Volatile	16.1%	8.2%	
VOC Content	LB/Gal	g/L	
Total	2.04	244	
Less exempt solvents	3.94	472	
Of solids	25.00	2995	
Of solids	1.91 lb/lb	1.91 kg/kg	

# Volatile Organic Compounds - EU Directive 2004/42/EC

	SC3119000	
	By wt	By vol
Total Volatiles	83.9%	91.9%
VOC Content	LB/Gal	g/L
Total	5.54	665

## Volatile Organic Compounds - EU Directive 2010/75/EU

	SC3119000		
	By wt	By vol	
Total Volatiles	83.9%	91.8%	
VOC Content	LB/Gal	g/L	
Total	5.54	664	

# **Volatile Organic Compounds - Mexico**

	SC3119000		
	LB/Gal	g/L	
Coating Density	6.61	792	
	By wt	By vol	
Total Volatiles	83.9%	91.8%	
Exempt solvents			
Water	0.0%	0.0%	
Acetone	41.0%	41.1%	
Organic Volatiles	42.9%	50.7%	
Percent Non-Volatile	16.1%	8.2%	
VOC Content	LB/Gal	g/L	
Total	2.83	340	
Less exempt solvents	4.81	577	
Of solids	34.79	4168	
Of solids	2.66 lb/lb	2.66 kg/kg	

## Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	SC3119000		
	LB/Gal	kg/L	
Volatile HAPS	0.00	0.000	
Of solids	0.00	0.000	
Of solids	0.00 lb/lb	0.00 kg/kg	

## **Air Quality Data**

**Density of Organic Solvent Blend** 

6.04 lb/gal

**Photochemically Reactive** 

Yes

### **Waste Disposal**

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Waste must be tested for ignitability to determine the applicable EPA hazardous waste numbers.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.