# **SAFETY DATA SHEET**

S00521015

# Section 1. Identification

Product name	: LU™521 Food Grade Multi-Purpose Semi-Synthetic Grease				
Product code	: S00521015				
Other means of identification	: Not available.				
Product type	: Liquid.				
Relevant identified uses of t	he substance or mixture and uses advised against				
Paint or paint related material.					
Manufacturer	: Sprayon Products Group 101 W. Prospect Avenue, Cleveland, Ohio 44115				
Emergency telephone number of the company	: US / Canada: (800) 424-9300 Mexico: SETIQ 800-00-214-00 / 55-5559-1588 Available 24 hours and 365 days a year				
Product Information Telephone Number	: US / Canada: (800) 247-3266 Mexico: Not Available				
Transportation Emergency Telephone Number	: US / Canada: (800) 424-9300 Mexico: SETIQ 800-00-214-00 / 55-5559-1588 Available 24 hours and 365 days a year				

# Section 2. Hazards identification

Classification of the substance or mixture	: CARCINOGENICITY - Category 2 ASPIRATION HAZARD - Category 1	
	Percentage of the mixture consisting of ingredient(s) of unknown acute toxicity: 70% (dermal), 70% (inhalation)	
GHS label elements		
Hazard pictograms		
Signal word	- Danger	
•	: Danger	
Hazard statements	: May be fatal if swallowed and enters airways. Suspected of causing cancer.	
Precautionary statements		
Prevention	: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing and eye or fac protection.	
Response	<ul> <li>IF exposed or concerned: Get medical advice or attention. IF SWALLOWED: Immediately call a POISON CENTER or doctor. Do NOT induce vomiting.</li> </ul>	
Storage	: Store locked up.	

Date of issue/Date	of revision	: 9/26/2023	Date of previous issue	: 8/21/2017	Version : 2	1/12
S00521015	LU™521 Food Grade I	Multi-Purpose S	Semi-Synthetic Grease		SHW-85-NA-GHS-US	

# Section 2. Hazards identification

Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	WARNING: This product contains a chemical known to the State of California to cause cancer. FOR INDUSTRIAL USE ONLY.
	Please refer to the SDS for additional information. Keep out of reach of children. Do not transfer contents to other containers for storage.
Hazards not otherwise classified	: None known.

# Section 3. Composition/information on ingredients

# Substance/mixture: MixtureOther means of: Not available.identification

### CAS number/other identifiers

Ingredient name	% by weight	CAS number
Paraffinic Mineral Oil	≥50 - ≤75	8042-47-5
Fumed Amorphous Silica	≤10	112945-52-5
Titanium Dioxide	≤3	13463-67-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

Description of necessary f	first aid measures
Eye contact	<ul> <li>Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.</li> </ul>
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

### Most important symptoms/effects, acute and delayed

LU™521 Food Grade Multi-Purpose Semi-Synthetic Grease

S00521015

Potential acute health effe	ects				
Eye contact	: No known s	ignificant effects or critic	al hazards.		
Date of issue/Date of revision	: 9/26/2023	Date of previous issue	: 8/21/2017	Version : 2	2/12

# Section 4. First aid measures

Inhalation	: No known significant effects or critical hazards.				
Skin contact	: No known significant effects or critical hazards.				
Ingestion	: May be fatal if swallowed and enters airways.				
Over-exposure signs/symp	<u>itoms</u>				
Eye contact	: No specific data.				
Inhalation	: No specific data.				
Skin contact	: No specific data.				
Ingestion	: Adverse symptoms may include the following: nausea or vomiting				
Indication of immediate med	lical attention and special treatment needed, if necessary				
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>				
Specific treatments	: No specific treatment.				
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.				

### See toxicological information (Section 11)

# Section 5. Fire-fighting measures

_	
Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

Personal precautions, protect	ive equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Date of issue/Date	of revision	: 9/26/2023	Date of previous issue	: 8/21/2017	Version	:2	3/12
S00521015	LU™521 Food Grade	Multi-Purpose S	emi-Synthetic Grease		SHW-85-	NA-GHS-US	

### Section 6. Accidental release measures

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### Methods and materials for containment and cleaning up

Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

# Section 7. Handling and storage

### Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not swallow. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### Section 8. Exposure controls/personal protection

### **Control parameters**

**Occupational exposure limits (OSHA United States)** 

Ingredient name		CAS #	Exposure lim	its	
Paraffinic Mineral Oil		8042-47-5	mist, minera TWA: 5 mg/ ACGIH TLV ( [Mineral Oil, refined]	-	
ate of issue/Date of revision	: 9/26/2023	Date of previous issue	: 8/21/2017	Version : 2	4/12
00521015 LU™521 Food Gra	de Multi-Purpose S	Semi-Synthetic Grease		SHW-85-NA-GHS-US	

# Section 8. Exposure controls/personal protection

		NIOSH REL (United States, 10/2020). [OIL MIST MINERAL] TWA: 5 mg/m <sup>3</sup> 10 hours. Form: Mist STEL: 10 mg/m <sup>3</sup> 15 minutes. Form: Mist
Fumed Amorphous Silica	112945-52-5	NIOSH REL (United States, 10/2020). [SILICA, AMORPHOUS] TWA: 6 mg/m <sup>3</sup> 10 hours.
Titanium Dioxide	13463-67-7	OSHA PEL (United States, 5/2018). TWA: 15 mg/m <sup>3</sup> 8 hours. Form: Total dust ACGIH TLV (United States, 1/2023). TWA: 2.5 mg/m <sup>3</sup> 8 hours. Form: respirable fraction, finescale particles

#### **Occupational exposure limits (Canada)**

Ingredient name	CAS #	Exposure limits		
Paraffinic Mineral Oil	8042-47-5	CA British Columbia Provincial (Canada, 6/2022). [Oil mist - mineral, severely refined] TWA: 1 mg/m <sup>3</sup> 8 hours. CA Alberta Provincial (Canada, 6/2018). [Oil mist, mineral] 8 hrs OEL: 5 mg/m <sup>3</sup> 8 hours. Form: Mist 15 min OEL: 10 mg/m <sup>3</sup> 15 minutes. Form: Mist		

### **Occupational exposure limits (Mexico)**

	CAS #	Exposure limits
Paraffinic Mineral Oil		NOM-010-STPS-2014 (Mexico, 4/2016). [Highly refined mineral oils, mist, with the exception of cutting fluids] TWA: 5 mg/m <sup>3</sup> 8 hours. Form: mist

### **Biological exposure indices (United States)**

No exposure indices known.

#### **Biological exposure indices (Canada)**

No exposure indices known.

#### **Biological exposure indices (Mexico)**

No exposure indices known.

Appropriate engineering controls	: If user operations generate dust, fumes, gas, vapor or mis local exhaust ventilation or other engineering controls to k airborne contaminants below any recommended or statute	eep worker exposure to	
Environmental exposure controls	Emissions from ventilation or work process equipment she they comply with the requirements of environmental prote cases, fume scrubbers, filters or engineering modification will be necessary to reduce emissions to acceptable level	ould be checked to ensure ction legislation. In some s to the process equipment	
Individual protection measur	<u>es</u>		
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.		
Date of issue/Date of revision	: 9/26/2023 Date of previous issue : 8/21/2017	Version : 2 5/2	
S00521015 LU™521 Food Gra	de Multi-Purpose Semi-Synthetic Grease	SHW-85-NA-GHS-US	

# Section 8. Exposure controls/personal protection

	• •
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Date of issue/Date of revisionS00521015LU™521 Food Gr	: 9/26/2023 Date of previous issue : 8/21/2017 ade Multi-Purpose Semi-Synthetic Grease	Version : 2 6/1 SHW-85-NA-GHS-US
Auto-ignition temperature	: Not available.	
Partition coefficient: n- octanol/water	: Not applicable.	
cold water	Not soluble	
Media	Result	
Solubility(ies)	:	
Relative density	: 0.91	
Relative vapor density	: Not available.	
Vapor pressure	: Not available.	
Lower and upper explosion limit/flammability limit	: Not available.	
Flammability	: Not available.	
Evaporation rate	: Not available.	
Flash point	: Open cup: 204°C (399.2°F) [Cleveland Open Cup]	
Boiling point, initial boiling point, and boiling range	: Not available.	
Melting point/freezing point	: Not available.	
рН	: Not applicable.	
Odor threshold	: Not available.	
Odor	: Not available.	
Color	: Not available.	
Physical state	: Liquid.	
Physical state	: Liquid.	

# Section 9. Physical and chemical properties

Decomposition temperature	:	Not available.	_
Viscosity	:	Kinematic (40°C (104°F)): <20.5 mm²/s (<20.5 cSt)	
Molecular weight	:	Not applicable.	

# Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# Section 11. Toxicological information

### Information on toxicological effects

### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Paraffinic Mineral Oil	LD50 Oral	Rat	>5000 mg/kg	-
Fumed Amorphous Silica	LD50 Oral	Rat	3160 mg/kg	-

### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium Dioxide	Skin - Mild irritant	Human	-	72 hours 300 ug l	-

### **Sensitization**

Not available.

### **Mutagenicity**

Not available.

#### **Carcinogenicity**

Not available.

#### **Classification**

Product/ingredient name	OSHA	IARC	NTP
Fumed Amorphous Silica Titanium Dioxide	-	3 2B	

### Reproductive toxicity

Not available.

#### **Teratogenicity**

Not available.

### Specific target organ toxicity (single exposure)

Date of issue/Dat	e of revision	: 9/26/2023	Date of previous issue	: 8/21/2017	Version : 2	7/12
S00521015	LU™521 Food Grade	Multi-Purpose S	Semi-Synthetic Grease		SHW-85-NA-GHS-US	

### Section 11. Toxicological information

Not available.

### Specific target organ toxicity (repeated exposure)

Not available.

### Aspiration hazard

Name	Result
Paraffinic Mineral Oil	ASPIRATION HAZARD - Category 1

Information on the likely routes of exposure	: Not available.
Potential acute health effe	ects
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: May be fatal if swallowed and enters airways.
Symptoms related to the	physical, chemical and toxicological characteristics
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: Adverse symptoms may include the following:
	nausea or vomiting
Defense di su di facera di stato di	
	fects and also chronic effects from short and long term exposure
Short term exposure	. Net eveileble
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate	: Not available.
effects	
Potential delayed effects	: Not available.
Potential chronic health e	ffects
Not available.	
General	: No known significant effects or critical hazards.
Carcinogenicity	: Suspected of causing cancer. Risk of cancer depends on duration and level of
	exposure.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
<b>Developmental effects</b>	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
Numerical measures of to	xicity

### Acute toxicity estimates

Not available.

8/12

# Section 12. Ecological information

	•		
Toxicity			
Product/ingredient name	Result	Species	Exposure
Titanium Dioxide	Acute LC50 >1000000 µg/l Marine water	Fish - Fundulus heteroclitus	96 hours
Persistence and degradabi	lity		
Not available.			
Bioaccumulative potential			
Not available.			
<u>Mobility in soil</u>			
Soil/water partition coefficient (Koc)	: Not available.		
Other adverse effects	: No known significant effects or critical h	nazards.	
Section 13. Dispo	sal considerations		
Disposal methods	: The generation of waste should be avo of this product, solutions and any by-pro requirements of environmental protection	oducts should at all times comply on and waste disposal legislation	with the and any

of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ΙΑΤΑ	IMDG
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.
Date of issue/Date of rev	vision : 9/26/20	D23 Date of previous	issue : 8/21/201	7 Vers	ion : 2 9/
	521 Food Grade Multi-Purp			SHV	V-85-NA-GHS-US

information	-	-	-	-
Special precautions for use	r : Multi-modal shipp	ing descriptions are	provided for informatio	nal purposes and do not
	consider containe mode of transport suitably for that m to shipment, and of the person offe dangerous goods	r sizes. The presend (sea, air, etc.), doe ode of transport. All compliance with the ring the product for	e of a shipping descrip s not indicate that the p packaging must be rev applicable regulations transport. People loadin all of the risks deriving	otion for a particular product is packaged viewed for suitability prior is the sole responsibility ng and unloading
ransport in bulk according o IMO instruments	: Not available.	-		
	Proper shipping n	ame : Not a	vailable.	
Section 15. Regu	latory informa	tion		
SARA 313				
SARA 313 (40 CFR 372.45	) supplier notification ca	n be found on the Ei	nvironmental Data She	et.
<u>California Prop. 65</u>			ifornia to cause cancer	
WARNING. This product co	ntains a chemical know	n to the State of Cal		•
WARNING: This product co	ntains a chemical know	n to the State of Cal		
International regulations Montreal Protocol	ntains a chemical know	n to the State of Cal		
International regulations Montreal Protocol Not listed.				·
International regulations Montreal Protocol				
International regulations Montreal Protocol Not listed. Stockholm Convention o	n Persistent Organic F : Australia inver China inventor	Pollutants Notory (AIIC): Not det Ty (IECSC): Not dete	ermined. ermined.	·
International regulations Montreal Protocol Not listed. Stockholm Convention o Not listed.	n Persistent Organic F : Australia inver China inventor Japan inventor Japan inventor	Pollutants Intory (AIIC): Not det Ty (IECSC): Not dete Ty (CSCL): Not deter Ty (ISHL): Not deter	ermined. ermined. rmined. mined.	· ·
International regulations Montreal Protocol Not listed. Stockholm Convention o Not listed.	n Persistent Organic F : Australia inver China inventor Japan inventor Japan inventor Korea inventor	Pollutants Pollutants Pry (IECSC): Not deternant Pry (CSCL): Not deternant Pry (ISHL): Not deternant Pry (KECI): Not deterna	ermined. ermined. rmined. mined.	
International regulations Montreal Protocol Not listed. Stockholm Convention o Not listed.	n Persistent Organic F : Australia inver China inventor Japan inventor Japan inventor Korea inventor New Zealand In Philippines inv	Pollutants Pollutants Pry (IECSC): Not deterny (ISHL): Not deterny (ISHL): Not deterny (KECI): Not deterny pry (KECI): Not deterny pry (CSCL): Not deterny pry (CSC	ermined. ermined. rmined. mined. mined. c <b>als (NZIoC)</b> : Not dete ot determined.	rmined.
International regulations Montreal Protocol Not listed. Stockholm Convention o Not listed.	n Persistent Organic F : Australia inver China inventor Japan inventor Japan inventor Korea inventor New Zealand In Philippines inv Taiwan Chemic Thailand invert	Pollutants Provide the second state Provember of the second	ermined. ermined. rmined. mined. cals (NZIOC): Not dete of determined. rentory (TCSI): Not def d.	rmined.
International regulations Montreal Protocol Not listed. Stockholm Convention o Not listed.	n Persistent Organic F : Australia inver China inventor Japan inventor Japan inventor Korea inventor New Zealand In Philippines inv Taiwan Chemic Thailand inventor	Pollutants Pollutants Ty (IECSC): Not detern Ty (CSCL): Not detern Ty (KECI): Not detern Ty (KECI): Not detern Ty (KECI): Not detern Ty (KECI): Not detern Ty (FICCS): Not Cal Substances Inv	ermined. ermined. rmined. mined. cals (NZIoC): Not dete ot determined. rentory (TCSI): Not det d.	rmined.
International regulations Montreal Protocol Not listed. Stockholm Convention o Not listed. International lists	n Persistent Organic F : Australia inver China inventor Japan inventor Japan inventor Korea inventor New Zealand In Philippines inv Taiwan Chemic Thailand inventor Vietnam inventor	Pollutants Pollut	ermined. ermined. rmined. mined. cals (NZIoC): Not dete ot determined. rentory (TCSI): Not det d.	rmined.
International regulations Montreal Protocol Not listed. Stockholm Convention o Not listed.	n Persistent Organic F : Australia inver China inventor Japan inventor Japan inventor Korea inventor New Zealand In Philippines inv Taiwan Chemit Thailand inver Turkey inventor Vietnam invertor	Pollutants Pollut	ermined. ermined. rmined. mined. cals (NZIoC): Not dete ot determined. rentory (TCSI): Not det d.	rmined.



### Section 16. Other information

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

### Procedure used to derive the classification

	Justification	
CARCINOGENICITY - Category 2 ASPIRATION HAZARD - Category 1		Calculation method Calculation method
<u>History</u>		
Date of printing	: 9/26/2023	
Date of issue/Date of revision	: 9/26/2023	
Date of previous issue	: 8/21/2017	
Version	: 2	
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification a IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coeff MARPOL = International Convention for the Prevention as modified by the Protocol of 1978. ("Marpol" = marine N/A = Not available SGG = Segregation Group UN = United Nations	icient of Pollution From Ships, 1973

**V** Indicates information that has changed from previously issued version.

### Notice to reader

It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult resources, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. This information is provided in good faith and believed to be accurate as of the effective date herein. However, no warranty, express or implied, is given. The information presented here applies only to the product as shipped. The addition of any material can change the composition, hazards and risks of the product. Products shall not be repackaged, modified, or tinted except as specifically instructed by the manufacturer, including but not limited to the incorporation of products not specified by the manufacturer, or the use or addition of products in proportions not specified by the manufacturer. Regulatory requirements are subject to change and may differ between various locations and jurisdictions. The customer/buyer/user is responsible to ensure that his activities comply with all country, federal, state, provincial or local laws. The conditions for use of the product are not under the control of the manufacturer; the customer/buyer/user is responsible to determine the conditions necessary for the safe use of this product. The customer/buyer/user should not use the product for any purpose other than the purpose shown in the applicable section of this SDS without first referring to the supplier and obtaining written handling instructions. Due to the proliferation of sources for information such as manufacturer-specific SDS, the manufacturer cannot be responsible for SDSs obtained from any other source.

: 8/21/2017