




# Product Lens

a materials health assessment

## COMPANY AND PRODUCT INFO

Issued to	Sherwin-Williams
For the Products	Emerald Interior Latex – K35W00400/300 Series, K36W00400/300 Series, K37W00400/300 Series, K38W00400/300 Series <i>*Assessment is limited to base formulas and does not include tint.</i>
Description	Exceptional beauty, washability, and application. Best-In-Class overall performance. Our Finest! Available in a Flat, Matte, Satin, and Semi-Gloss.
Expiration	April 1, 2024
Assessor	



## Qualifications

- LEED BPDO Credit: Material Ingredients Option 1 ☒ Qualifies for as 1 product
- LEED BPDO Credit: Material Ingredients Option 2 ☐ Qualifies for 100% of cost

## Other Achievements



## MATERIALS / INGREDIENTS INFORMATION

Disclosure Level: 100 ppm ☐ 1000 ppm ☒

The following table represents the top 100% of the material ingredient disclosure and ratings. For the full ingredient disclosure information, please see the table on the reverse side.

Materials	Result			
	Supply Chain/ MFG	Install	Use	End of Use
Water				
Acrylic Resin				
Extender Pigments	I			
Titanium Dioxide	I			
Other Polymers				
Additives				
Coalescent				

## Exposure Indicator

D = Dermal, Skin

I = Inhalation, air

O = Oral, mouth

\*No Indicator means no potential exposure scenario identified

## Color Ratings

Low or mild hazard identified and/or potential exposure
Moderate hazard identified and/or potential exposure
Problematic concern found. The combination of the hazard and potential exposure leads to some caution for some uses and/or applications.
Cannot be fully assessed due to either lack of complete formulation, or lack of toxicological information for one or more ingredients.
Highly problematic material containing one or more chemicals classified as CMR and having a plausible route of exposure.

Go to <https://spot.ul.com/> to view the full, detailed materials ingredient list

**Sherwin-Williams**

<[www.sherwin-williams.com](http://www.sherwin-williams.com)> <[douglas.p.mazeffa@sherwin.com](mailto:douglas.p.mazeffa@sherwin.com)>

<1-(800) 474-3794>





CERTIFIED

PRODUCT LENS MATERIALS  
TRANSPARENCY AND  
DISCLOSURE.  
VIEW SPECIFIC INGREDIENTS  
AND EVALUATIONS:  
UL.COM/PL

# Product Lens

*a materials health assessment*

Material	CAS Number	Role	%	MFG	Install	Use	End of Use	Comment
Water	7732-18-5	Solvent	35-60%					
Acrylic Resin	Proprietary	Resin	10%-20%					Monomers are strong skin sensitizers. Manufacturer has guaranteed proper PPE to protect workers from skin contact.
Extender Pigments	Proprietary	Extender Pigment	0%-25%	I				Manufacturer has provided evidence of no heavy metal contamination, and proper worker PPE mitigates inhalation risk during manufacturing.
Titanium Dioxide	13463-67-7	Pigment	0-21%	I				Inhalation risk is mitigated during manufacturing with use of proper PPE.
Other Polymers	Proprietary	Resin	0-5%					Monomer is highly toxic but it should be fully reacted in final paint product. Acceptable for use in all product phases.
Additives	Proprietary	Additives	0%-5%					Substance is moderately hazardous to aquatic systems so during manufacture and installation care should be taken to minimize direct exposure to natural environment/bodies of water.
Coalescent	Proprietary	Ph Modifier	0-1%					

	Low or mild hazard identified and/or potential exposure
	Moderate hazard identified and/or potential exposure
	Problematic concern found. The combination of the hazard and potential exposure leads to some caution for some uses and/or applications.
	Cannot be fully assessed due to either lack of complete formulation, or lack of toxicological information for one or more ingredients.
	Highly problematic material containing one or more chemicals classified as CMR and having a plausible route of exposure.

