# **SAFETY DATA SHEET**

SD8T00200

Section 1. Identif	ication
Product name	: SuperDeck® Log Home & Deck Stain Tint Base
Product code	: SD8T00200
Other means of identification	: Not available.
Product type	: Liquid.
Relevant identified uses of	the substance or mixture and uses advised against
Paint or paint related material	l.
Manufacturer	: THE SHERWIN-WILLIAMS COMPANY 101 W. Prospect Avenue Cleveland, OH 44115
National contact	: The Sherwin-Williams Company 418 North Service Road East Oakville, Ontario L6H 5R2 Canada
Emergency telephone number of the company	: US / Canada: (800) 424-9300 Mexico: SETIQ 800-00-214-00 / 55-5559-1588 Available 24 hours and 365 days a year
Product Information Telephone Number	: US / Canada: 1-800-474-3794 Mexico: Not Available
Transportation Emergency Telephone Number	: US / Canada: (800) 424-9300 Mexico: SETIQ 800-00-214-00 / 55-5559-1588 Available 24 hours and 365 days a year

# Section 2. Hazards identification

Classification of the substance or mixture	: SKIN SENSITIZATION - Category 1 GERM CELL MUTAGENICITY - Category 1 TOXIC TO REPRODUCTION - Category 1B
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: May cause an allergic skin reaction. May cause genetic defects. May damage fertility or the unborn child.
Precautionary statements	
General	: Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.

Date of issue/Date	e of revision	: 5/16/2024	Date of previous issue	: 4/10/2024	Version : 18	1/13
SD8T00200 SuperDeck® Log Home & Deck Stain Tint Base					SHW-85-NA-GHS-C	A

# Section 2. Hazards identification

Prevention	: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing and eye or face protection. Avoid breathing vapor. Contaminated work clothing must not be allowed out of the workplace.
Response	: IF exposed or concerned: Get medical advice or attention. Wash contaminated clothing before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention.
Storage	: Store locked up.
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.
	This product contains a component that is either subject to a CEPA ministerial condition or an existing/proposed SNAC (Significant New Activity).
	Please refer to the SDS for additional information. Keep out of reach of children. Do not transfer contents to other containers for storage.
Hazards not otherwise classified	: None known.

### Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Other means of	: Not available.
identification	

#### **CAS number/other identifiers**

Ingredient name	% by weight	CAS number
- 5	0.16 0.15	104810-48-2 104810-47-1
5 51 5 5	0.12	10605-21-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### **Description of necessary first aid measures**

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Date of issue/Date	of revision	: 5/16/2024	Date of previous issue	: 4/10/2024	Version	:18	2/13
SD8T00200	SuperDeck® Log Home Tint Base	e & Deck Stain			SHW-85-	NA-GHS-CA	

# Section 4. First aid measures

Section 4. First a	
Ingestion	: Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Most important symptoms/	effects, acute and delayed
Potential acute health effe	<u>cts</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/sym	<u>otoms</u>
Eye contact	: No specific data.
Inhalation	: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
Skin contact	: Adverse symptoms may include the following: irritation redness reduced fetal weight increase in fetal deaths skeletal malformations
Ingestion	: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
Indication of immediate me	dical attention and special treatment needed, if necessary
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

# Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.

Date of issue/Date	of revision	: 5/16/2024	Date of previous issue	: 4/10/2024	Version	:18	3/13
SD8T00200	SuperDeck® Log Hom Tint Base	e & Deck Stain			SHW-85-	NA-GHS-CA	

### Section 5. Fire-fighting measures

Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: No specific data.
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

Personal precautions, protect	tive equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: This product contains a component that is either subject to a CEPA ministerial condition or an existing/proposed SNAC (Significant New Activity).
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ntainment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

### Section 7. Handling and storage

#### Precautions for safe handling

**Protective measures** 

Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous.

Date of issue/Date	of revision	: 5/16/2024	Date of previous issue	: 4/10/2024	Version : 18	4/13
SD8T00200	SuperDeck® Log Home Tint Base	e & Deck Stain			SHW-85-NA-GHS-CA	

## Section 7. Handling and storage

	Do not reuse container.
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

# Section 8. Exposure controls/personal protection

#### **Control parameters**

#### Occupational exposure limits (OSHA United States)

Ingredient name	CAS #	Exposure limits
UV Light Absorber	104810-48-2	None.
Benzotriazole Hydroxyphenyl Polymer	104810-47-1	None.
Carbendazim	10605-21-7	None.

#### Occupational exposure limits (Canada)

Ingredient name	CAS #	Exposure limits	
Kaolin	1332-58-7	CA Alberta Provincial (Canada, 3/2023). OEL: 2 mg/m <sup>3</sup> 8 hours. Form: Respirable CA Quebec Provincial (Canada, 7/2023). TWAEV: 2 mg/m <sup>3</sup> 8 hours. Form: Respirable dust. CA Ontario Provincial (Canada, 6/2019). TWA: 2 mg/m <sup>3</sup> 8 hours. Form: Respirable particulate matter. CA Saskatchewan Provincial (Canada, 7/2013). STEL: 4 mg/m <sup>3</sup> 15 minutes. Form: respirable fraction TWA: 2 mg/m <sup>3</sup> 8 hours. Form: respirable fraction CA British Columbia Provincial (Canada, 8/2023). Notes: the value is for particulate matter containing no asbestos and less than 1% crystalline silica. TWA: 2 mg/m <sup>3</sup> 8 hours. Form: Respirable	
2-Butoxyethanol	111-76-2	CA Alberta Provincial (Canada, 3/2023). OEL: 97 mg/m <sup>3</sup> 8 hours. OEL: 20 ppm 8 hours. CA British Columbia Provincial (Canada, 8/2023). TWA: 20 ppm 8 hours.	
		<ul> <li>CA Ontario Provincial (Canada, 6/2019).</li> <li>TWA: 20 ppm 8 hours.</li> <li>CA Quebec Provincial (Canada, 7/2023).</li> <li>TWAEV: 20 ppm 8 hours.</li> </ul>	
te of issue/Date of revision : 5/16/202 08T00200 SuperDeck® Log Home & Deck S Tint Base		: 4/10/2024 Version : 18 5/ SHW-85-NA-GHS-CA	

# Section 8. Exposure controls/personal protection

				CA Saskatchewan Provincial (Canada, 7/2013). STEL: 30 ppm 15 minutes. TWA: 20 ppm 8 hours.
Occupational exposure lim	its (	<u>Mexico)</u>		·
Ingredient name			CAS #	Exposure limits
None.				
<b>Biological exposure indice</b>	s (U	nited States)	•	·
No exposure indices known.				
Biological exposure indice No exposure indices known.		anada)		
Biological exposure indice	<u>s (M</u>	<u>exico)</u>		
No exposure indices known.				
Appropriate engineering controls	:	local exhaust ventilation	on or other engine	s, gas, vapor or mist, use process enclosures, eering controls to keep worker exposure to nmended or statutory limits.
Environmental exposure controls	:	This product contain condition or an exist Emissions from ventila they comply with the re	as a component ing/proposed SI ation or work proc equirements of er s, filters or engine	that is either subject to a CEPA ministerial NAC (Significant New Activity). cess equipment should be checked to ensure nvironmental protection legislation. In some eering modifications to the process equipment
Individual protection measu	ires	-		
Hygiene measures	:	eating, smoking and us Appropriate techniques Contaminated work clo	sing the lavatory s should be used othing should not before reusing.	ighly after handling chemical products, before and at the end of the working period. to remove potentially contaminated clothing. be allowed out of the workplace. Wash Ensure that eyewash stations and safety cation.
Eye/face protection	:	assessment indicates gases or dusts. If con	this is necessary tact is possible, t	oved standard should be used when a risk to avoid exposure to liquid splashes, mists, he following protection should be worn, unless ree of protection: safety glasses with side-
Skin protection				
Hand protection	:	worn at all times when necessary. Considerin during use that the glo noted that the time to b	handling chemic ng the parameter wes are still retain breakthrough for In the case of mi	complying with an approved standard should be cal products if a risk assessment indicates this is s specified by the glove manufacturer, check hing their protective properties. It should be any glove material may be different for different xtures, consisting of several substances, the accurately estimated.
Body protection	-			oody should be selected based on the task being hould be approved by a specialist before
Other skin protection	:		ng performed and	I skin protection measures should be selected I the risks involved and should be approved by a

Date of issue/Date of revision :		: 5/16/2024	Date of previous issue	: 4/10/2024	Version : 18	6/13
SD8T00200	SuperDeck® Log Home & Deck Stain Tint Base				SHW-85-NA-GHS-CA	

### Section 8. Exposure controls/personal protection

#### Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

### Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

Appearance				
Physical state	: Lie	quid.		
Color	: CI	lear.		
Odor	: No	ot available.		
Odor threshold	: No	ot available.		
рН	: 9.	2		
Melting point/freezing point	: No	ot available.		
Boiling point, initial boiling point, and boiling range	: 10	00°C (212°F)		
Flash point	: CI	losed cup: Not applicable.		
Evaporation rate	: 0.	09 (butyl acetate = 1)		
Flammability	: No	ot available.		
Lower and upper explosion limit/flammability limit	: No	: Not available.		
Vapor pressure	: 2.	3 kPa (17.5 mm Hg)		
Relative vapor density	: 1	[Air = 1]		
Relative density	: 1.	03		
Solubility(ies)	:			
Media		Result		
cold water		Partially soluble		
Partition coefficient: n- octanol/water	: No	ot applicable.		
Auto-ignition temperature	: No	Not available.		
Decomposition temperature	: No	Not available.		
Viscosity	: K	Kinematic (40°C (104°F)): >20.5 mm²/s (>20.5 cSt)		
Molecular weight	: N	lot applicable.		
Heat of combustion	: 0.	906 kJ/g		

### Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.

Date of issue/Date	e of revision	: 5/16/2024	Date of previous issue	: 4/10/2024	Version	:18	7/13
SD8T00200	SuperDeck® Log I Tint Base	Home & Deck Stain			SHW-85-	NA-GHS-CA	

### Section 10. Stability and reactivity

**Incompatible materials** 

: No specific data.

# Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### Section 11. Toxicological information

#### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Carbendazim	LD50 Dermal LD50 Dermal LD50 Oral	Rat	8500 mg/kg 2 g/kg >5050 mg/kg	- - -

#### Irritation/Corrosion

Not available.

#### **Sensitization**

Not available.

#### **Mutagenicity**

Not available.

#### **Carcinogenicity**

Not available.

#### **Reproductive toxicity**

Not available.

#### **Teratogenicity**

Not available.

#### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

Not available.

#### Aspiration hazard

Not available.

# Information on the likely : Not available. routes of exposure

#### Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics Eye contact : No specific data.

	Date of issue/Date	of revision	: 5/16/2024	Date of previous issue	: 4/10/2024	Version : 18	8/13
SD8T00200 SuperDeck® Log Home & Deck Stain				SHW-85-NA-GH	S-CA		
		Tint Base					

# Section 11. Toxicological information

	-
Inhalation	: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations
Skin contact	: Adverse symptoms may include the following: irritation redness reduced fetal weight increase in fetal deaths skeletal malformations
Ingestion	: Adverse symptoms may include the following: reduced fetal weight increase in fetal deaths skeletal malformations

Delayed and immediate effects and also chronic effects from short and long term exposure					
Short term exposure					
Potential immediate effects	: Not available.				
Potential delayed effects	: Not available.				
Long term exposure					
Potential immediate effects	: Not available.				
Potential delayed effects	: Not available.				
Potential chronic health ef	i <u>fects</u>				
Not available.					
General	: Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.				
Carcinogenicity	: No known significant effects or critical hazards.				
Mutagenicity	: May cause genetic defects.				
Teratogenicity	: May damage the unborn child.				
<b>Developmental effects</b>	: No known significant effects or critical hazards.				
Fertility effects	: May damage fertility.				

Numerical measures of toxicity
Acute toxicity estimates
Not available.

# Section 12. Ecological information

#### **Toxicity**

Date of issue/Date	of revision	: 5/16/2024	Date of previous issue	: 4/10/2024
SD8T00200	SuperDeck® Log Home Tint Base	e & Deck Stain		

# Section 12. Ecological information

	U		
Product/ingredient name	Result	Species	Exposure
Carbendazim	Acute EC50 19.0562 mg/l Fresh water	Algae - Scenedesmus acutus var. acutus	96 hours
	Acute EC50 20 µg/l Fresh water	Daphnia - <i>Daphnia magna</i>	48 hours
	Acute LC50 77 µg/l Fresh water	Crustaceans - <i>Gammarus pulex</i> - Juvenile (Fledgling, Hatchling, Weanling)	48 hours
	Acute LC50 7 μg/l Fresh water	Fish - <i>Ictalurus punctatus</i> - Yolk- sac fry	96 hours
	Chronic EC10 10 µg/l Fresh water	Crustaceans - Gammarus pulex - Adult	21 days
	Chronic NOEC 3.1 ppb Fresh water	Daphnia - <i>Daphnia magna</i>	21 days

#### Persistence and degradability

Not available.

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
Carbendazim	-	2.51	Low

#### Mobility in soil

Soil/water partition	: Not available.
coefficient (Koc)	

#### Other adverse effects : No known significant effects or critical hazards.

## Section 13. Disposal considerations

Disposal methods	: This product contains a component that is either subject to a CEPA ministerial condition or an existing/proposed SNAC (Significant New Activity).
	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# Section 14. Transport information

Date of issue/D	ate of revision	: 5/16/2024	Date of previous issue	: 4/10/2024	Version : 18	10/13
SD8T00200	SuperDeck® Log Tint Base	Home & Deck Stain			SHW-85-NA-GHS-CA	

### Section 14. Transport information

Not regulated.		Classification		
	Not regulated.	Not regulated.	Not regulated.	Not regulated.
-	-	-	-	-
-	-	-	-	-
-	-	-	-	-
No.	No.	No.	No.	No.
-	-	-	-	-
conside mode o suitably to shipn of the p dangero	r container sizes. Th f transport (sea, air, for that mode of trainent, and complianc erson offering the propus goods must be t	he presence of a shi etc.), does not indic nsport. All packagin e with the applicable oduct for transport. rained on all of the r	pping description for ate that the produc g must be reviewed regulations is the People loading and isks deriving from t	or a particular t is packaged I for suitability prio sole responsibility I unloading
	No. - for user : Multi-ma conside mode or suitably to shipn of the pr dangero and on a	No.       No.         -       -         for user       :         Multi-modal shipping descriconsider container sizes. The mode of transport (sea, air, suitably for that mode of transport (sea, air, suitably for that mode of transport (sea, air, suitably for that mode of transport of the person offering the prodangerous goods must be teand on all actions in case of the constant of the person offering the product of and on all actions in case of the constant of the person offering the product of the person offering the pe	No.       No.       No.         -       -       -         for user       :       Multi-modal shipping descriptions are provided to consider container sizes. The presence of a ship mode of transport (sea, air, etc.), does not indic suitably for that mode of transport. All packaging to shipment, and compliance with the applicable of the person offering the product for transport. dangerous goods must be trained on all of the r and on all actions in case of emergency situation	No.       No.       No.         -       -       -       -         for user       :       Multi-modal shipping descriptions are provided for informational purconsider container sizes. The presence of a shipping description for mode of transport (sea, air, etc.), does not indicate that the product suitably for that mode of transport. All packaging must be reviewed to shipment, and compliance with the applicable regulations is the of the person offering the product for transport. People loading and dangerous goods must be trained on all of the risks deriving from t and on all actions in case of emergency situations.

#### Proper shipping name

: Not available.

# Section 15. Regulatory information

This product contains a component that is either subject to a CEPA ministerial condition or an existing/proposed SNAC (Significant New Activity).

International regulations							
Montreal Protocol							
Not listed.							
Stockholm Convention or	Persistent Org	ganic Pollutants					
Not listed.							
International lists	: Australi	a inventory (AIIC): Not c	letermined.				
	China in	ventory (IECSC): Not de	etermined.				
	Japan ir	nventory (CSCL): Not de	etermined.				
	Japan ir	nventory (ISHL): Not det	ermined.				
Korea inventory (KECI): Not determined.							
	New Zea	aland Inventory of Cher	nicals (NZIoC): Not	determined.			
	Philippi	nes inventory (PICCS):	Not determined.				
	Taiwan	Chemical Substances I	nventory (TCSI): No	ot determined.			
Date of issue/Date of revision	: 5/16/2024	Date of previous issue	: 4/10/2024	Version :18	11/13		

### Section 15. Regulatory information

Thailand inventory: Not determined. Turkey inventory: Not determined. Vietnam inventory: Not determined.

### Section 16. Other information

#### Hazardous Material Information System (U.S.A.)



The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

Procedure used to derive the classification

Classification	Justification	
SKIN SENSITIZATION - Category 1	Calculation method	
GERM CELL MUTAGENICITY - Category 1	Calculation method	
TOXIC TO REPRODUCTION - Category 1B	Calculation method	

<u>History</u>	
Date of printing	: 5/16/2024
Date of issue/Date of revision	: 5/16/2024
Date of previous issue	: 4/10/2024
Version	: 18
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) N/A = Not available SGG = Segregation Group UN = United Nations

✓ Indicates information that has changed from previously issued version.

#### Notice to reader

It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult resources, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. This information is provided in good faith and believed to be accurate as of the effective date herein. However, no warranty, express or implied, is given. The information presented here applies only to the product as shipped. The addition of any material can change the composition, hazards and risks of the product. Products shall not be repackaged, modified, or tinted except as specifically instructed by the manufacturer, including but not limited to the incorporation of products not specified by the manufacturer, or the use or addition of products in proportions not specified by the manufacturer. Regulatory requirements are subject to change and may differ between various locations and jurisdictions. The customer/buyer/user is

Date of issue/Da	ate of revision	: 5/16/2024	Date of previous issue	: 4/10/2024	Version : 18 12/1
SD8T00200 SuperDeck® Log Home & Deck Stain Tint Base				SHW-85-NA-GHS-CA	

### Section 16. Other information

responsible to ensure that his activities comply with all country, federal, state, provincial or local laws. The conditions for use of the product are not under the control of the manufacturer; the customer/buyer/user is responsible to determine the conditions necessary for the safe use of this product. The customer/buyer/user should not use the product for any purpose other than the purpose shown in the applicable section of this SDS without first referring to the supplier and obtaining written handling instructions. Due to the proliferation of sources for information such as manufacturer-specific SDS, the manufacturer cannot be responsible for SDSs obtained from any other source.