## **SAFETY DATA SHEET**

#### A77T254

## Section 1. Identification

Product name	: SOLO® Interior/Exterior 100% Acrylic, Gloss Ultradeep Base
Product code	: A77T254
Other means of identification	: Not available.
Product type	: Liquid.
Relevant identified uses of t	he substance or mixture and uses advised against
Paint or paint related material.	
Manufacturer	: Manufactured by: THE SHERWIN-WILLIAMS COMPANY 101 W. Prospect Avenue Cleveland, OH 44115
National contact	: The Sherwin-Williams Company 418 North Service Road East Oakville, Ontario L6H 5R2 Canada
Emergency telephone number of the company	: US / Canada: (800) 424-9300 Mexico: SETIQ 800-00-214-00 / 55-5559-1588 Available 24 hours and 365 days a year
Product Information Telephone Number	: US / Canada: 1-800-474-3794 Mexico: Not Available
Transportation Emergency Telephone Number	: US / Canada: (800) 424-9300 Mexico: SETIQ 800-00-214-00 / 55-5559-1588 Available 24 hours and 365 days a year

## Section 2. Hazards identification

Classification of the substance or mixture	: SKIN SENSITIZATION - Category 1
	Percentage of the mixture consisting of ingredient(s) of unknown acute toxicity: 1.4% (oral), 1.4% (dermal), 1.4% (inhalation)
GHS label elements	
Hazard pictograms	· · •
Signal word	: Warning
Hazard statements	: May cause an allergic skin reaction.
Precautionary statements	
General	: Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	: Wear protective gloves. Avoid breathing vapor. Contaminated work clothing must not be allowed out of the workplace.

Date of issue/Date	e of revision	: 5/17/2024	Date of previous issue	: 4/25/2024	Version	:13.02	1/11
A77T254	SOLO® Interior/Exterio	or 100% Acrylic,	Gloss		SHW-85-	NA-GHS-CA	

## Section 2. Hazards identification

Response	: Wash contaminated clothing before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention.
Storage	: Not applicable.
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.
	This product contains a component that is either subject to a CEPA ministerial condition or an existing/proposed SNAC (Significant New Activity).
	Please refer to the SDS for additional information. Keep out of reach of children. Do not transfer contents to other containers for storage.
Hazards not otherwise classified	: None known.

## Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Other means of	: Not available.
identification	

#### **CAS number/other identifiers**

Ingredient name	% by weight	CAS number
Polypropylene glycol alkyl phenyl ether	1.38	9064-13-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

#### Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

Ultradeep Base

A77T254	SOLO® Interior/Exter	or 100% Acrylic	, Gloss		SHW-85-	-NA-GHS-CA	
Date of issue/Date		: 5/17/2024	Date of previous issue	: 4/25/2024	Version		2/11
Ingestion	:	and the exp exposed pe unless direc kept low so effects pers	nouth with water. Remove osed person is consciour rson feels sick as vomiting that to do so by medical that vomit does not ente ist or are severe. Never bus, place in recovery po	s, give small quantitien ng may be dangerous personnel. If vomiting r the lungs. Get med give anything by mou	es of water to o . Do not induce g occurs, the h ical attention in th to an uncor	drink. Stop ce vomiting nead should f adverse h nscious per	if the J d be ealth
Skin contact		contaminate Continue to complaints shoes thoro	blenty of soap and water. ed clothing thoroughly wi rinse for at least 10 min or symptoms, avoid furth ughly before reuse.	h water before remov utes. Get medical atte er exposure. Wash c	ving it, or wear ention. In the clothing before	gloves. event of ar reuse. Cl	iy ean
Inhalation	:	not breathin respiration of aid to give r persist or ar	tim to fresh air and keep og, if breathing is irregula or oxygen by trained personouth-to-mouth resuscita re severe. If unconscious mediately. Maintain an o vaistband.	r or if respiratory arrest onnel. It may be dan tion. Get medical att s, place in recovery p	st occurs, prov gerous to the ention if adver osition and ge	vide artificia person pro rse health e t medical	al viding effects
Eye contact	:	eyelids. Ch	/ flush eyes with plenty o eck for and remove any et medical attention if irri	contact lenses. Conti			

## Section 4. First aid measures

Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/e	effects, acute and delayed
Potential acute health effe	<u>cts</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/sym	<u>otoms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.
Indication of immediate me	dical attention and special treatment needed, if necessary
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

#### See toxicological information (Section 11)

## Section 5. Fire-fighting measures

	-
Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire-fighters	<ul> <li>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</li> </ul>
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## Section 6. Accidental release measures

Personal precautions, protect	ive equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: This product contains a component that is either subject to a CEPA ministerial condition or an existing/proposed SNAC (Significant New Activity).
	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ntainment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste

disposal contractor.
 Large spill
 Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

## Section 7. Handling and storage

Precautions for safe handling	
Protective measures	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Date of issue/Date	of revision	: 5/17/2024	Date of previous issue	: 4/25/2024	Vers
A77T254	SOLO® Interior/Exterio	r 100% Acrylic,	Gloss		SHW

## Section 8. Exposure controls/personal protection

#### **Control parameters**

Occupational exposure lim	nits (OSHA United S	States)	
Ingredient name		CAS #	Exposure limits
Polypropylene glycol alkyl phenyl ether		9064-13-5	None.
Occupational exposure lim	nits (Canada)		
Ingredient name		CAS #	Exposure limits
None.			
Occupational exposure lim	<u>nits (Mexico)</u>	•	
Ingredient name		CAS #	Exposure limits
None.			
Biological exposure indice	es (United States)		
No exposure indices known			
Biological exposure indice	es (Canada)		
No exposure indices known			
Biological exposure indice	es (Mexico)		
No exposure indices known			
Appropriate engineering controls	: Good general contaminants.	ventilation should be su	ufficient to control worker exposure to airborne
Environmental exposure			nt that is either subject to a CEPA ministerial
controls		• · ·	SNAC (Significant New Activity). ocess equipment should be checked to ensure
	they comply w	ith the requirements of	environmental protection legislation. In some
		crubbers, filters or engi ary to reduce emission	neering modifications to the process equipment s to acceptable levels
Individual protection meas			
Hygiene measures	: Wash hands, f		oughly after handling chemical products, before
			ry and at the end of the working period. ed to remove potentially contaminated clothing.
	Contaminated	work clothing should n	ot be allowed out of the workplace. Wash
		clothing before reusing lose to the workstation	. Ensure that eyewash stations and safety location.
Eye/face protection	: Safety eyewea	r complying with an ap	proved standard should be used when a risk
			ry to avoid exposure to liquid splashes, mists, , the following protection should be worn, unless
	the assessme		egree of protection: safety glasses with side-
Skin protection	shields.		
Skin protection Hand protection	· Chemical-resid	stant impervious dove	s complying with an approved standard should be
	worn at all time	es when handling chem	nical products if a risk assessment indicates this is
			ers specified by the glove manufacturer, check anima aning their protective properties. It should be
	noted that the	time to breakthrough for	or any glove material may be different for different
			mixtures, consisting of several substances, the be accurately estimated.
	protocion and		se accuratory optimator.

Date of issue/Date	e of revision	: 5/17/2024	Date of previous issue	: 4/25/2024	Version	:13.02	5/11
A77T254	SOLO® Interior/Exterio	or 100% Acrylic,	Gloss		SHW-85-	NA-GHS-CA	

## Section 8. Exposure controls/personal protection

Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

## Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

#### **Appearance**

Physical state	:	Liquid.	
Color	:	Clear.	
Odor	:	Not available.	
Odor threshold	:	Not available.	
рН	:	9	
Melting point/freezing point	:	Not available.	
Boiling point, initial boiling point, and boiling range	:	100°C (212°F)	
Flash point	:	Closed cup: Not applicable.	
Evaporation rate	:	0.09 (butyl acetate = 1)	
Flammability	:	Not available.	
Lower and upper explosion limit/flammability limit	:	Not available.	
Vapor pressure	:	2.3 kPa (17.5 mm Hg)	
Relative vapor density	:	1 [Air = 1]	
Relative density	:	1.03	
Solubility(ies)	:		
Media		Result	
cold water		Partially soluble	
Partition coefficient: n-	:	Not applicable.	

octanol/water	
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Kinematic (40°C (104°F)): >20.5 mm²/s (>20.5 cSt)
Molecular weight	: Not applicable.
Heat of combustion	: 0.557 kJ/g

## Section 10. Stability and reactivity

	, , , , , , , , , , , , , , , , , , ,
Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11. Toxicological information

#### Information on toxicological effects

Acute toxicity

Not available.

#### Irritation/Corrosion

Not available.

#### **Sensitization**

Not available.

Mutagenicity

Not available.

#### **Carcinogenicity**

Not available.

#### **Reproductive toxicity**

Not available.

#### **Teratogenicity**

Not available.

#### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

Not available.

#### Aspiration hazard Not available.

Not available.

#### Information on the likely : Not available. routes of exposure

#### Potential acute health effects

Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: May cause an allergic skin reaction.

Date of issue/Date	of revision	: 5/17/2024	Date of previous issue	: 4/25/2024	Version : 13.02	7/11
A77T254	SOLO® Interior/Exterior Ultradeep Base	100% Acrylic, 0	Gloss		SHW-85-NA-GHS-CA	

# Section 11. Toxicological information Ingestion : No known significant effects or critical hazards. Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.

Delayed and immediate ef	fects and also chronic effects from short and long term exposure
Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health e	ffects
Not available.	
General	: Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Numerical measures of toxicity Acute toxicity estimates Not available.

## Section 12. Ecological information

#### **Toxicity**

Not available.

#### Persistence and degradability

Not available.

#### **Bioaccumulative potential**

Not available.

#### Mobility in soil

Date of issue/Date	of revision	: 5/17/2024	Date of previous issue	: 4/25/2024	Version : 13.02	8/11
A77T254	SOLO® Interior/Exterio Ultradeep Base	or 100% Acrylic,	Gloss		SHW-85-NA-GHS	CA

## Section 12. Ecological information

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

A77T254

: No known significant effects or critical hazards.

## Section 13. Disposal considerations

Disposal methods	<ul> <li>This product contains a component that is either subject to a CEPA ministerial condition or an existing/proposed SNAC (Significant New Activity).</li> </ul>
	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## Section 14. Transport information

SOLO® Interior/Exterior 100% Acrylic, Gloss

Ultradeep Base

	DOT Classification	TDG Classification	Mexico Classification	ΙΑΤΑ	IMDG
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.
Additional information	-	-	-		-
pecial precautions	conside mode o suitably to shipn of the p dangero	odal shipping descrip r container sizes. Th f transport (sea, air, for that mode of train nent, and compliance erson offering the propus goods must be to all actions in case of	e presence of a shi etc.), does not indic nsport. All packaging e with the applicable oduct for transport. rained on all of the r	pping description for ate that the produc g must be reviewed regulations is the People loading and isks deriving from t	or a particular t is packaged I for suitability prior sole responsibility I unloading

SHW-85-NA-GHS-CA

## Section 14. Transport information

Transport in bulk according : Not available. to IMO instruments

Proper shipping name

: Not available.

## Section 15. Regulatory information

This product contains a component that is either subject to a CEPA ministerial condition or an existing/proposed SNAC (Significant New Activity).

#### International regulations

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

International lists	: Australia inventory (AIIC): Not determined.
	China inventory (IECSC): Not determined.
	Japan inventory (CSCL): Not determined.
	Japan inventory (ISHL): Not determined.
	Korea inventory (KECI): Not determined.
	New Zealand Inventory of Chemicals (NZIoC): Not determined.
	Philippines inventory (PICCS): Not determined.
	Taiwan Chemical Substances Inventory (TCSI): Not determined.
	Thailand inventory: Not determined.
	Turkey inventory: Not determined.
	Vietnam inventory: Not determined.

## Section 16. Other information

Hazardous Material Information System (U.S.A.)



The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

Procedure used to derive the classification

Classification SKIN SENSITIZATION - Category 1		Justification           Calculation method	
Date of printing	: 5/17/2024		
Date of issue/Date of revision	: 5/17/2024		
Date of previous issue	: 4/25/2024		
Version	: 13.02		

Date of issue/Date	of revision	: 5/17/2024	Date of previous issue	: 4/25/2024	Version	:13.02	10/11
A77T254	SOLO® Interior/Exterior Ultradeep Base	100% Acrylic,	Gloss		SHW-85-	NA-GHS-CA	

## Section 16. Other information

Kow to obbroviations	ATE - Acute Toxicity Estimate
Key to abbreviations	: ATE = Acute Toxicity Estimate
	BCF = Bioconcentration Factor
	GHS = Globally Harmonized System of Classification and Labelling of Chemicals
	IATA = International Air Transport Association
	IBC = Intermediate Bulk Container
	IMDG = International Maritime Dangerous Goods
	LogPow = logarithm of the octanol/water partition coefficient
	MARPOL = International Convention for the Prevention of Pollution From Ships, 1973
	as modified by the Protocol of 1978. ("Marpol" = marine pollution)
	N/A = Not available
	SGG = Segregation Group
	UN = United Nations

Indicates information that has changed from previously issued version.

#### Notice to reader

It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult resources, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. This information is provided in good faith and believed to be accurate as of the effective date herein. However, no warranty, express or implied, is given. The information presented here applies only to the product as shipped. The addition of any material can change the composition, hazards and risks of the product. Products shall not be repackaged, modified, or tinted except as specifically instructed by the manufacturer, including but not limited to the incorporation of products not specified by the manufacturer, or the use or addition of products in proportions not specified by the manufacturer. Regulatory requirements are subject to change and may differ between various locations and jurisdictions. The customer/buyer/user is responsible to ensure that his activities comply with all country, federal, state, provincial or local laws. The conditions for use of the product are not under the control of the manufacturer; the customer/buyer/user is responsible to determine the conditions necessary for the safe use of this product. The customer/buyer/user should not use the product for any purpose other than the purpose shown in the applicable section of this SDS without first referring to the supplier and obtaining written handling instructions. Due to the proliferation of sources for information such as manufacturer-specific SDS, the manufacturer cannot be responsible for SDSs obtained from any other source.