# **ENVIRONMENTAL DATA SHEET**

(Certified Product Data Sheet)

34 00 [0384]

Date of Preparation Feb 7, 2024

### **PRODUCT NUMBER**

B30W2653

#### **PRODUCT NAME**

PROMAR® 200 Zero VOC Interior Latex Flat, Deep Base

#### MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS COMPANY

101 W. Prospect Avenue

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

#### Hazard Category (for SARA 311.312)

B30W2653 = | Acute | Chronic |

Product Weight	Spe	ecific Gravity		FL	ASH POINT	
12.26 lb/gal		1.48			N.A.	
Volatile Ingredients						
Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Vol

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Water 7732-18-5	N	Ν	Ν	Ν	39	58

#### Volatile Organic Compounds - U.S. EPA / Canada

	B30W2653		
	LB/Gal	g/L	
Coating Density	12.26	1469	
	By wt	By vol	
Total Volatiles	39.2%	57.8%	
Federally exempt solvents			
Water	39.2%	57.8%	
Organic Volatiles	0.0%	0.0%	
Percent Non-Volatile	60.8%	42.2%	
VOC Content	LB/Gal	g/L	
Total	0.00	0	
Less exempt solvents	0.00	0	
Of solids	0.00	0	
Of solids	0.00 lb/lb	0.00 kg/kg	
	By wt		
By wt LVP-VOC	0.0%		

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) 0.00

## Volatile Organic Compounds - California

	B30W2653	
	LB/Gal	g/L
Coating Density	12.26	1469
	By wt	By vol
Total Volatiles	39.2%	57.8%
Exempt solvents		
Water	39.2%	57.8%
Organic Volatiles	0.0%	0.0%
Percent Non-Volatile	60.8%	42.2%
VOC Content	LB/Gal	g/L
Total	0.00	0
Less exempt solvents	0.00	0
Of solids	0.00	0
Of solids	0.00 lb/lb	0.00 kg/kg
	By wt	
By wt LVP-VOC	0.0%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) 0.00

### Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	B30W2653		
	LB/Gal	g/L	
Coating Density	12.26	1469	
	By wt	By vol	
Total Volatiles	39.2%	57.8%	
Exempt solvents			
Water	39.2%	57.8%	
Organic Volatiles	0.0%	0.0%	
Percent Non-Volatile	60.8%	42.2%	
VOC Content	LB/Gal	g/L	
Total	0.00	0	
Less exempt solvents	0.00	0	
Of solids	0.00	0	
Of solids	0.00 lb/lb	0.00 kg/kg	

## Volatile Organic Compounds - EU Directive 2004/42/EC

	B30W2653		
	By wt	By vol	
Total Volatiles	39.2%	57.8%	
VOC Content	LB/Gal	g/L	
Total	0.00	0	

## Volatile Organic Compounds - EU Directive 2010/75/EU

	B30W2653		
	By wt	By vol	
Total Volatiles	39.2%	57.8%	
VOC Content	LB/Gal	g/L	
Total	0.00	0	

## **Volatile Organic Compounds - Mexico**

	B30W2653		
	LB/Gal	g/L	
Coating Density	12.26	1469	
	By wt	By vol	
Total Volatiles	39.2%	57.8%	
Exempt solvents			
Water	39.2%	57.8%	
Organic Volatiles	0.0%	0.0%	
Percent Non-Volatile	60.8%	42.2%	
VOC Content	LB/Gal	g/L	
Total	0.00	0	
Less exempt solvents	0.00	0	
Of solids	0.00	0	
Of solids	0.00 lb/lb	0.00 kg/kg	

### Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	B30W2653		
	LB/Gal	kg/L	
Volatile HAPS	0.00	0.000	
Of solids	0.00	0.000	
Of solids	0.00 lb/lb	0.00 kg/kg	

### Air Quality Data

Density of Organic Solvent Blend 8.18 lb/gal Photochemically Reactive No

#### Waste Disposal

Waste from this product is not hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.