# **SAFETY DATA SHEET**

50.10021-

# Section 1. Identification

Product name	: H&C® CLARISHIELD Water-Based Natural Look Clear Sealer		
Product code	: 50.10021-		
Other means of identification	: Not available.		
Product type	: Liquid.		
Relevant identified uses of t	he substance or mixture and uses advised against		
Paint or paint related material.			
Manufacturer	: H&C Products Group 101 W. Prospect Avenue Cleveland, OH 44115		
National contact	: H&C Products Groups 180 Brunel Road Mississauga, Ontario L4Z 1T5 Canada		
Emergency telephone number of the company	: US/Canada: (800) 424-9300 Mexico: CHEMTREC Mexico 800-681-9531. Available 24 hours and 365 days per year		
Product Information Telephone Number	: US/Canada: (800) 867-8246 Mexico: 800-717-3123 / 55-5333-1501		
Transportation Emergency Telephone Number	: US/Canada: (800) 424-9300 Mexico: SETIQ 800-00-214-00 / 55-5559-1588 Available 24 hours and 365 days a year		

# Section 2. Hazards identification

Classification of the substance or mixture	: Not classified.
GHS label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
General	: Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Supplemental label elements	WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.
	Please refer to the SDS for additional information. Keep out of reach of children. Do not transfer contents to other containers for storage.
Hazards not otherwise classified	: None known.

### Section 3. Composition/information on ingredients

#### Substance/mixture Other means of

identification

- : Mixture
- : Not available.

### CAS number/other identifiers

Ingredient name	% by weight	CAS number
	2.21	-

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

### Description of necessary first aid measures

Eye contact	<ul> <li>Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.</li> </ul>
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	<ul> <li>Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.</li> </ul>
Ingestion	Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

#### Most important symptoms/effects, acute and delayed

Potential acute health	<u>ı effects</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/	/symptoms
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.

Indication of immediate medical attention and special treatment needed, if necessary			
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.		
Specific treatments	: No specific treatment.		
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.		

#### See toxicological information (Section 11)

# Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide
Special protective actions for fire-fighters	<ul> <li>Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.</li> </ul>
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Section 6. Accidental release measures

Personal precautions, protec	e equipment and emergency procedures
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	If specialized clothing is required to deal with the spillage, take note of any information Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ainment and cleaning up
Small spill	Stop leak if without risk. Move containers from spill area. Dilute with water and mop u if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material an place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatmer plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

: 2/23/2024

### Section 7. Handling and storage

Precautions for safe handling	
Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### Section 8. Exposure controls/personal protection

#### **Control parameters**

#### Occupational exposure limits (OSHA United States)

Ingredient name	CAS #	Exposure limits
Polyethylene		None.

#### **Occupational exposure limits (Canada)**

Ingredient name	CAS #	Exposure limits
2-Butoxyethanol	111-76-2	<ul> <li>CA Alberta Provincial (Canada, 6/2018).</li> <li>8 hrs OEL: 97 mg/m<sup>3</sup> 8 hours.</li> <li>8 hrs OEL: 20 ppm 8 hours.</li> <li>CA British Columbia Provincial (Canada, 6/2022).</li> <li>TWA: 20 ppm 8 hours.</li> <li>CA Ontario Provincial (Canada, 6/2019).</li> <li>TWA: 20 ppm 8 hours.</li> <li>CA Quebec Provincial (Canada, 6/2022).</li> <li>TWAEV: 20 ppm 8 hours.</li> <li>CA Saskatchewan Provincial (Canada, 7/2013).</li> <li>STEL: 30 ppm 15 minutes.</li> <li>TWA: 20 ppm 8 hours.</li> </ul>

#### **Occupational exposure limits (Mexico)**

Ingredient name	CAS #	Exposure limits
None.		

#### **Biological exposure indices (United States)**

No exposure indices known.

### **Biological exposure indices (Canada)**

No exposure indices known.

#### **Biological exposure indices (Mexico)**

No exposure indices known.

Date of issue/Date
50.10021-

### Section 8. Exposure controls/personal protection

Appropriate engineering controls Environmental exposure controls	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipmen will be necessary to reduce emissions to acceptable levels.	
Individual protection measu		
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safe showers are close to the workstation location.	
Eye/face protection	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unles the assessment indicates a higher degree of protection: safety glasses with side-shields.	S
Skin protection		
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should worn at all times when handling chemical products if a risk assessment indicates this necessary.	
Body protection	Personal protective equipment for the body should be selected based on the task be performed and the risks involved and should be approved by a specialist before handling this product.	ing
Other skin protection	Appropriate footwear and any additional skin protection measures should be selecte based on the task being performed and the risks involved and should be approved b specialist before handling this product.	
Respiratory protection	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.	

### Section 9. Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### **Appearance**

Physical state	: Liquid.	
Color	: Clear.	
Odor	: Not available.	
Odor threshold	: Not available.	
рН	: 9	
Melting point/freezing point	: Not available.	
Boiling point, initial boiling point, and boiling range	: 100°C (212°F)	
Flash point	: Closed cup: Not applicable.	
Evaporation rate	: 0.09 (butyl acetate = 1)	
Flammability	: Not available.	
Lower and upper explosion limit/flammability limit	: Lower: 0.6% Upper: 4.2%	
Vapor pressure	: 2.3 kPa (17.5 mm Hg)	
Date of issue/Date of revision	: 4/19/2024 Date of previous issue : 2/23/2024 Version : 4.02	5/10

Date of issue/Date	of revision	: 4/19/2024	Date of previous issue
50.10021-	H&C® CLARISHIELD V	Vater-Based Na	tural Look Clear Sealer

 Version
 : 4.02
 5/10

 SHW-85-NA-GHS-CA

### Section 9. Physical and chemical properties

Relative vapor density	: 1[A	sir = 1]
Relative density	: 1.0	3
Solubility(ies)	:	
Media		Result
cold water		Partially soluble
Partition coefficient: n- octanol/water	: Not	applicable.
Auto-ignition temperature	: Not	available.
Decomposition temperature	: Not	available.
Viscosity	: Kir	nematic (40°C (104°F)): >20.5 mm²/s (>20.5 cSt)
Molecular weight	: No	t applicable.
Heat of combustion	: 1.2	05 kJ/g

### Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### Section 11. Toxicological information

### Information on toxicological effects

Acute toxicity

Not available.

#### Irritation/Corrosion

Not available.

### **Sensitization**

Not available.

### **Mutagenicity**

Not available.

### Carcinogenicity

Not available.

### Reproductive toxicity

Not available.

### **Teratogenicity**

Date of issue/Dat	e of revision	: 4/19/2024	Date of previous issue	: 2/23/2024	Version	: 4.02	6/10
50.10021-	H&C® CLARISHIELD	Water-Based N	atural Look Clear Sealer		SHW-85-	NA-GHS-CA	

# Section 11. Toxicological information

Specific target organ toxic Not available.	<u>city</u>	<u>(single exposure)</u>
Specific target organ toxic Not available.	<u>city</u>	(repeated exposure)
Aspiration hazard Not available.		
Information on the likely routes of exposure	:	Not available.
Potential acute health effe	ects	
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	No known significant effects or critical hazards.
Ingestion	:	No known significant effects or critical hazards.
Symptoms related to the p	<u>១hy៖</u>	sical, chemical and toxicological characteristics
Eye contact	:	No specific data.
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Delayed and immediate ef	<u>fect</u>	s and also chronic effects from short and long term exposu
<u>Short term exposure</u>		
Potential immediate effects	:	Not available.
	1	Not available.
Potential delayed effects		
Potential delayed effects Long term exposure		
· · · · · · · · · · · · · · · · · · ·	:	Not available.
Long term exposure Potential immediate effects Potential delayed effects	:	Not available.
Long term exposure Potential immediate effects Potential delayed effects Potential chronic health e	:	Not available.
Long term exposure Potential immediate effects Potential delayed effects	:	Not available.
Long term exposure Potential immediate effects Potential delayed effects Potential chronic health e	: ffec	Not available.
Long term exposure Potential immediate effects Potential delayed effects Potential chronic health e Not available.	: <u>ffec</u> :	Not available. <u>ts</u>
Long term exposure Potential immediate effects Potential delayed effects <u>Potential chronic health e</u> Not available. General	: <u>ffec</u> :	Not available. <u>ts</u> No known significant effects or critical hazards.
Long term exposure Potential immediate effects Potential delayed effects <u>Potential chronic health e</u> Not available. General Carcinogenicity	: <u>ffec</u> :	Not available. <u>ts</u> No known significant effects or critical hazards. No known significant effects or critical hazards.
Long term exposure Potential immediate effects Potential delayed effects <u>Potential chronic health e</u> Not available. General Carcinogenicity Mutagenicity	: <u>ffec</u> :	Not available. <u>ts</u> No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.

Not available.

### Section 12. Ecological information

**Toxicity** 

Not available.

#### Persistence and degradability

Not available.

#### **Bioaccumulative potential**

Not available.

### Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

: No known significant effects or critical hazards.

### Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	IATA	IMDG
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-
Packing group	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.
Additional information	-	-	-	-	-
te of issue/Date of rev 10021- H&C	r <b>ision</b> : 4/19/20 ® CLARISHIELD Water-Ba				ion : 4.02 &

e provided for informational purposes and do not nce of a shipping description for a particular es not indicate that the product is packaged
Il packaging must be reviewed for suitability prior e applicable regulations is the sole responsibility
r transport. People loading and unloading all of the risks deriving from the substances ncy situations.
available.
า ท

International	regulations

**Montreal Protocol** 

Not listed.

### Stockholm Convention on Persistent Organic Pollutants Not listed.

International lists : Australia inventory (AIIC): Not determined. China inventory (IECSC): Not determined. Japan inventory (CSCL): Not determined. Japan inventory (ISHL): Not determined. Korea inventory (KECI): Not determined. New Zealand Inventory of Chemicals (NZIoC): Not determined. Philippines inventory (PICCS): Not determined. Taiwan Chemical Substances Inventory (TCSI): Not determined. Thailand inventory: Not determined. Turkey inventory: Not determined. Vietnam inventory: Not determined.

### Section 16. Other information

### Hazardous Material Information System (U.S.A.)



The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

Procedure used to derive the classification

Date of issue/Date	of revision	: 4/19/2024	Date of previous issue	: 2/23/2024	Version	: 4.02	9/10
50.10021-	H&C® CLARISHIELD V	Vater-Based Na	tural Look Clear Sealer		SHW-85-	NA-GHS-CA	

### Section 16. Other information

Classification		Justification	
Not classified.			
History			
Date of printing	: 4/19/2024		
Date of issue/Date of revision	: 4/19/2024		
Date of previous issue	: 2/23/2024		
Version	: 4.02		
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification an IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coeffic MARPOL = International Convention for the Prevention as modified by the Protocol of 1978. ("Marpol" = marine N/A = Not available SGG = Segregation Group UN = United Nations	erous Goods ater partition coefficient for the Prevention of Pollution From Ships, 1973	

✓ Indicates information that has changed from previously issued version.

### Notice to reader

It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult resources, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. This information is provided in good faith and believed to be accurate as of the effective date herein. However, no warranty, express or implied, is given. The information presented here applies only to the product as shipped. The addition of any material can change the composition, hazards and risks of the product. Products shall not be repackaged, modified, or tinted except as specifically instructed by the manufacturer, including but not limited to the incorporation of products not specified by the manufacturer, or the use or addition of products in proportions not specified by the manufacturer. Regulatory requirements are subject to change and may differ between various locations and jurisdictions. The customer/buyer/user is responsible to ensure that his activities comply with all country, federal, state, provincial or local laws. The conditions for use of the product are not under the control of the manufacturer; the customer/buyer/user is responsible to determine the conditions necessary for the safe use of this product. The customer/buyer/user should not use the product for any purpose other than the purpose shown in the applicable section of this SDS without first referring to the supplier and obtaining written handling instructions. Due to the proliferation of sources for information such as manufacturer-specific SDS, the manufacturer cannot be responsible for SDSs obtained from any other source.