

ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation
Mar 14, 2019

29 00 [0729]

PRODUCT NUMBER

F73V561

PRODUCT NAME

KEM AQUA® 600T Water Reducible Enamel, Clear

MANUFACTURER'S NAME

THE SHERWIN-WILLIAMS COMPANY
101 W. Prospect Avenue
Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

Product Weight

8.59 lb/gal

Specific Gravity

1.03

FLASH POINT

N.A.

Hazard Category (for SARA 311.312)

| Acute | Chronic |

Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
2-Butoxyethanol 111-76-2	N	N	***	N	5	6
2-(2-Butoxyethoxy)-ethanol 112-34-5	N	N	***	***	4	4
Propylene Glycol 57-55-6	N	N	N	N	2	2
Water 7732-18-5	N	N	N	N	50	50

Regulated Compounds

	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
*** Glycol Ethers (SARA)	N	N	Y	N	9	
*** Glycol Ethers (HAPS)	N	N	N	Y	4	

Volatile Organic Compounds - U.S. EPA / Canada

	F73V561	
	LB/Gal	g/L
Coating Density	8.59	1029
	By wt	By vol
Total Volatiles	60.7%	62.8%
Federally exempt solvents		
Water	49.5%	50.3%
Organic Volatiles	11.1%	12.3%
Percent Non-Volatile	39.3%	37.2%
VOC Content	LB/Gal	g/L
Total	0.95	114
Less exempt solvents	1.92	230
Of solids	2.56	307
Of solids	0.28 lb/lb	0.28 kg/kg
	By wt	
By wt LVP-VOC	5.5%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.28**

Volatile Organic Compounds - California

	F73V561	
	LB/Gal	g/L
Coating Density	8.59	1029
	By wt	By vol
Total Volatiles	60.7%	62.8%
Exempt solvents		
Water	49.5%	50.3%
Organic Volatiles	11.1%	12.3%
Percent Non-Volatile	39.3%	37.2%
VOC Content	LB/Gal	g/L
Total	0.95	114
Less exempt solvents	1.92	230
Of solids	2.56	307
Of solids	0.28 lb/lb	0.28 kg/kg
	By wt	
By wt LVP-VOC	5.5%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.28**

Volatile Organic Compounds - South Coast Air Quality Management District, California, US

	F73V561	
	LB/Gal	g/L
Coating Density	8.59	1029
	By wt	By vol
Total Volatiles	60.7%	62.8%
Exempt solvents		
Water	49.5%	50.3%
Organic Volatiles	11.1%	12.3%
Percent Non-Volatile	39.3%	37.2%
VOC Content	LB/Gal	g/L
Total	0.95	114
Less exempt solvents	1.92	230
Of solids	2.56	307
Of solids	0.28 lb/lb	0.28 kg/kg

Volatile Organic Compounds - EU Directive 2004/42/EC

	F73V561	
	By wt	By vol
Total Volatiles	60.2%	62.1%
VOC Content	LB/Gal	g/L
Total	0.90	108

Volatile Organic Compounds - EU Directive 2010/75/EU

	F73V561	
	By wt	By vol
Total Volatiles	56.6%	58.3%
VOC Content	LB/Gal	g/L
Total	0.60	72

Volatile Organic Compounds - Mexico

	F73V561	
	LB/Gal	g/L
Coating Density	8.59	1029
	By wt	By vol
Total Volatiles	60.7%	62.8%
Exempt solvents		
Water	0.0%	0.0%
Organic Volatiles	60.6%	62.7%
Percent Non-Volatile	39.3%	37.2%
VOC Content	LB/Gal	g/L
Total	5.20	624
Less exempt solvents	5.20	624
Of solids	13.98	1676
Of solids	1.54 lb/lb	1.54 kg/kg

Hazardous Air Pollutants (Clean Air Act, Section 112(b))

	F73V561	
	LB/Gal	kg/L
Volatile HAPS	0.30	0.036
Of solids	0.81	0.097
Of solids	0.08 lb/lb	0.08 kg/kg

Air Quality Data

Density of Organic Solvent Blend

7.75 lb/gal

Photochemically Reactive

No

Additional Regulatory Information

US EPA TSCA:

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against:

Not Applicable

Waste Disposal

Waste from this product is not hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.