

# ENVIRONMENTAL DATA SHEET

(Certified Product Data Sheet)

Date of Preparation  
Feb 23, 2024

17 00 [0544]

## PRODUCT NUMBER

9600(92)

## PRODUCT NAME

Interior/Exterior Traffic Marking Paint Acrylic, Curb Red

## MANUFACTURER'S NAME

CONCO PAINTS

101 Prospect Avenue N.W.

Cleveland, OH 44115

This document includes all data required by 40 CFR 63.801(a) for a Certified Product Data Sheet under criteria specified in 40 CFR 63.805(a). All data given below are MAXIMUM THEORETICAL VALUES based on the product AS CURRENTLY FORMULATED. Variations may occur on individual batches due to adjustments made during production.

## Hazard Category (for SARA 311.312)

9600(92) = | Acute | Chronic | Fire |

## Product Weight

13.89 lb/gal

## Specific Gravity

1.67

## FLASH POINT

150 °F PMCC

## Volatile Ingredients

Chemical / Compound	SARA 302 EHS	CERCLA	SARA 313 TC	HAPS 112	% by Weight	% by Volume
Methanol 67-56-1	N	Y	Y	Y	2	4
Water 7732-18-5	N	N	N	N	18	32

## Volatile Organic Compounds - U.S. EPA / Canada

	9600(92)	
	LB/Gal	g/L
Coating Density	13.89	1664
	By wt	By vol
Total Volatiles	22.1%	39.2%
Federally exempt solvents		
Water	18.4%	30.8%
Organic Volatiles	3.6%	7.2%
Percent Non-Volatile	77.9%	60.8%
VOC Content	LB/Gal	g/L
Total	0.50	59
Less exempt solvents	0.73	88
Of solids	0.82	98
Of solids	0.04 lb/lb	0.04 kg/kg
	By wt	
By wt LVP-VOC	1.8%	

Maximum Incremental Reactivity (MIR) (per US EPA Aerosol Ctg Rule, MIR Values 2009) **0.04**

**Volatile Organic Compounds - California**

	9600(92)	
	LB/Gal	g/L
Coating Density	13.89	1664
	By wt	By vol
Total Volatiles	22.1%	39.2%
Exempt solvents		
Water	18.4%	30.8%
Organic Volatiles	3.6%	7.2%
Percent Non-Volatile	77.9%	60.8%
VOC Content	LB/Gal	g/L
Total	0.50	59
Less exempt solvents	0.73	88
Of solids	0.82	98
Of solids	0.04 lb/lb	0.04 kg/kg
	By wt	
By wt LVP-VOC	1.8%	

Maximum Incremental Reactivity (MIR) (per California Air Resources Board Aerosol Products Regulation, MIR Values 2010) **0.04**

**Volatile Organic Compounds - South Coast Air Quality Management District, California, US**

	9600(92)	
	LB/Gal	g/L
Coating Density	13.89	1664
	By wt	By vol
Total Volatiles	22.1%	39.2%
Exempt solvents		
Water	18.4%	30.8%
Organic Volatiles	3.6%	7.2%
Percent Non-Volatile	77.9%	60.8%
VOC Content	LB/Gal	g/L
Total	0.50	59
Less exempt solvents	0.73	88
Of solids	0.82	98
Of solids	0.04 lb/lb	0.04 kg/kg

**Volatile Organic Compounds - EU Directive 2004/42/EC**

	9600(92)	
	By wt	By vol
Total Volatiles	21.4%	38.0%
VOC Content	LB/Gal	g/L
Total	0.40	48

**Volatile Organic Compounds - EU Directive 2010/75/EU**

	9600(92)	
	By wt	By vol
Total Volatiles	20.7%	36.7%
VOC Content	LB/Gal	g/L
Total	0.30	36

### **Volatile Organic Compounds - Mexico**

	9600(92)	
	LB/Gal	g/L
Coating Density	13.89	1664
	By wt	By vol
Total Volatiles	22.1%	39.2%
Exempt solvents		
Water	18.4%	30.8%
Organic Volatiles	3.6%	7.2%
Percent Non-Volatile	77.9%	60.8%
VOC Content	LB/Gal	g/L
Total	0.50	59
Less exempt solvents	0.73	88
Of solids	0.82	98
Of solids	0.04 lb/lb	0.04 kg/kg

### **Hazardous Air Pollutants (Clean Air Act, Section 112(b))**

	9600(92)	
	LB/Gal	kg/L
Volatile HAPS	0.24	0.029
Of solids	0.41	0.049
Of solids	0.02 lb/lb	0.02 kg/kg

### **Air Quality Data**

**Density of Organic Solvent Blend**

6.97 lb/gal

**Photochemically Reactive**

No

### **Waste Disposal**

Waste from this product is not hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

Addition of reducers or other additives to this product may substantially alter the above data. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.